## Fisher & Paykel Canada Website Cookies In Use

| Cookie Name | Cookie Type | Lifespan | Used by | Description |
|---|---|---|---|---|
| Postcode | Necessary | | Hybris | Used to store a user;'s delivery postcode |
| HybrisCart | Necessary | | Hybris | Used to identify user carts in Hybris |
| HybrisSession | Necessary | | Hybris | Used to track a user's session in Hybris |
| login-token | Necessary | | Hybris | Used to enable anonymous checkout functionality in Hybris |
| email | Necessary | | Hybris | |
| cq-authoring-mode | Necessary | | Hybris | |
| SessionPersistence | Necessary | | Hybris | |
| _utma | Analytics | | Google Analytics | These cookies enable the Google Analytics software. Google Analytics helps us collect and analyse visitor information such as visitor numbers, browser usage and marketing activity which we use to improve our website. |
| _utmb | Analytics | | Google Analytics | |
| _utmc | Analytics | | Google Analytics | |
| _utmz | Analytics | | Google Analytics | |
| _utmli | Analytics | | Google Analytics | |
| _ga | Analytics | | Google Analytics | |
| | | | | |
| geolocation | Analytics | | Tryzens Tradestate | Stores geolocation details |
| ts_uid | Analytics | | Tryzens Tradestate | Keeps tradestate specific session ID |
| tfa_tra_src | Analytics | | Tryzens Tradestate | Keeps the traffic source to identify how a user came to the website |
| | | | | |
| dwanonymous_* | Storefront | 25w 5d | B2C Commerce | Random ID used to identify an unregistered shopper or a shopper who has not yet logged in independent of the session. For example, this is used to track basket and order activity and for analytics. It is not used for any activity that occurs after the shopper registers an account. The * in the cookie name is a value unique to the site. |
| dwsid | Storefront | Current Session | B2C Commerce | Identifies the current browsing session. |
| sid | Storefront | Current Session | B2C Commerce | Identifies the current browsing session. The Salesforce Reference Architecture (SFRA) uses this to determine whether to display the cookie hint content asset. Only used by SFRA and by customizations. |
| dwsecuretoken_* | Storefront | Current Session | B2C Commerce | Used with dwsid to secure the session through HTTPS. The * in the cookie name is a value unique to the site. |
| dwcustomer_* | Storefront | 25w 5d | B2C Commerce | Identifies a registered shopper. Used only when the shopper selects **Remember Me**. (This is an optional website feature.) The * in the cookie name is a value unique to the site. |
| dw_dnt* | Storefront | Current Session | B2C Commerce | Controls client-side JavaScript for Commerce Cloud tracking features (Analytics, Einstein, and ActiveData). Commerce Cloud sets it with each page response, based on the value of the corresponding session attribute TrackingAllowed. The value of this cookie always matches that of the Einstein __cq_dnt cookie. |
| dwac_* | Storefront | Current Session | B2C Commerce | Stores the following data for analytics purposes: Session ID, report suite name, shopper's customer ID, source code group ID (encoded), currency mnemonic, and time zone. The * in the cookie name is a value unique to the site. |
| dwpersonalization_* | Storefront | 25w 5d | B2C Commerce | Tracks participation in A/B test groups for analytics purposes. If the shopper participated in a test, then the value is cleared when the shopper logs out. The * in the cookie name is a value unique to the site. |
| dwsourcecode_* | Storefront | Varies from 0 - 999 days | B2C Commerce | Stores the source code for campaign and affiliate tracking.The lifespan of this cookie is set for each source code in Business Manager. The * in the cookie name is a value unique to the site. |
| SESSION | Merchant application | Current Session | B2C Commerce | Identifies the current browsing session. |
| XSRF-TOKEN | Merchant Application | Current Session | B2C Commerce | Used to validate requests. This protects against CSRF. |
| JSESSIONID | Merchant Application | Current Session | B2C Commerce | Identifies the current browsing session. |
| dwAccountManager | Merchant Application | Current Session | B2C Commerce | Authenticated session ID. |
| i18next | Merchant Application | Current Session | B2C Commerce | i18n setting for Account Manager. |
| amlbcookie | Merchant Application | Current Session | B2C Commerce | OpenAM-specific load-balancing cookie for Account Manager (not used). |
| BIGipServeraapi_amr_ssl | Merchant Application | Current Session | B2C Commerce | F5 load-balancing cookie for Account Manager. |
| .BF397AUTH | Order Management | Current Session | B2C Commerce | Store authentication token. |
| ASP.NET_SessionId | Order Management | 15 minutes when true; 30 minutes when false | B2C Commerce | Authenticated session ID. |
| ISAWPLB{*} | Order Management | Current Session | B2C Commerce | (For POD08 users) Identifies the load-balancer session. The * is a GUID. |
| AWSELB | Order Management | Current Session | B2C Commerce | (For AWS users) Identifies the load-balancer session. |
| RETAILCENTER | Order Management | Permanent | B2C Commerce | Identifies the store when a user selects the store in Retail Center. The value is specific to the computer. |
| connect.sid | Reports & Dashboards | 1h | B2C Commerce | Identifies the current browsing session. |
| XSRF-TOKEN | Reports & Dashboards | 1 year | B2C Commerce | Used to validate requests. This protects against CSRF. |
| _pendo_accountid* | Reports & Dashboards | Varies | B2C Commerce | Processes data for Pendo analytics. |
| _pendo_meta* | Reports & Dashboards | Varies | B2C Commerce | Processes data for Pendo analytics. |
| _pendo_visitorid* | Reports & Dashboards | Varies | B2C Commerce | Processes data for Pendo analytics. |