Integrated Column Refrigerator, 24", Water

Series 11 | Integrated

Panel Ready | Left hinge

Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature

- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

- Internal water dispenser for convenient access to fresh, chilled water

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84″
Width	23 3/4″
Depth	24″

FEATURES & BENEFITS

Variable Temperature Zones
Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal Water Dispenser
This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Mix & Match
Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy
ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Design Quality
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Perfect fit
Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a ⅛" gap and no visible hinges or grilles.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	**24″ Left hinge RD2484L4D**
Handle kit Contemporary	**AHS-RD84**
Handle kit Contemporary	**AHD5RDSF**

FISHER & PAYKEL

Handle kit Contemporary	AHD5RDSFB	Covered door shelves	1
Handle kit Contemporary	AHD3-RD84	Door alarm	•
Handle kit Professional round	AHC-RD84	Fruit and vegetable bins	4
Handle kit Professional round	AHP3RDSF	Gallon door shelves	1
Handle kit Professional square	AHV2-RD84	LED bin lighting	•
Joiner kit	AJ-RS84LR	LED ceiling lighting	•
Toe kick stainless steel 24"	AKRS2404	LED lighting	•
Toe kick stainless steel 42"	AKRS4204	LED side lighting	•
Toe kick stainless steel 48"	AKRS4804	SmartTouch interface at	•
Toe kick stainless steel 54"	AKRS5404	Soft-close fruit and vegetable	•
Toe kick stainless steel 60"	AKRS6004	Stackable bottle holders	4
Toe kick stainless steel 66"	AKRS6604		
Toe kick stainless steel 72"	AKRS7204		
Toe kick stainless steel 78"	AKRS7804		
Toe kick stainless steel 84"	AKRS8404		
Water filter replacement	847200 - FWC3		

Capacity

Total gross capacity	12.4cu ft
Volume	12.4cu ft
Volume refrigerator	12.4cu ft

Consumption

Energy rating	Energy star
Energy usage	439kWh/year
In-use energy carbon	54.1kgCO2e/year

Features

Adjustable door shelves	4
Adjustable glass cantilevered	•

Performance

ActiveSmart™ Foodcare	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes lower	Pantry; Fridge; Chill
Variable food modes upper	Pantry, Fridge
Variable temperature zones	2

Power requirements

Rated current	10A
Supply frequency	60Hz
Supply voltage	115V

Product dimensions

Depth	24"
Height	84"
Width	23 3/4"

Warranty

Parts and labour	2 years
Sealed system parts and labor	additional 3 years

SKU	26167

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

A PEACE OF MIND SALE

24/7

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com

↓ Energy Label

↓ User Guide EN

↓ Guide d'utilisation FR

↓ Service & Warranty

↓ Water Filter Replacement Instructions & Installation Guide EN

↓ Guide d'installation - Instructions de Remplacement du Filtre à Eau FR

↓ Guide d'installation FR

↓ Installation Guide

↓ Installation Guide Toe Kick

↓ Specification Guide Integrated Column Refrigerator

↓ Data Sheet Integrated Column Refrigerator

↓ Data Sheet Integrated Column Fridge Dual Install (18" + 24")

↓ Data Sheet Integrated Column Fridge Dual Install (24" + 24")

↓ Data Sheet Integrated Column Fridge Dual Install (24" + 30")

↓ Planning Guide Integrated Columns

↓ Key Purchase Decisions Integrated Columns

↓ Planning Guide Professional Style Dial/Handle Accessories

FISHER & PAYKEL