QUICK REFERENCE GUIDE > OR36SDG6X1

Dual Fuel Range, 36", 5 Burners, Self-cleaning

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with powerful burners is paired with a large convection oven with nine functions.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes

 High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

| Height | 35 3/4 - 37 1/4" |
|--------|------------------|
| Width | 35 7/8" |
| Depth | 25 1/4" |

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials with glowing halo all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

| 2-pc grill system (Broil pan and | |
|----------------------------------|---------------------|
| Broil pan | |
| Broil rack | |
| Full extension telescopic | 2 sets (part 578744 |
| Small pot support | 1 (part 533981 cast |
| Accessories (sold separately) | |
| Kick strip, stainless steel | KICKOR36X |

| burner ratings | | | | |
|---------------------------------|-----------------|--|--|--|
| Dual wok burner inner/outer | 1000 - 18000BTU | | | |
| Dual wok burner inner/outer | 1000 - 18000BTU | | | |
| Maximum burner power | 18000 BTU | | | |
| Semi-rapid burner (LPG) | 1500 - 7600BTU | | | |
| Semi-rapid burner (natural | 1500 - 8000BTU | | | |
| Total cooktop power | 62000 BTU | | | |
| Triple ring wok burner (LPG) | 6100 - 12000BTU | | | |
| Triple ring wok burner (natural | 6100 - 14000BTU | | | |

Capacity Shelf positions 7 Total capacity 4.9cu ft Usable capacity 4.3cu ft

| | | Gas Requirements | | | |
|--------------------------------|-------------|-------------------------------|-----------------------------|------------------------------|------------------|
| Cleaning | | Supply Pressure (LPG) | 11" W.C.P | Oven performance | |
| Acid resistant graphite enamel | • | Supply Pressure (natural gas) | 4" W.C.P | Broil power | 4300W |
| Dishwasher proof grates | • | | | CoolTouch door | Quadruple glazed |
| Drop down broil element | • | Oven features | | Warming drawer power | 220W |
| Flat easy clean glass surface | • | AeroTech™ technology | • | | |
| Pyrolytic proof shelf runners | • | Auto re-ignition system | • | Power requirements | |
| Pyrolytic self-clean | • | Automatic rapid pre-heat | • | Amperage | 30A |
| Removable oven door | • | Concealed element | • | Supply frequency | 60Hz |
| Removable shelf runners | • | Electronic oven control | • | Supply voltage | 120 - 240V |
| | | Full extension telescopic | • | | |
| Consumption | | Internal light | 4 x 25W halogen (2 side & 2 | Product dimensions | |
| Energy usage | 305kWh/year | Soft open/close door | • | Depth | 25 1/4" |
| | | True convection | • | Height | 35 3/4 - 37 1/4" |
| Controls | | Turned stainless steel clock | • | Width | 35 7/8" |
| Audio feedback | • | Twin cavity fans | • | | |
| Automatic cooking/minute | • | Warming drawer | • | Rangetop features | |
| Automatic pre-set | • | | | Brass burner spreader (power | • |
| Celsius/Fahrenheit | • | Oven functions | | Embossed brass burner cap | • |
| Electronic capacitive touch | • | Aero Bake | • | Hob rail | • |
| Electronic clock | • | Aero Broil | • | LPG/Natural gas compatible | • |
| High resolution display | • | Aero™ Pastry with Pizza mode | • | Sealed range top | • |
| Laser etched graphics | • | Bake | • | | |
| Metal illuminated dials | • | Broil | • | Rangetop Performance | |
| Precise electronic temperature | • | Maxi Broil | • | Number of burners | 5 |
| Sabbath mode | • | Number of functions | 9 | | |
| Turned stainless steel clock | • | Rapid proof | • | Safety | |
| Turned stainless steel clock | • | Roast | • | ADA compliant | |
| Turned stainless steel dials | • | Self-clean | • | Advanced cooling system | |
| | | True Aero | • | Anti-tilt bracket | |

QUICK REFERENCE GUIDE > OR36SDG6X1 Date: 02.05.2024 > 3

| Balanced oven door | • |
|---------------------------|----------------------|
| Catalytic venting system | • |
| CoolTouch door | • |
| Full extension telescopic | 2 sets (part 578744) |
| Non-tip shelves | • |
| Spill containment | 5/8 gallon |
| | |
| Warranty | |
| Parts and labour | 2 years |
| | |
| | |
| SKU | 82762 |
| | |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



User Guide Freestanding Range EN



Service & Warranty



Guide d'utilisation FR



User Guide Freestanding Range EN



Guide d'installation FR



Installation Guide EN



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com