QUICK REFERENCE GUIDE > OR30SDG6X1

Dual Fuel Range 30", Selfcleaning

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop is paired with a nine function convection oven.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu. ft total capacity and nine oven functions including Aero™ Pastry with Pizza mode, Roast, and Rapid Proof.
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 5/8'
Width	29 7/8"
Depth	25 1/4′

FEATURES & BENEFITS

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials with glowing halo all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Full extension telescopic	2 sets (part 578776)
Small pot support	1 (part 533981 cast)
Accessories (sold separately)	
Hob rear trim	3 1/8" (part 81656)
Kick strip, stainless steel	KICKOR30X1
Burner ratings	
Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural	1500 - 8000BTU
Total cooktop power	52000 BTU
Capacity	
Shelf positions	7
Tatal associtor	3.5cu ft
Total capacity	

Acid resistant graphite enamel

Dishwasher proof grates •

QUICK REFERENCE GUIDE > OR30SDG6X1

Drop down broil element	•	Auto re-ignition system	•	Amperage	30A
Flat easy clean glass surface	•	Automatic rapid pre-heat	•	Supply frequency	60Hz
Pyrolytic proof shelf runners	•	Concealed element	•	Supply voltage	120 - 240V
Pyrolytic self-clean	•	Electronic oven control	•		
Removable oven door	•	Full extension telescopic	•	Product dimensions	
Removable shelf runners	•	Internal light	2 x 25W halogen (rear)	Depth	25 1/4"
		Soft open/close door	•	Height	35 3/4 - 37 5/8"
Consumption		True convection	•	Width	29 7/8"
Energy usage	337kWh/year	Turned stainless steel clock	•		
		Warming drawer	•	Rangetop features	
Controls				Brass burner spreader (power	•
Audio feedback	•	Oven functions		Embossed brass burner cap	•
Automatic cooking/minute	•	Aero Bake	•	Hob rail	•
Automatic pre-set	•	Aero Broil	•	Hob rear trim	3 1/8" (part 81656)
Celsius/Fahrenheit	•	Aero™ Pastry with Pizza mode	•	LPG/Natural gas compatible	•
Electronic clock	•	Bake	•	Sealed range top	•
High resolution display	•	Broil	•		
Laser etched graphics	•	Maxi Broil	•	Rangetop Performance	
Metal illuminated dials	•	Number of functions	9	Number of burners	4
Precise electronic temperature	•	Rapid proof	•		
Sabbath mode	•	Roast	•	Safety	
Turned stainless steel clock	•	Self-clean	•	ADA compliant	•
Turned stainless steel dials	•	True Aero	•	Advanced cooling system	•
				Anti-tilt bracket	•
Gas Requirements		Oven performance		Balanced oven door	•
Supply Pressure (LPG)	11" W.C.P	Broil power	4050W	Catalytic venting system	•
Supply Pressure (natural gas)	4" W.C.P	CoolTouch door	Triple glazed	CoolTouch door	•
		Warming drawer power	220W	Full extension telescopic	•
Oven features				Non-tip shelves	•
AeroTech™ technology	•	Power requirements		Spill containment	1/2 gallon

QUICK REFERENCE GUIDE > OR30SDG6X1 Date: 02.05.2024 > 3

Warranty

Parts and labour 2 years

SKU 82764

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



Service & Warranty



Energy Label Dual Fuel / Induction Range



User Guide Freestanding Range EN



Guide d'utilisation FR



User Guide Freestanding Range EN



Installation Guide EN



Guide d'installation FR



Data Sheet Dual Fuel Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com