

FISHER & PAYKEL
PRODUCT CATALOGUE
2013



Fisher & Paykel

Fisher&Paykel

A HISTORY OF INNOVATION

Since our founding in 1934, we have grown into a global, design-led company of more than 3,000 people. Designed and engineered in New Zealand, our products are sold in 50 countries around the world. Our design heritage is founded on a pioneering spirit and a culture of curiosity that has challenged conventional appliance design to consistently deliver products tailored to human needs. For us, legacy is about looking into the future, while ensuring what we develop today is aligned to the fundamental principles of sustainable design. We are committed to ongoing research and development. Our culture is one of open innovation, which allows people to work collaboratively to find insights and ideas that connect with our customers and respect our planet.

A black and white photograph of a beach. The foreground shows a wet, reflective surface of sand with ripples. In the middle ground, waves are breaking across the beach. The background features a distant mountain range under a sky filled with large, fluffy clouds. The overall mood is serene and contemplative.

We live one day at a time.











Cooking
eating
cleaning
washing
drying
hunting
gathering
talking
playing
relaxing.







**And then doing it all over again.
Day in, day out.**





TURNING ROUTINES INTO EXPERIENCES

Behind every product is a story and that story starts with you. Your home is an expression of who you are and how you live. Our passion is creating better products that turn everyday routines into enjoyable experiences. We understand the dynamic nature of modern living. We deliver products that are adaptable, functional and durable, as well as human. We don't just make things that fit the space provided, we create products that fit the lives lived around them. Live life — we'll take care of the details.



THE SOCIAL KITCHEN

The kitchen is the humble engine room in which we choose to live — where we create, socialise and enjoy the best that life has to offer. Cooking is a social activity. We generally place the key appliances in what we consider to be logical places: the work triangle of cooktop, sink and fridge. But we no longer cook in straight lines. We don't cook on conveyor belts. Sometimes we assemble, sometimes we bake, sometimes we stir-fry and sometimes we boil. We don't cook the same way every day: we can be a weekday cook and a weekend gourmet. The work triangle limits our creativity. It's not just about efficiency; sometimes it's about fun. Too many cooks may spoil the broth or they may create a wonderful, social and enjoyable meal. Let's reclaim the kitchen. Let's live outside the triangle.



DESIGNED FOR REAL LIFE

At Fisher & Paykel, we are curious about people—how they live, where they live, what they do and how they use things. This is where hidden insights wait to be uncovered. We are curious about not only the function and performance of our products, but also the emotional role they play in people’s lives. For us, design is not a self-serving goal—it is a human endeavour to make life a little bit better.

CONTENTS

Cook	20
Built-in Ovens	24
Kitchen Companion Products	40
Cooktops	58
Freestanding Cookers	68
Rangehoods	74
Cook Overview	82



Cool	96
ActiveSmart Technology™	98
CoolDrawer™	100
CoolDrawer™ Range Features	104
Refrigerators	106
ActiveSmart™ Range Features	112
Cool Overview	114

Clean	128
DishDrawer™ Technology	130
DishDrawer™	132
DishDrawer™ Range Features	142
DishDrawer™ Overview	144
Dishwashers	146

Wash	148
SmartDrive™ Technology	150
Top Loaders	152
SmartDrive™ 10kg Top Loader Range Features	156
SmartDrive™ Top Loader Range Features	162
Front Loaders	164
SmartDrive™ Front Loaders Range Features	170
Wash Overview	172

Dry	176
AeroXL™ 8kg Condensing Dryer	180
AeroSense™ Dryer	182
Dryer Overview	184

Accessories	186
--------------------	------------



O

K



COOK TO CREATE

We see cooking not as a chore, but a creative act. As more of our lives become virtual and people look for ways to make and create things, we design high-performance tools you can rely on and be creative with, that turn everyday meals into creations. Fisher & Paykel products cater for different patterns of use—whether it's mid week convenience or weekend gourmet, heat and eat or a family feast. We understand everyday life and support the lives lived around our products. Cooking is part of our DNA—one part designer, one part chef. We have a passion for food and we are just as interested in making high-performance ovens that perfect your favourite foods as making the process of cooking more enjoyable. Our insights come from real-world use and then the results are tested in our lab daily, with the aim of inventing technologies that deliver the perfect cooking result.



BUILT-IN OVENS

Fisher & Paykel's multifunction Built-in Ovens are designed to perfect your favourite food, with a full range of cooking modes and temperatures providing greater control and more flexibility; and with a selection of generous oven sizes to meet the needs of the most demanding cook. Roasting is an art as well as a science. The difference between rare and medium takes timing, intuition and a well-trained eye. Fisher & Paykel's Built-in Ovens are programmed to quickly heat to a high temperature, browning the meat to create delicious savoury flavours before automatically lowering the temperature to deliver a perfect, tender roast every time. Most of our ovens are pyrolytic self-cleaning and include cool-touch doors with multiple panes of glass and advanced cooling systems that ensure the external surfaces remain safe to the touch.

90cm Built-in Oven

A generous capacity and intuitive control system allows for precise cooking-mode selection every time. It's ideally suited to under-bench positioning and will align perfectly with other Fisher & Paykel 90cm Built-in appliances. This oven also features a pyrolytic self-cleaning function.

1 Perfect Results

Create delicious savoury flavours, with the powerful 4050W professional quality rotisserie grill.

2 Sized to Suit

With a spacious 103L total and 87L useable capacity, this wide oven is designed to accommodate both side-by-side and double-layered cooking.

3 Designed to Match

Finished in black reflective glass and stainless steel, this elegant, yet durable design, sits beautifully within the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in our pyrolytic self-cleaning ovens; simply remove the racks and set to self-clean. Smoke and odours are minimised through a catalytic smoke eliminator.

5 Precise Control

Oven functions are pre-set at the touch of a dial, while brilliant lighting, combined with a large viewing window reduce the need to open the oven door, improving energy efficiency and cooking results.

6 Safe and Sound

Cool-touch doors save energy while keeping the kitchen cooler and safer for little hands. Telescopic slides make it easier and safer to remove hot dishes.

7 Accessories

This oven comes with an easy-to-assemble rotisserie kit; a two-piece anti-splatter grill system and an aluminium baking tray.



19:30



180



Fisher & Paykel

76cm Built-in Ovens

Designed for ultimate performance and cooking capability, the 76cm Built-In Oven comes in both single and double models, with 121L total and 104L usable capacity. It features 10 cooking functions, a pyrolytic self-cleaning mode and a catalytic smoke eliminator. Finished in black reflective glass and stainless steel, they blend minimalist design with durability—matching the Fisher & Paykel kitchen range, from Cooktops to ActiveSmart™ Fridges, CoolDrawers™ and DishDrawer™ Dishwashers.

1 Perfect Results

The ultra-fast heating and powerful 4400W grill is optimised by the AeroTech™ convection system, which circulates heat evenly.

2 Sized to Suit

104L of usable capacity makes this oven big enough to cook a turkey and a large tray of roast vegetables.

3 Designed to Match

Finished in black reflective glass and stainless steel, these elegant, yet durable ovens match the rest of Fisher & Paykel's coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in our ovens; simply remove the racks and set to pyrolytic self-clean.

5 Precise Control

Temperature adjustment is easy with smooth, balanced dial movement. Brilliant halogen lighting, plus a large viewing window improve performance and efficiency.

6 Safe and Sound

Cool-touch doors are safer and more energy efficient. An advanced heat-reflective coating and innovative cooling system keeps heat inside the oven.

7 Accessories

This oven includes a three-piece anti-splatter grill system, a meat probe that automatically stops cooking when the predetermined temperature is reached, and two aluminium baking trays.





60CM BUILT-IN OVEN

Welcome to the next generation in Fisher & Paykel Built-in Ovens. Designed specifically for Australasian cooking styles, with generous capacity, high performance and a full range of oven functions including the new vent bake — which offers the ability to control the removal of moisture from the baking or roasting environment for optimum cooking results. An oven's performance can't be measured by a single stand-alone feature and our Built-in Ovens offer a full package of features and functions to deliver optimum results for both cooking and cleaning up afterwards. Built for cooking performance, an intuitive control system allows for precise cooking-mode selection every time. These ovens have generous internal capacity, fitting 30 percent more than traditional European ovens and they clean up after themselves with a pyrolytic self-cleaning function (OB60SL11 models only). The sleek lines and design detail mean they are ideally suited to fit with the rest of Fisher & Paykel's coordinated kitchen family, from Cooktops to ActiveSmart™ Fridges, DishDrawer™ Dishwashers and CoolDrawers™.

60cm Built-in Oven Range Features

1 ActiveVent System

Food is perfectly cooked with the lowest possible amount of energy using the ActiveVent system, unique to the 60cm Built-in Oven range (excludes OB60SL7 models). The active venting system and up to 11 cooking functions optimise the balance between excellent cooking performance, condensation management and energy consumption. Full temperature is reached quickly with a rapid heat-up feature and a powerful grill (up to 3200W) that gives you an even and quick result, perfect for browning and caramelising.



2 Large Oven

Sized to fit the food you cook, Fisher & Paykel have the largest 60cm Built-in Oven on the market, providing 90L total and 77L of usable capacity. The maximised height means you're able to fit a large casserole dish, the family roast and even a pie as well – true multi-shelf cooking. Two shelves can be fully utilised at the same time without hot spots or uneven browning. A 5.5kg turkey (or other cut of meat) can be deliciously cooked using the optional rotisserie kit (OB60SL11 & OB60SL9 models).



3 Elegant Design

All of the three models in our Built-in Oven range are finished in black reflective glass and stainless steel that blends elegant, minimalist aesthetic with design for durability. The finishes and handles match the rest of Fisher & Paykel's coordinated kitchen family, from Cooktops to ActiveSmart™ Fridges, CoolDrawers™ and DishDrawer™ Dishwashers.



4 Pyrolytic Self-Cleaning

No need for harsh chemical cleaners in our pyrolytic self-cleaning ovens as food residues inside the oven walls are naturally broken down at a very high temperature, leaving only a light ash that can be removed with a damp cloth. The non-pyrolytic OB60SL9 model has catalytic liners that break down oil and fat splashes during normal cooking. A unique clipping system for side racks and a simple glass mounting system for the oven door mean quick and easy removal and replacement when cleaning.




5 Pre-set Oven Functions

The range features three models with either 11, nine or seven cooking functions that include: Bake, Vent Bake, Fan Bake, Classic Bake, Pastry Bake, Fan Forced, Roast, Grill, Fan Grill, Rotisserie, Warm and Self-Clean. On the 11 and nine function models there is no need to program the functions, as these are pre-set at the touch of a dial to deliver just what you need to cook each dish to perfection.



6 Safety Features

The 60cm Built-in Oven features a beautifully balanced, lighter and less bulky cool-touch door for safety (excludes OB60SL11DCPX1). An exceptional cooling system allows for a three-pane glass door rather than heavier four panes, while still achieving cool-touch status to ensure it's safe to touch externally. Sliding hot oven dishes all the way out of the oven is made safe with full extension shelves. These are designed to integrate with the shelf for quick and easy removal and adjustment.



7 Accessories

The rotisserie kit option has a 5.5kg capacity and ensures delicious roasts are browned evenly as the surface is continuously basted. Prepare the meat on the spit and rotisserie dish, then simply slide it into the oven. To achieve the perfect internal temperature, the meat probe will detect the temperature at the centre of the meat and show it on the control panel (OB60SL11 only). Crafted from heavy-gauge enamelled steel, the three-piece dish system includes a deep roasting dish, splatter tray and grill rack.





60cm Built-in Oven

Built for performance, an intuitive control system allows for precise cooking-mode selection. Generous internal capacity fits 30 percent more than traditional European ovens and offers a pyrolytic self-cleaning function*. The sleek lines and design detail match the rest of the Fisher & Paykel built-in appliance range.

1 Perfect Results

Using the unique ActiveVent system and up to 11 cooking functions, you can optimise cooking performance, condensation management and energy consumption.

2 Sized to Suit

This is the largest 60cm Built-in Oven on the market, providing 90L total and 77L of usable capacity (OB60SL models only).

3 Designed to Match

Our Built-in Oven range is finished in black reflective glass and stainless steel, matching the rest of Fisher & Paykel's coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in our pyrolytic self-cleaning ovens. The non-pyrolytic OB60SL9 model has catalytic liners that break down oil and fat splashes.

5 Precise Control

Oven functions are pre-set at the touch of a dial while brilliant lighting and a large viewing window reduce the need to open the oven door.

6 Safe and Sound

A clever cooling system allows for a lighter three-pane glass door, while still achieving cool-touch status.

7 Accessories

This oven comes with a heavy-gauge enamelled steel dish system with deep roasting dish, splatter tray and grill rack and the option of a rotisserie kit (OB60SL11 and OB60SL9 only) and meat probe (OB60SL11 only).

* Pyrolytic function not available for OB60SL9 or OB60SL7 models





ACTIVE VENTING

An oven's performance can't be measured by temperature and heat alone—moisture is a vitally important but often neglected factor in the cooking performance of your oven. If your oven holds too much moisture or too little, your gastronomic creation can quickly turn to disaster. That's why the Fisher & Paykel nine and 11 function Built-in Ovens feature the unique ActiveVent system as well as a full package of features and functions (OB60SL11 only). Fisher & Paykel's ActiveVent system allows you to control the removal or retention of moisture from the baking or roasting environment to get the very best cooking results and energy consumption.



60cm Tower Built-in Oven

The Tower Oven delivers outstanding performance and innovative cooking features that make entertaining for small or large groups effortless. This visually impressive oven is finished in black reflective glass and stainless steel, blending minimalist design with durability.

1 Perfect Results

Food is perfectly cooked in either or both of the two ovens, each with seven cooking functions including Fan Grill and the Fan Bake Convection cooking system that provides even heat distribution for multi-shelf cooking. Each oven has a powerful 3000W grill that gives you an even and fast result.

2 Sized to Suit

Entertaining for small or large groups is effortless with these two matching 60cm wide ovens.

3 Designed to Match

All of the models in our Built-in Oven range are finished in black reflective glass and stainless steel, to match the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

Catalytic self-cleaning liners in both ovens break down oil and fat splashes. Not only can the oven doors be easily removed, but so can the glass — making cleaning simple.

5 Precise Control

Six shelf positions give you a range of options for organising the inside of the oven. Large windows reduce the need to open the oven door, providing the ultimate cooking result and improving energy efficiency.

6 Safe and Sound

Easy-glide telescopic oven runners slide in and out effortlessly. Each oven features a cool-touch door with three panes of glass and its own cooling system.



KITCHEN COMPANION PRODUCTS

Whether it's a fresh coffee in the morning, a healthy steamed lunch or a quick ready-made meal in the evening, the Kitchen Companion Product Range takes convenience to a new level. The range includes a Coffee Maker, Steam Oven, Compact Oven, Combination Microwave Oven and Warming Drawer, offering a complete modular family designed to complement any kitchen. Temperature pre-selection and an oven programmer mean that cooking times can be pre-set across the product family, so multiple dishes can be easily coordinated. Each product is based on standard dimensions and can be easily configured to suit your preference — whether it's stacked vertically, placed side-by-side in a linear fashion or configured in a two-by-two block. Any combination will deliver a unified built-in solution. Design features include capacitive touch controls and standard fascia height with black reflective glass and polished metal trim matching the broader Fisher & Paykel range including Cooktops to ActiveSmart™ Fridges, CoolDrawers™ and DishDrawer™ Dishwashers to create an integrated look throughout your kitchen.





DESIGN FLEXIBILITY

Perfect modularity means Fisher & Paykel's kitchen companion products can be positioned for maximum functionality—whether this is in a compact block, a vertical stack or side-by-side in a linear set. Beautifully finessed design features matched with the optional trim kit allow the kitchen companion range to fit the popular 48cm kitchen module height.

Compact Oven

Space—sometimes there just isn't enough of it. Enter the Fisher & Paykel Compact Oven, the little oven that thinks big, with design detail ideally suited to fit with other Fisher & Paykel's built-in appliances, both large and small.

1 Perfect Results

The Compact Oven delivers the superior performance and full functionality of a large model with a choice of eight multi-function programs, temperature pre-selection and an oven programmer.

2 Sized to Suit

A compact 460mm height means this oven can be placed virtually anywhere. All companion products can be installed at a convenient height to suit your kitchen design and preference.

3 Designed to Match

Finished in black reflective glass and polished metal, these elegant, yet durable compact ovens match the other companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The Compact Oven has an easy-clean enamel interior with a catalysing filter that removes odours while you cook. The oven door has removable glass panes for effortless cleaning.

5 Precise Control

All the information you need at a glance is on the intuitive display, including a recipe menu and digital temperature control for absolute accuracy. Capacitive touch controls and an electronic touch panel make this oven very easy to use.

6 Safe and Sound

The compact oven has a well-balanced, three-pane glass, cool-touch oven door along with a childproof key lock for extra safety. Cool-touch doors save energy, keep the kitchen cooler and make the kitchen safer for little hands.



19:38



Fisher & Paykel



19:30



Fisher & Paykel

Steam Oven

This Steam Oven provides appetising and healthier alternatives to fried and baked food. Steam cooking is one of the easiest yet oldest forms of cooking and can be used for almost any food. Heat from steam diffuses through food allowing it to cook in its own juices, retaining valuable nutrients, minerals and vitamins and—most importantly—flavour. The Steam Oven adds a new dimension to oven-based cooking.

1 Perfect Results

The Fisher & Paykel Steam Oven allows for healthy and easy cooking—keeping food moist and fresh with no oil, smoke or mess. The oven heats up quickly and cooks most meals in 30 minutes or less.

2 Sized to Suit

At 460mm high, this 29L built-in Steam Oven can be placed virtually anywhere, fitting perfectly with other products in the kitchen companion range. An optional 2cm trim kit ensures a perfect match with the full range of 60cm built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass with polished metal trim that blends elegance with durability.

4 Easy Cleaning

Cleaning and care of the Steam Oven is simple. After each use, simply clean the smooth stainless steel interior with a dry cloth after the steam generator has cooled.

5 Precise Control

The oven beeps when the food is ready and the intuitive display provides all the information you need, including cooking function selection, time and when to refill. A removable one litre water reservoir is used to generate steam that lasts almost an hour. An alarm sounds when it's empty and it's simple to refill.

6 Safe and Sound

The Steam Oven comes with a childproof key lock for extra safety.

Combination Microwave Oven

Fast cooking is the primary advantage of the built-in Combination Microwave Oven. This oven merges the traditional crisping and browning benefits of the convection oven with the speed of a microwave, and 10 different cooking modes including Reheat, Defrost, Bake and Grill.

1 Perfect Results

Forget soggy defrosted foods or uneven heating. This oven incorporates the best of convection and microwave technology and eliminates the need for two separate appliances, with a choice of 10 cooking modes combined with a powerful 1000W microwave offering 19 power levels.

2 Sized to Suit

A compact 460mm height means this Combination Microwave Oven can be placed virtually anywhere at a height to suit you. An optional 2cm trim kit ensures a perfect match with the full range of 60cm built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass and polished metal that blend an elegant, minimalist aesthetic with design for durability.

4 Easy Cleaning


The smooth enamel interior with glass inner door, drop-down grill and removable side racks, along with a turntable, make cleaning easy.

5 Precise Control

All the information you need at a glance is shown on the intuitive display, including a cooking guide with 12 pre-selected automatic cooking modes.

6 Safe and Sound

The Combination Microwave Oven has a childproof key lock for extra safety.



19:30



Fisher & Paykel



0120



Fisher & Paykel

Coffee Maker

Like having a barista in your kitchen, the built-in Coffee Maker is designed to make coffee just the way you like it. Offering adjustable coffee strength and temperature, multiple coffee cup sizes and 15-bar pressure at the touch of a button, it's the perfect way to start each day.

1 Perfect Results

Easily adjusted to suit your preference, this Coffee Maker also provides automatic descaling and cleaning for perfect coffee, every time.

2 Sized to Suit

The adjustable coffee dispenser holds 250g of coffee and the centrally positioned steam milk frother avoids unnecessary detachable milk containers.

3 Designed to Match

Finished in black reflective glass and polished metal, the Coffee Maker matches the other Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

The Coffee Maker has a self-cleaning function and comes with a removable drip tray and a bin for used coffee grounds.

5 Precise Control

The intuitive electronic touch panel display includes refill, cleaning and maintenance data, plus a program to memorise your favourite coffee recipe. Twin LED lights ensure you see what you are doing on those dark mornings.

6 Safe and Sound

The unit glides out on telescopic slides to easily add coffee beans and the adjustable shut-off timer switches the machine off after a set period or when you have made your last coffee. The on/off switch is conveniently hidden for children's safety.

7 Accessories

These comprise: coffee dispenser spoon; descaling solution; and optional lower trim kit.



Warming Drawer

Putting the finishing touch to a delicious meal or coffee, the Warming Drawer keeps plates and cups warm. It's designed to fit under 48cm or 60cm high appliances and can be installed in many combinations—under the bench or built into the wall. It's also strong enough to support the weight of other products such as an oven or coffee maker.

1 Perfect Results

A separate Warming Drawer allows you to warm plates while you finish cooking. The temperature control settings (45°, 55° and 65°C) and even heat distribution within the Warming Drawer means no hot spots. Two timer settings can maintain a temperature for a set time or it can be left on for up to 12 hours.

2 Sized to Suit

Designed to fit under 48cm and 60cm ovens and other kitchen appliances, the Warming Drawer can be installed with or without other appliances under-bench or built into the wall at a convenient height.

3 Designed to Match

Finished in black reflective glass or stainless steel, the Warming Drawer matches the other Fisher & Paykel kitchen companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The front panel and smooth-glass base of the Warming Drawer are easy to wipe clean.

5 Precise Control

All the information you need at a glance is shown on the illuminated touch display, including temperature settings and shut-off timer.

6 Safe and Sound

Full extension slides make it safe to remove hot crockery with minimal obstructions and, as an extra safety measure, the drawer turns itself off after 12 hours of continuous use.





0 0 0 0

21:00

F O T O N I

0 0 0 0

0:00

F O T O N I

Fotoni

Fotoni



COOKTOPS

So many things to consider when selecting a cooktop: a look to match your kitchen, a size to fit your space and a fuel type to suit your cooking style. It all comes down to personality and preference. Whether it's the performance and theatre of live flame, the precision, control and sleek simplicity of induction, or the straightforward power of an electric cooktop, Fisher & Paykel's Cooktop family is designed to provide a full range of solutions. Whatever your choice, there are many configurations and sizes to suit any cooking style. Each product has been designed to deliver great performance—from searing heat to the gentlest of simmers—and all are designed for easy cleaning and with safety in mind.

90cm CookSurface

A revolution in cooking. Combining the superior performance of gas and the convenience of a ceramic glass surface with retractable burners and pan supports.

1 Perfect Results

Perfect simmering is achieved through uniquely designed Aero® burners that mix fan-forced air at lower settings to reduce peak temperatures and ensure even heat distribution with both a high setting and low turndown.

2 Sized to Suit

Available in two different depths to suit any benchtop and featuring three burners spaced for best ergonomics.

3 Easy Cleaning

Combining the convenience of a ceramic glass surface with retractable burners, simply wipe and walk away.

4 Precise Control

Quiet glow ignition means the flame automatically ignites with the turn of the dial, while the electronic interface provides audio and visual feedback for 12 levels of precise linear flame control.

5 Safe and Sound

The CookSurface will shut off automatically should the gas supply falter, and features a key lock as an added safety precaution. We only use eco friendly ceramic glass, without any arsenic or heavy metals used in the manufacturing process.





Gas on Glass Cooktops

The Gas on Glass range combines the cleanability of the highest-quality glass surface with the efficiency of gas cooking. It delivers total cooking precision through the latest burner technology and elegant stainless steel controls. The Gas on Glass series is a modular family of appliances designed using premium quality materials with a polished metal trim.

1 Perfect Results

Our award-winning Gas on Glass Cooktops come equipped with powerful burners; the wok burner has a uniform flame for even heat distribution while the auxiliary burner has the added capability of exceptionally low temperatures (0.7MJ/h)—ideal for delicate sauces.

2 Sized to Suit

A range of different sized elements can be used together: 90cm five-burner; 60cm four-burner; 60cm three-burner. The 90cm model wok burner comfortably takes a large wok and is among the most powerful on the market at 18MJ/h.

3 Designed to Match

The black reflective glass, brushed stainless steel and polished metal trim blend elegance with durability to match the rest of our coordinated kitchen family.

4 Easy Cleaning

The easy-to-clean cooktop design means you can simply remove the trivets, wipe and walk away.

5 Precise Control

It delivers total cooking precision through the latest burner technology and elegant stainless steel controls.

6 Safe and Sound

The flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. We only use eco friendly ceramic glass without any arsenic or heavy metals used in the manufacturing process.









Gas on Steel Cooktops

The Gas on Steel cooktops come in different sizes and offers power levels for everything from a slow simmer for sauces, to an intense heat for steaks and stir-fries. Combining the attractiveness of sleek stainless steel with the durability of cast iron trivets, these cooktop supports the most avid chef.

1 Perfect Results

The Gas on Steel Cooktop perfects the slow simmer for sauces to the intense heat needed for steaks and stir-fries, with five different strength burners including some of the most powerful available.

2 Sized to Suit

With up to five burners, including simmer, rapid and two wok burners provide great cooking flexibility.

3 Designed to Match

The brushed stainless steel blends elegance with durability—matching the rest of our coordinated kitchen family.

4 Easy Cleaning

These cooktops are designed as a singular piece of steel with quick component removal for easy cleaning. Durable and easy to clean, cast iron box trivets provide a safe and stable cooking surface. The rubber feet ensure that the cooktop is not scratched when the trivets are placed onto the cooktop.

5 Precise Control

Innovalve™ technology allows you to adjust the flame with unprecedented 180 degree gas valve rotation (CG905DWACX1 only). Most cooktops offer only 70 degree rotation. For accurate temperature control, ergonomic dials on the side of the cooktop automatically ignite the flame quickly and safely.

6 Safe and Sound

Indicator lights show which burners are in use and alert you if the gas shuts down (CG905DWACX1 only). The flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. All Fisher & Paykel Gas Cooktops feature electronic ignition ensuring they are quick, reliable and safe.





Touch Control Induction Cooktops

Traditionally we cook by generating heat from one source, such as a flame, and conducting it to another. Fisher & Paykel Induction Cooktops work on a different principle. The cooktop itself produces electromagnetic vibrations, which induce the pot or pan to generate its own heat, resulting in shorter heat-up times and a safer cooking surface.

1 Perfect Results

The PowerBoost function delivers instant, intense heat when you need it and the GentleHeat function produces slow, continuous simmering.

2 Sized to Suit

Select from 90cm five zone; 75cm four zone; and 60cm four zone; to suit all sizes of cookware. The cooktops are perfectly flat so the surface can be used as an extension of your preparation area.

3 Designed to Match

Induction cooking is popular with those who love visual simplicity and clean, smooth lines. Finished in black glass, you get elegant design with durability.

4 Easy Cleaning

The flat surface is easy to clean because there are no obstructions and because Induction heats just the pot rather than the surrounding glass, the likelihood of burned spill overs is greatly reduced.

5 Precise Control

Induction cooking delivers an immediate response with greater energy efficiency than that of either gas or electric. Soft-touch controls are simple to use and provide great precision.

6 Safe and Sound

This cooktop will alert you if it's turned on without a pot or pan on it, and will switch off if you don't respond. It will switch off if the pan being used isn't suitable for induction cooking and a key lock is provided for extra safety. We use eco friendly ceramic glass in the production of our Induction Cooktops without any arsenic or heavy metals used in the manufacturing process.

Electric Cooktops

1 Perfect Results

Solid performers with superb simmer results, our Electric Cooktops allow you to move pots and pans around simply and quickly while high-speed ribbon elements provide good temperature control from a rapid boil to an extremely low simmer.

2 Sized to Suit

Four size variations and either two, four or five element configurations are available. Because our Electric Cooktops are perfectly flat and cool down quickly when switched off, the surface can be used as an extra preparation area.

3 Designed to Match

Designed using premium quality materials, the finishes and controls match the rest of our coordinated kitchen family.

4 Easy Cleaning

The flat surface makes our Electric Cooktops very easy to clean. Ceramic glass is very strong, adding to the durability and performance of the cooktop.

5 Precise Control

You have the choice of classic dial controls or the perfectly flat Touch&Slide functionality. The intelligent timer on touch-control models lets you activate any combination of elements, or you can simply use it as a minute minder.

6 Safe and Sound

Hot surface indicators glow until the surface is safe to touch and the Touch&Slide Electric Cooktop will turn off if something spills over the controls. We use eco-friendly ceramic glass in our Cooktops, without any arsenic or heavy metals used in the manufacturing process.







FREESTANDING COOKERS

Fisher & Paykel's Freestanding Cookers are the showpiece of the kitchen and deliver outstanding performance. These are the domestic version of the professional chef's cooker. With a commanding presence they not only look like they've come from a restaurant kitchen but also deliver similarly high performance. There are up to eight cooking functions in the electronic oven ranging from Defrost to Fan Bake including Rotisserie in some models and a powerful grill element – perfect for any culinary requirements.

90cm Freestanding Cooker — Gas

This freestanding, professional-style cooker gives you the flexibility to prepare several courses simultaneously. With a large electric oven combined with a five-burner gas cooktop, the clean lines in black reflective glass and stainless steel complement the style and elegance of any kitchen.

1 Perfect Results

Eight oven functions from Fan Grill to traditional Bake and Rotisserie, plus a powerful 3600W grill, give you professional quality results.

2 Sized to Suit

Our Freestanding Cookers are spacious, with a 103L total and 87L usable capacity. A shelving system and concealed lower element allow ample space for larger meals.

3 Designed to Match

Designed using premium quality materials and built to last, the black reflective glass and stainless steel blend balanced aesthetic with design for durability.

4 Easy Cleaning

Concealed elements and a drop-down grill make cleaning quick and simple, while catalytic liners break down oil and fat splashes during normal cooking. The cooktop is made from a single piece of stainless steel that contains spills. The oven door and its inner pane of glass can be removed for easy cleaning and the storage compartment minimises clutter for all oven accessories.

5 Precise Control

Generous metal control dials with a simple, functional interface are positioned on a full stainless steel control panel for precise control over cooking temperatures.

6 Safe and Sound

A cool-touch door and built-in cooling system ensure the oven door is safe to touch externally. Streamlined trivets let you slide pots and pans without lifting them.





90cm Freestanding Cooker – Induction

Combining the best of both worlds, the Fisher & Paykel 90cm Freestanding Induction Cooker gives you the benefits of an easy to clean, four zone induction cooktop with the flexibility of an extra large oven. Elegantly designed to complement the Fisher & Paykel built-in product range with clean lines of black glass and stainless steel.

1 Perfect Results

Professional performance is delivered by eight oven functions—perfect for any culinary requirements. The cooktop's PowerBoost function delivers instant, intense heat when you need it and there's also a warm function for slow, continuous simmering.

2 Sized to Suit

Our 90cm Freestanding Cookers are spacious, with a 103L total and 87L usable capacity. A shelving system and concealed lower element allow ample space for larger meals.

3 Designed to Match

Induction cooking is popular with those who love visual simplicity. This cooker is designed to complement the Fisher & Paykel kitchen product family with clean lines of black glass and stainless steel.

4 Easy Cleaning

The flat surface makes the induction cooktop very easy to clean while the oven door and its inner pane of glass can be removed for easy cleaning. The storage drawer minimises clutter for oven accessories.

5 Precise Control

Benefits of induction include fast heat-up times, immediate response and precision cooking, cooler temperatures on the glass and in the kitchen and greater energy efficiency than that of either gas or electric.

6 Safe and Sound

Double glazed doors make the oven safe to touch, the door and oven cooling system keep heat away from cabinetry and non-tip shelves reduce the risk of dropping heavy cookware.



RANGEHOODS

Kitchen inspiration doesn't exist in a vacuum, but simple and responsive extraction is as important as achieving the right look for your kitchen. Designed to complete your kitchen, you can select a Rangehood that sits above your cooktop or one that is hidden away until needed, depending on what best suits your kitchen layout and cooking style. No matter which you choose, all of Fisher & Paykel's ventilation products are built to perform. Whether it is a built-in Powerpack, or Canopy-style VentSurface™, each has been designed as the perfect partner to our Cooktops and each captures and eliminates cooking odours, vapour and steam effectively. They are easy to use and feature intuitive controls that respond to the touch of a finger.

Fisher & Paykel



VentSurface™ Wall Rangehoods

VentSurface™ has been designed to provide a simple and efficient means of removing steam and cooking odours from the kitchen through automatic adjustment.

1 Effective and Quiet

The clever technology in this Rangehood senses cooking activity and turns on automatically and constantly adjusts to capture and eliminate rising cooking odours, vapour or steam. Perimeter extraction technology creates a high velocity vacuum that is more effective over a wider area than that of traditional Rangehoods and is far quieter than those using conventional technology.

2 Designed to Match

VentSurface™ comes in two sizes (120cm and 90cm) and is designed to fit any contemporary kitchen and match the Fisher & Paykel kitchen family. VentSurface™ Rangehoods are finished in black reflective glass and stainless steel that blend elegance with durability, while hiding unsightly filters.

3 Easy Cleaning

The black reflective glass and stainless steel finishes are easily wiped clean and the filters are dishwasher safe. A filter cleaning alert reminds you when to clean it and ensures you get the best performance out of the Rangehood.

4 Precise Control

A small selection of simple, soft-touch buttons give you control of the clever technology inside and once set to automatic, the VentSurface™ responds the moment you start cooking.

Fisher & Paykel



Canopy Rangehoods

Designed as the perfect partner to our Cooktops, Canopy Rangehoods are easy to use, easy to clean and feature intuitive controls.

1 Effective and Quiet

These Rangehoods offer a selection of fan speeds and clever features that quietly and efficiently remove steam and cooking odours from the kitchen. Odours can linger in the kitchen well after cooking is finished. The practical timer feature keeps the canopy working for up to 15 minutes before it automatically turns itself off.

2 Designed to Match

Fisher & Paykel's Canopy Rangehoods will fit any contemporary kitchen and perfectly match the Fisher & Paykel kitchen family with their black reflective glass and stainless steel.

3 Easy Cleaning

An interior, wipeable plate makes cleaning effortless. Multi-layered filters trap grease effectively. Designed for simple removal, the filters are easy to clean and dishwasher safe.

4 Precise Control

The sleek touch-control panel responds to the touch of your finger. Halogen lights provide superb illumination over the entire cooking surface. The dimmable light feature enables you to create the perfect level of light. (HC120DCXB1, HC90DCXB1 only).





Powerpack Rangehoods

This discrete built-in style of rangehood is perfect for the minimalist look where the cooktop is placed under overhead cupboards. Hidden from view until it is needed, the Powerpack efficiently removes steam, smoke and lingering odours with a powerful three-speed fan. Powerpack Rangehoods are finished in black reflective glass and stainless steel that blends elegance of design with durability.

1 Effective and Quiet

Odours can linger in the kitchen well after cooking is finished. Three fan speeds, with up to 750m³ per hour air movement, ensure steam and smells are quickly removed.

2 Designed to Match

The stainless steel Rangehood surround with black glass touch-control panel and backlit red-and-white display matches the other Fisher & Paykel products—from Built-in Ovens or Freestanding Cookers and Kitchen Companion Products, to ActiveSmart™ Fridges, CoolDrawers™ and DishDrawer™ Dishwashers.

3 Easy Cleaning

The glass and stainless steel finishes are easily wiped clean and the filters are dishwasher safe. A cleaning alert reminds you when to clean the filter and ensures you get the best performance out of your Rangehood.

4 Precise Control

Low-power LED lighting keeps energy usage to a minimum while providing superb illumination over the entire cooking surface.

Built-in 90cm Oven



01

⑩
OB90S9MEPX2
90cm Single Pyrolytic
Built-in Oven
H478 x W895 x D566mm

Built-in 76cm Ovens



01



02

⑩
OB76DDEPX2
76cm Double Pyrolytic
Built-in Oven
H1230 x W757 x D608mm

⑩
OB76SDEPX2
76cm Single Pyrolytic
Built-in Oven
H688 x W757 x D608mm

Built-in 60cm Large Capacity Ovens



01



02



03



04

①
OB60SL1DEX1
60cm 11 Function Pyrolytic Built-in Oven
H598 x W596 x D580mm

②
OB60SL9DEX1
60cm Nine Function Built-in Oven
H598 x W596 x D580mm

③
OB60SL7DEX1
60cm Seven Function Built-in Oven
H598 x W596 x D580mm

④
OB60SL7DEW1
60cm Seven Function Built-in Oven
H598 x W596 x D580mm

Built-in 60cm Ovens



01



02

①
OB60DDEX4
60cm Tower Built-in Oven
H888 x W595 x D567mm

②
OB60B77DEX3
60cm Double Built-in Oven
H888 x W595 x D567mm

**Built-in 60cm Ovens
Cont.**



03



04



05



06



07

03
OB60B77CEX3
60cm Double Built-in Oven
H888 x W595 x D567mm

04
OB60B77CEW3
60cm Double Built-in Oven
H888 x W595 x D567mm

05
OB60SCMX4
60cm Single Built-in Oven
H597 x W595 x D567mm

06
OB60SLCX3
60cm Single Built-in Oven
H597 x W595 x D567mm

07
OB60NDEX2
60cm Compact Built-in Oven
H450 x W595 x D556mm

Companion Products



01



02



03



04



05



06



07

①
OB60SL1DCPX1
60cm 11 Function Pyrolytic Built-in Oven
 H598 x W596 x D580mm

②
OB60N8DTX1
60cm Built-in Conventional Compact Oven
 H457 x W595 x D570mm

③
OS60NDTX1
60cm Built-in Steam Oven
 H457 x W595 x D423mm

④
OM36NDXB1
60cm Built-in Combination Microwave Oven
 H457 x W595 x D570mm

⑤
EB60DSXB1
60cm Built-in Coffee Maker
 H457 x W595 x D412mm

⑥
WB60SDEB1
60cm Warming Drawer
 H118 x W596 x D556mm

⑦
WB60SDEX1
60cm Warming Drawer
 H118 x W596 x D556mm

CookSurface Cooktops



01



02

①
CG903MLDNGB1 (Natural gas)
CookSurface Deep
H89 x W900 x D530mm

②
CG903MLNGB1 (Natural gas)
CookSurface
H89 x W900 x D410mm

Gas on Glass Cooktops



01



02



03

①
CG905DNGGB1 (Natural gas)
CG905DLPGB1 (LPG)
90cm 5 Burner Gas on Glass Cooktop
H64 x W900 x D530mm

②
CG604DNGGB1 (Natural gas)
CG604DLPGB1 (LPG)
60cm 4 Burner Gas on Glass Cooktop
H64 x W600 x D530mm

③
CG603DNGGB1 (Natural gas)
CG603DLPGB1 (LPG)
60cm 3 Burner Gas on Glass Cooktop
H64 x W600 x D530mm

Gas on Steel Cooktops



01




02



03



04



05

①
CG905DWACX1
90cm 5 Burner Gas Cooktop
 H76 x W914 x D546mm

②
CG905DX1
90cm 5 Burner Gas Cooktop
 H64 x W900 x D530mm

③
CG905DWFCX1
90cm 5 Burner Gas Cooktop
 H50 x W914 x D533mm


④
CG604DX1
60cm 4 Burner Gas Cooktop
 H64 x W600 x D530mm

⑤
CG604DWFCX1
60cm 4 Burner Gas Cooktop
 H50 x W578 x D511mm


Gas on Steel Cooktops
Cont.




06




07



08



09



10

06
CG604WCX1
60cm 4 Burner Gas Cooktop
H50 x W578 x D511mm

07
CG604LCX1
60cm 4 Burner Gas Cooktop
H50 x W578 x D511mm

08
CG604CWFW1
60cm 4 Burner Gas Cooktop
H34 x W580 x D500mm

09
CG604CWW1
60cm 4 Burner Gas Cooktop
H34 x W580 x D500mm

10
CG604CW1
60cm 4 Burner Gas Cooktop
H34 x W580 x D500mm

Induction Cooktops



01



02



03

01

CI905DTB1
90cm 5 Zone Induction Cooktop
 H50 x W900 x D530mm

02

CI754DTB1
75cm 4 Zone Induction Cooktop
 H50 x W750 x D530mm

03

CI604DTB1
60cm 4 Zone Induction Cooktop
 H50 x W600 x D530mm

Electric Cooktops



01



02

01

CE754DTB1
75cm 4 Element Electric Cooktop
 H58 x W750 x D530mm

02

CE604DTB1
60cm 4 Element Electric Cooktop
 H58 x W600 x D530mm

**Electric Cooktops
Cont.**



03

⑩
CE905CBX1
90cm 5 Element Electric Cooktop
H59 x W900 x D530mm

⑪
CE604CBX1
60cm 4 Element Electric Cooktop
H59 x W600 x D530mm

⑫
CE302CBX1
30cm 2 Element Electric Cooktop
H63 x W300 x D530mm



04



05

Freestanding Cookers



01

⑬
OR905DBSIX1
**90cm Induction
Freestanding Cooker**
H892 – 917 x W898 x D600mm

**Freestanding Cookers
Cont.**



02

②
OR90SDBGFX2
90cm Freestanding Cooker
H892 — 917 x W898 x D600mm

③
OR60SDBGFX2
60cm Freestanding Cooker
H900 — 915 x W596 x D600mm



03

**Ventsurface™
Rangehoods**



01

①
HI120MXB1
120cm VentSurface™
Island Rangehood
H682 — 939 x W1198 x D648mm

**VentSurface™
Rangehoods Cont.**



02

②
HC90MXB1
**90cm VentSurface™ Wall
Rangehood**
H682 – 939 x W898 x D470mm

Canopy Rangehoods



01

①
HC120DCXB1
120cm Wall Canopy Rangehood
H635 – 1035 x W1200 x D500mm

②
HC90DCXB1
90cm Wall Canopy Rangehood
H635 – 1035 x W900 x D500mm



02


Canopy Rangehoods
Cont.



③
HC90CGX1
90cm Wall Canopy Rangehood
H820—1070 x W900 x D500mm

④
HC90PCHTX2
90cm Wall Canopy Rangehood
H648—1068 x W900 x D480mm

⑤
HC60PCHTX2
60cm Wall Canopy Rangehood
H648—1068 x W600 x D450mm



**Built-in Powerpack
Rangehoods**



01



02

①
HP90IDCHX2
**90cm Built-in Powerpack
Rangehood**
H281 x W792 x D277mm

②
HP60IDCHX2
**90cm Built-in Powerpack
Rangehood**
H281 x W492 x D277mm

Slideout Rangehoods



01



02



03

①
HS90CSX3
90cm Slideout Rangehood
H181 x W898 x D280mm

②
HS60CIWX3
60cm Slideout Rangehood
H161 x W597 x D280mm



③
HS60CSX3
60cm Slideout Rangehood
H161 x W597 x D280mm



Standard Rangehood



01

①
HF60CSX2
60cm Standard Rangehood
H140 x W600 x D480mm







WE CONTROL THE WEATHER

At the heart of Fisher & Paykel's Fridge-Freezers is the ability to sense and respond to daily use in an intelligent way. The combination of temperature sensors with smart electronics and variable-speed fans creates a controlled environment and optimum temperature for better food care. We call it ActiveSmart™ Technology. Your fridge door is the most used door in your home and, every time it is opened, the temperature changes around your food. The challenge is maintaining a consistent and controlled environment despite ongoing changes inside and outside the fridge. ActiveSmart™ achieves this through constantly monitoring how you and your family use your fridge, adjusting airflow to maintain a stable and even temperature. So despite highs, lows and occasional gusty winds, when it comes to your fridge, let ActiveSmart™ control the weather to deliver better food care.



ACTIVESMART™
TECHNOLOGY



Fischer Paykel



90cm CoolDrawer™

The CoolDrawer™ has been designed to change from refrigerator to freezer at the touch of a button. It is built on the concept of distributed refrigeration, combining ActiveSmart™ Technology with a drawer-based design that can be placed anywhere in the kitchen, home or entertainment area. The CoolDrawer™ provides five temperature settings to deliver total flexibility – freezer, chill, fridge, pantry and wine modes, merging intelligence with convenience.

1 Innovative

The multi-temperature CoolDrawer™ is a world-first in refrigeration technology.

2 Convenient

Five temperature settings can be tailored to the needs of your food: freezer, chill, fridge, pantry and wine mode, combining intelligence with convenience.

3 Ergonomic

There is easy access at waist height, with smooth-running drawers.

4 Intuitive

The easy-to-use electronic interface can change the CoolDrawer™ temperature at the touch of a button.

5 Flexible


This innovation complements your existing refrigeration and enhances your kitchen design to suit your lifestyle.

6 Precise

Highly engineered finishing ensures a 4mm clearance between front panels, as demanded by professional cabinetmakers.



Fisher & Paykel





lock



cooler



warmer



freeze



chill



refrig



proof



water



Energy Star
EPA Energy Star
EPA Energy Star

CoolDrawer™ Mode Features

1 Freezer Mode

This mode is ideal for general frozen food storage with the added flexibility of three freezer functions—bottle chill, fast freeze and deep freeze. Freezer Mode is set at -18°C for longer-term storage of frozen items.



2 Chill Mode

Chill Mode sets the compartment to a temperature perfect for highly perishable meats, poultry and seafood. For these types of food it is ideal to store them at a temperature as close to freezing as possible to retain their vital freshness. Chill Mode sets the compartment at -0.5°C , just above the freezing temperature for meat.



3 Fridge Mode

This mode provides the ideal storage for most foods requiring normal refrigeration, such as fruit and vegetables, dairy products, processed meats and drinks. The compact upper storage tray is a perfect place for sensitive foods such as peaches, cherries, cheeses and deli items; the tall bin is ideal for large bottles and containers.



4 **Pantry Mode**

This is designed for foods that require a cool, dark place for storage, such as tropical fruits, tomatoes, bananas, bread and cereals. Pantry Mode provides a solution for all those foods that you didn't previously know what to do with and have always resorted to storing on the bench or in the cupboard. This setting offers a stable storage environment at 12°C, making it ideal for sensitive foods.



5 **Wine Mode**

Using the innovative Wine Mode, connoisseurs can take advantage of special settings that preserve and present wine at its optimum temperature. This mode is ideal for long-term storage of all wine at 12°C and offers two temperature selections for short-term storage.





French Door Refrigerators

This range has been designed to maximise space as well as access. French Door refrigerators bring theatre into the kitchen with unobstructed access to wide-open shelf spaces. Below, a spacious full-extension drawer and storage bins provide ergonomic solutions for freezer items.

1 Ice & Water

Ice & Water models deliver chilled, filtered water automatically. The slimline touch pad and angled water delivery mean that almost any size or shape of vessel can be filled. The icemaker automatically delivers ice into a dedicated bin and can be easily customised to store different volumes.

2 Humidity Control System

The Humidity Control System, together with the cool and consistent temperature delivered by ActiveSmart™ Technology, creates the perfect microclimate in each produce bin. Two humidity control slides offer settings for both fruit and vegetables to retain optimal moisture and freshness.

3 Ergonomic

Uninterrupted wide-open spaces and numerous shelving options enable easy customisation for different uses. Quality extension runners allow you to slide out storage bins and trays fully for easy loading and unloading. The storage bins are removable, making food preparation and cleaning easier.

4 Efficient

Alarms on the refrigerator and freezer alert you if the door has been left open. Adaptive defrost means that there is no need for 'holiday mode' settings. The ActiveSmart™ will select the best time to defrost based on how the appliance is being used. When you are away, it will recognise lower levels of use and defrost less often, therefore using less energy.

5 Safe

Secure glass shelving contains drips and spills and prevents them from falling on items stored below.

Bottom Freezer Refrigerator

This range has been designed for what you use most often. The upper refrigerator enables easy access to everyday items. It includes ergonomic glass shelves and storage bins that can be configured to suit every lifestyle. The lower drawer-based freezer ensures that long-term storage items are just as easy to access.

1 Ice & Water

Ice & Water models deliver chilled, filtered water automatically. The slimline water touch pad and angled water delivery mean that almost any size or shape of vessel can be filled. The icemaker automatically delivers ice into a dedicated bin and can be easily customised to store different volumes.

2 Humidity Control System

Fruit and vegetable quality can be maintained at the right humidity and temperature level. The Humidity Control System, together with the cool and consistent temperature delivered by ActiveSmart™ Technology, creates the perfect microclimate in each produce bin. Two humidity control slides offer settings for both fruit and vegetables to retain optimal moisture and freshness.

3 Ergonomic

Uninterrupted wide-open spaces and numerous shelving options enable easy customisation for different uses. Quality extension runners allow you to slide out storage bins and trays fully for easy loading and unloading. The storage bins are removable, making food preparation and cleaning easier.

4 Efficient

Alarms on the refrigerator and freezer alert you if the door has been left open. Adaptive defrost means that there is no need for 'holiday mode' settings. The microprocessor will select the best time to defrost based on how the appliance is being used. When you are away, it will recognise lower levels of use and defrost less often, therefore requiring less energy.

5 Safe

Secure glass shelving contains drips and spills and prevents them from falling on items stored below.



SURROUND KIT

The refrigeration Surround Kit helps create a seamless connection between your appliance and its surrounding cabinetry. Available in a stainless steel finish, the kit frames and complements the product. A Joiner Kit can also be used to join two refrigerators. For more information, see page 191 or visit fisherpaykel.com.au



ActiveSmart™ Range Features

1 Humidity Control System

The Humidity Control System, together with the cool and consistent temperature delivered by ActiveSmart™ Technology, creates the perfect microclimate in each produce bin. The humidity control lid protects fresh produce from drier refrigerator air, keeping fruit and vegetables fresher for longer. The lid traps the excess water vapour produced and channels it away for evaporation. Two humidity control slides offer settings for both fruit and vegetables, ensuring optimal moisture and freshness is retained.



2 Variable-speed Fans

Independent variable-speed fans control airflow through multiple air ducts in the refrigerator and freezer. This means greater control when new items are introduced to either compartment as well as rapid chill and freezing to ensure food safety and maintain food quality.



3 Temperature and Door Sensors

Sensors constantly record changes to fridge and freezer compartments, including when the doors are opened and when new items are introduced. This information is continuously communicated to the microprocessor which, in conjunction with the variable-speed fans and air ducts, ensures that the temperature in each compartment is kept constant. All ActiveSmart™ fridges can be placed into Sabbath mode.



4 Adaptive Defrost

Alarms on the refrigerator and freezer alert you if the door has been left open. Adaptive defrost means that there is no need for 'holiday mode' settings. The microprocessor will select the best time to defrost based on how the appliance is being used. When you are away, it will recognise lower levels of use and defrost less often, therefore using less energy.



5 Filtered Ice & Water

Unique Ice & Water models have fully integrated in-door water dispensing and internal icemaking that do not use any space in your refrigerator, providing maximum food storage. The slimline touch pad and angled water delivery means almost any size or shape of vessel can be filled with chilled, filtered water. The internal icemaker is housed above the freezer and can fill various-sized bins for customised ice storage.



6 Ergonomic Design

Uninterrupted wide-open spaces and numerous shelving options enable easy customisation for different uses. Secure glass shelving contains drips and spills and prevents them from falling on items stored below. Quality extension runners allow you to slide out storage bins and trays fully for easy loading and unloading. The storage bins are removable, making food preparation and cleaning easier.



COOL

CoolDrawer™



01

⑩

RB90S64MKIW1 **90cm CoolDrawer™**

H640 x W855 x D557mm
(excl. drawer panel, incl.
power cord)

Optional Stainless Steel **Pre-finished Door**

H476 x W896 x D18mm

Bottom Mount Integrated Refrigerator



01

⑩

RB60V18 **Integrated Refrigerator**

H1773 x W540 x D544mm

Ice & Water French Door Refrigerators



01

⑩

RF610ADUX3 **900mm French Door Refrigerator**

H1790 x W900 x D695mm
(Dimensions excl. handles)
Flat door

**Ice & Water
French Door
Refrigerator Cont.**



02

②
RF522ADUX1
790mm French Door Refrigerator
H1715 x W790 x D695mm
(Dimensions excl. handles)
Flat door

**French Door
Refrigerator**



01

①
RF522ADX1
790mm French Door Refrigerator
H1715 x W790 x D695mm
(Dimensions excl. handles)
Flat door

**Ice & Water
Bottom Mount
Refrigerators**



01

①
**E522BRXFDU3,
E522BLXFDU3**
H1715 x W790 x D695mm
(Dimensions excl. handles)
Flat door

**Ice & Water
Bottom Mount
Refrigerators Cont.**



02



Ⓜ
E442BRXFDU3
H1715 x W680 x D695mm
(Dimensions excl. handles)
Flat door

Ⓜ
**E522BRXU3,
E522BLXU3**
H1705 x W790 x D715mm
(Dimensions excl. handles)
Curved door



05



**Bottom Mount
Refrigerators**



01



Ⓜ
**E522BRXFD3,
E522BLXFD3**
H1715 x W790 x D695mm
(Dimensions excl. handles)
Flat door

**Bottom Mount
Refrigerators Cont.**



02



②
**E442BRXFD3,
E442BLXFD3**
H1715 x W680 x D695mm
(Dimensions excl. handles)
Flat door

③
**E522BRX3,
E522BLX3**
H1695 x W790 x D715mm
(Dimensions excl. handles)
Curved door

④
**E442BRX3,
E442BLX3**
H1695 x W680 x D715mm
(Dimensions excl. handles)
Curved door



03



04



Bottom Mount
Refrigerators Cont.



05



06

**E402BRX3,
E402BLX3**
H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

06

**E522BRE3,
E522BLE3**
H1695 x W790 x D715mm
(Dimensions excl. handles)
Curved door

07

**E442BRE3,
E442BLE3**
H1695 x W680 x D715mm
(Dimensions excl. handles)
Curved door



06



07



**Bottom Mount
Refrigerators Cont.**



08

⑩
**E402BRE3,
E402BLE3**
H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

⑪
**E372BRE3,
E372BLE3**
H1595 x W635 x D715mm
(Dimensions excl. handles)
Curved door



09

**Top Mount
Refrigerators**



01

⑫
**E521TRX3,
E521TLX3**
H1695 x W790 x D715mm
(Dimensions excl. handles)
Curved door

Top Mount
Refrigerators Cont.



02



02
**E440TRX3,
E440TLX3**
H1695 x W680 x D715mm
(Dimensions excl. handles)
Curved door

03
**E411TRX2,
E411TLX2**
H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

04
**E521TRT3,
E521TLT3**
H1695 x W790 x D715mm
(Dimensions excl. handles)
Curved door



05



04



**Top Mount
Refrigerators Cont.**



05



Ⓜ
**E440TRT2,
E440TLT2**
H1695 x W680 x D715mm
(Dimensions excl. handles)
Curved door

Ⓜ
**E411TRT2,
E411TLT2**
H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

Ⓜ
**E381TRT2,
E381TLT2**
H1595 x W635 x D715mm
(Dimensions excl. handles)
Curved door



06



07



**Top Mount
Refrigerators Cont.**



Ⓜ
**E331TRT2,
E331TLT2**
H1425 x W635 x D715mm
(Dimensions excl. handles)
Curved door

Compact Refrigerators



Ⓜ
**E249TRX,
E249TLX**
H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door

Ⓜ
**E249TRW,
E249TLW**
H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door

Vertical Refrigerators



Ⓜ
**E450RxFD,
E450LxFD**
H1695 x W635 x D695mm
(Dimensions excl. handles)
Flat door

Ⓜ
**E450RW,
E450LW**
H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

Vertical Refrigerators Cont.



03

⑩

**E373RW,
E373LW**

H1425 x W635 x D715mm
(Dimensions excl. handles)
Curved door

⑪

C270R SX

H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door

⑫

**C270R WW,
C270L WW**

H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door



04



05

Vertical Freezers



01



02

⑬

**E388R XFD,
E388L XFD**

H1695 x W635 x D695mm
(Dimensions excl. handles)
Flat door

⑭

**E388R WW,
E388L WW**

H1695 x W635 x D715mm
(Dimensions excl. handles)
Curved door

Vertical Freezers Cont.



03

03

**E308R WW,
E308L WW**
H1425 x W635 x D715mm
(Dimensions excl. handles)
Curved door

04

E210L SX
H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door

05

**E210R WW,
E210L WW**
H1595 x W525 x D575mm
(Dimensions excl. handles)
Curved door

06

**E150R WW,
E150L WW**
H1207 x W525 x D575mm
(Dimensions excl. handles)
Curved door



04



05



06

Bar Refrigerators



01

01

**P120RSX,
P120LX**
H819 x W525 x D575mm
Curved door

02

**P120RW,
P120LW**
H819 x W525 x D575mm
Curved door



02

Chest Freezers



01



02

①
H701
H903 x W1781 x D730mm

②
H510
H903 x W1351 x D730mm

③
H360
H903 x W1111 x D662mm

④
H320
H898 x W1214 x D565mm

⑤
H280
H903 x W901 x D662mm

⑥
H275
H898 x W1073 x D565mm



03



04



05



06

Chest Freezers Cont.



07



08



09

07

H220

H903 x W746 x D662mm

08

H215

H898 x W881 x D565mm

09

H160

H903 x W611 x D662mm

C

L

E

E

A

N



WE LIVE OUT OF DRAWERS

Fisher & Paykel DishDrawer™ dishwashers are designed to make doing the dishes easier than ever before. The combination of a drawer-based system with smart electronics and independent wash technology delivers unparalleled cleaning and better ergonomics. We call it DishDrawer™ Technology. Each of our DishDrawer™ products is a self-contained dishwasher with technology that allows traditional double-format or separate modules to be configured at an ergonomic height, allowing complete design freedom. Wide, tall, double and single-drawer options allow you to choose the combination that works best for your lifestyle. The dishwashers in this range can be concealed easily behind kitchen cabinetry to seamlessly blend in with your kitchen and the ergonomic design minimises bending by requiring less movement to open, load and close.



DISHDRAWER™
TECHNOLOGY







DishDrawer™ Wide

Designed for the whole family, the DishDrawer™ Wide dishwasher complements the Fisher & Paykel 900mm product range to deliver a total kitchen solution. Providing space for nine place settings, the DishDrawer™ Wide is suited to medium-sized households and can be partnered with additional drawers to cater for larger families.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

This model is taller than the standard DishDrawer™ dishwasher, so you can fit large plates up to 315mm in diameter. Racking is designed to hold long utensils and can fold away to free up space.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model has the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Eco-friendly

Uses only 9.4 litres of water on a Normal Eco wash program which gains a 4 star (WELS) water rating.

DishDrawer™ Tall

This model is designed for extra headroom. The increased drawer height fits 330mm plates, making cleaning up after dinner parties a breeze. The DishDrawer™ Tall dishwasher can also easily accommodate oversized platters and extra-long stemmed glasses.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

This model is taller than the standard DishDrawer™ dishwasher, so you can fit in large plates up to 330mm in diameter. Racking is designed to hold long utensils and can fold away to free up space.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model has the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Eco-friendly

Uses only 6.7 litres of water on a Normal Eco wash program which gains a 4.5 star (WELS) water rating.



Double DishDrawer™

Designed to fit existing kitchen cabinetry, the Double DishDrawer™ dishwasher has comparable dimensions to those of traditional dishwashers but provides the benefit of two independent drawers for added convenience and ergonomics.

1 Innovative

This dishwasher is a world's first in terms of design and configuration. Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

The Double DishDrawer™ dishwasher lets the user match the wash program to the exact load type in each drawer.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model offers the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Eco-friendly

Uses only 6.7 litres of water per drawer on a Normal Eco wash program which gains a 4.5 star (WELS) water rating.







INTEGRATED MODELS

The integrated product solution enables seamless fitting between Fisher & Paykel products and your kitchen cabinetry. Your chosen aesthetic can extend beyond storage spaces to enable DishDrawer™ and CoolDrawer™ to blend in with your kitchen environment.

DishDrawer™ Range Features

1 Independent Drawers

An independent drawer-based dishwashing platform is part of what makes the DishDrawer™ dishwasher unique. At bench height, drawers glide open for easy access, visibility and better ergonomics. In DishDrawer™ Double dishwashers, both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads. Glasses, pots and pans can be washed in separate drawers at the same time.



2 SmartDrive™ Wash Mechanism

The unique brushless DC motor acts as both a wash pump and a drain pump, which means fewer moving parts and greater reliability. The pump brings water into the spray arm, which rotates at different speeds depending on the wash cycle selected, to deliver a superior clean and better dish care. In the DishDrawer™ Wide dishwasher, two independent spray arms force water throughout the tub, ensuring maximum efficiency and ultimate wash performance.



3 Nine Wash Options

All DishDrawer™ dishwashers feature nine wash programs: Rinse, Fast Eco, Fast, Delicate Eco, Delicate, Normal Eco, Normal, Heavy Eco, Heavy. The range of settings enables the DishDrawer™ dishwasher to wash everything from fine glass and crystal to heavily soiled pots and pans at the touch of a button. Primary and secondary controls provide a simple interface for program selection and operation, while the 'delay' start setting means the dishes can be done when it's most convenient.



4 Flow-through Detergent Dispenser

The DishDrawer™ dishwasher detergent dispenser ensures that undissolved detergent does not enter into the tub; instead, it is mixed as the machine fills with water. This not only cleans each load better but also reduces the possibility of damaging delicate items such as aluminium, cutlery or porcelain glazes.



5 Superior Filtration

One of the challenges in all dishwashers is a robust filter system that removes debris and avoids blocking. Together, the kidney filter and overmoulded filter plate create a firm seal to ensure that debris does not enter the wash mechanism and cause backflow. It is designed to be removable for easy and hygienic cleaning.



6 Adjustable Racking System

The DishDrawer™ dishwasher includes a range of flexible racking options. The cutlery basket can be customised for different utensils. Folding tines can be folded flat to accommodate a full load of pots or be folded upwards to hold glassware. Pitch-adjustable racks can accommodate normal plates, deep bowls or even slide completely out of the way. Wine glass holders ensure that short and long stemmed glasses are secure throughout the wash. Added retainer clips are ideal for holding chopping boards in position.



7 Safety Features

The DishDrawer™ dishwasher incorporates unique safety features such as a child lock which both locks the drawer to prevent opening and disables the buttons. In addition, it includes three-stage flood protection: the high-strength hose withstands water pressure several times greater than normal, overfill detection cuts the water supply if limits are exceeded and the back-up switch activates the drain pump to remove any excess water.



**DishDrawer™
Wide Dishwashers**



01



02


01

DD90SDFTX2
H478 x W895 x D571mm

02

DD90ST12
H478 x W855 x D571mm
Apply your own cabinetry façade
and handle — not included

**DishDrawer™
Tall Dishwashers**



01



02

01

DD60SDFTX7
H478 x W599 x D571mm

02

DD60ST17
H453 — 478 x W599 x
D569 — 571mm
Apply your own cabinetry façade
and handle — not included

**Double DishDrawer™
Dishwashers**



01



02

01

DD60DDFX7
H820 — 880 x W599 x D571mm

02

DD60DI7
H820 — 880 x W599 x D571mm
Apply your own cabinetry façade
and handle — not included

**Double DishDrawer™
Dishwashers Cont.**



03



04

03

DD60DCX7

H820 — 880 x W599 x D582mm

04

DD60DCW7

H820 — 880 x W599 x D582mm

**Single DishDrawer™
Dishwashers**



01



02

01

DD60SDFX7

H410 x W599 x D571mm

02

DD60SI7

H410 x W599 x D569 — 573mm

Apply your own cabinetry façade
and handle — not included



03



04

03

DD60SCX7

H410 x W599 x D582mm

04

DD60SCW7

H410 x W599 x D582mm

One Touch™ Dishwasher



01

①
DW60DOX1
H820—880 x W598 x D570mm
(Dimensions excl. handles)

Dishwashers



01



02

①
DW60CCX1
H850—870 x W595 x D600mm

②
DW60CCW1
H850—870 x W595 x D600mm

③
DW60CEX1
H850—870 x W595 x D600mm



④
DW60CEW1
H850—870 x W595 x D600mm



03



04



SSH



WASHING REINVENTED

It takes a lot of brainpower to make things really simple. That, in a sentence, is the essence of SmartDrive™. Traditional washing machines are made up of many moving parts. Their complexity also means there's a lot that can go wrong with them. Fisher & Paykel SmartDrive™ machines are made of just three main parts: a small computer, a flexible agitator and a simple direct-drive motor. This means these washing machines can sense each load, use less water and be ultimately more reliable as they run with less moving parts.



POWERED BY
SMARTDRIVE™

CleanSmart™ 10kg

The CleanSmart™ 10kg washer, is our most robust top-loading washer. The SmartTouch™ control dial accesses the SmartDrive™ technology with our low profile agitator to deliver an expert wash every time whilst achieving a 4 star energy rating and a 4 star water rating (WELS). With its 10kg capacity, it will wash all your family's washing in half the cycles.

1 Innovative

SmartDrive™ technology uses a direct drive motor, controlled by a microprocessor, to make an efficient washer. It can accelerate to a maximum spin speed of 1100rpm and a 386 g-force, removing more water and reducing drying times.

2 Convenient

The SmartTouch™ control dial accesses the SmartDrive™ technology through the 12 pre-programmed cycles: Towels, Regular, Heavy, Handwash, Sheets, Easy Iron, Bulky, Allergy, Quick, Bowl Clean, Rinse and Spin, along with options of Soak, Eco, Softener, Dual Wash and Stain Treatment. The self-cleaning lint removal system hygienically disposes of lint automatically.

3 Ergonomic

The Soft Close Glass Lid delivers durability through 6mm of toughened glass that won't mark, set in a 3mm ABS moulded base for extra strength. Opening and closing is counter-balanced to deliver better ergonomics and hands-free operation. The design of our top-loading format reduces excessive bending or crouching.

4 Eco friendly

With its 4 star water rating (WELS), CleanSmart™ delivers the water-saving benefits of a Front Loader with the ergonomic benefits of a Top Loader.

5 Robust

The combination of quality controls, toughened glass lid, formed cabinet and base-plate means CleanSmart™ delivers better usability and durability as well as a quiet, vibration-free operation.





WashSmart™ 10kg

WashSmart™ 10kg uses SmartDrive™ technology and our flexible finned agitator to deliver expert wash results. With its 4 star energy rating, the Eco-Active™ wash in the WashSmart 10kg, make it Australia's most energy efficient top loader. Its 10kg capacity means it will wash all your family's washing in half the cycles.

1 Innovative

SmartDrive™ technology uses a direct drive motor, controlled by a microprocessor, to make an efficient washer. It can accelerate to a maximum spin speed of 1100rpm and a 386 g-force, removing more water and reducing drying times.

2 Convenient

WashSmart™ 10kg uses SmartDrive™ technology with a flexible finned agitator for ultimate load sensing and clothes care. With six wash cycles including Regular, Heavy, Handwash, Easy Iron, Allergy and Quick, it takes care of all your washing needs at the touch of a button. The self-cleaning lint removal system hygienically disposes of lint automatically.

3 Eco friendly

The Eco-Active™ wash saves energy, achieving a 4 star energy rating but best of all it achieves a better clean. A small volume of warm sudsy water is re-circulated through the clothes in a cascade effect. After the 'pre-soak', cooler water is added and agitated to finish the wash.

4 Ergonomic

The soft close steel lid delivers durability through powder coated steel that won't chip, and is resistant to chemical corrosion. Opening and closing is counter-balanced to deliver better ergonomics and hands free operation. The design of our top-loading format reduces excessive bending or crouching.

5 Robust

The combination of quality controls, powder coated steel lid, formed cabinet and base-plate means it delivers better usability and durability as well as a quiet, vibration-free operation.





SmartDrive™ 10kg Range Features

1 10kg Capacity

The large 10kg capacity washers save you time and money, because it takes less loads to wash your weeks washing. The infinite water level sensing makes these washers very efficient at washing both small and large loads. The big bowls will easily wash bulky items like bedspreads and doonas.



2 SmartTouch™ Controls

The SmartTouch™ control panels are your interface with the SmartDrive™ technology. They allow you to see at a glance exactly which of the 12 or six pre-programmed cycles you are selecting from. The SmartDrive™ technology senses each load to deliver better clothes care.



3 1100rpm Spin

With a maximum spin speed of 1100rpm spin, a substantial 386 g-force, these washers remove more water from your clothes so they take far less time to dry.



4 Eco-Active™

Eco-Active™ wash boosts soil removal while saving energy, giving these washers their 4 star energy rating. Its unique pumping technology re-circulates water and detergent through the clothes in a cascade-like pattern. This rapidly targets stains and dirt and is proven to be more effective at killing bacteria.



5 Soft Close Lid

The Soft Close Lids make opening and closing gentle and easy, allowing ergonomic and hands free operation. The Soft Close glass lid in the 10kg CleanSmart™ is extremely strong with 6mm of toughened glass set in a 3mm ABS moulded base. It won't mark and is our most chemically resistant lid. The WashSmart™ 10kg has a Soft Close powder coated steel lid that won't chip and is resistant to chemical attack.



6 Robust Construction

We know washing machines work hard and can really take a battering so we chose the best materials including quality controls; toughened glass and powder-coated steel lids; high quality stainless steel dials; and high grade wrapper steel. All designed with long life in mind.



7 Quiet Operation

Designed for quiet operation with pressed forms on the cabinet, polypropylene insulating base and sound deadening pads. The result is <math>< 50\text{dBA}</math> sound power during the wash and 64dBA when spinning at 1100rpm. With the SmartDrive 10kg range you can wash anytime without disturbing those around you.







FabricSmart™

The FabricSmart™ washing machine is so intelligent it's almost human. It's the only washing machine in the world with true Fabric Sensing Technology. Whether it is your favourite shirt or your most loved toy, this machine will deliver the ultimate clothes care.

1 Innovative

SmartDrive™ technology uses a direct drive motor, controlled by a microprocessor, to make an efficient washer. It can accelerate to a maximum spin speed of 1000rpm, removing more water and reducing drying times.

2 Intuitive

FabricSmart™ uses SmartDrive™ technology and flexible agitator fins to sense the average fabric mix of the wash load and designs a wash cycle for it. Fabric Sensing Technology means the water level, wash action, wash time and rinse type are always optimised.

3 Convenient

An easy to use LCD screen lets you choose from 13 pre-programmed wash cycles, including Nappy Rinse, Duvet/Doona, Allergy, Sweaty, Muddy, Sport Shoes, Beach Gear, Chocolate, Tomato, Blood/Grass, Fruit/Wine, Bowl Clean, and Max Wash. The self-cleaning lint removal system hygienically disposes of lint automatically.

4 Eco friendly

The FabricSmart™ has a unique Eco-Active™ Wash that uses a small amount of sudsy water and re-circulates it through the clothes, optimising detergent and energy use. It achieves a 3.5 star energy rating. By selecting one of the Save Water options you can save up to 35% more water than traditional top loaders.

5 Ergonomic

The ergonomic design of our top-loading format reduces excessive bending or crouching.

WashSmart™

The WashSmart™ washing machine is designed for those who like fingertip control, without getting their hands dirty. With five wash cycles, including three new cycles specifically designed to suit the needs of Australasian families and three options: Eco, Soak and Quick Wash. Automatic temperature sensing and automatic water level sensing enables a more effective wash.

1 Innovative

SmartDrive™ technology uses a direct drive motor, controlled by a microprocessor, to make an efficient washer. It can accelerate to a maximum spin speed of 1000rpm, removing more water and reducing drying times.

2 Convenient


WashSmart™ uses SmartDrive™ technology with a flexible finned agitator for ultimate load sensing and clothes care. It has five wash cycles to choose from including Allergy, Handwash and Easy Iron, and three wash Options: eco, soak and quick wash. The Allergy cycle has been designed along Asthma and Allergy Foundation of American guidelines and removes dust mite waste and detergent residue. The Handwash cycle is designed for delicate items. The Easy Iron cycle is designed to minimise the need for ironing. Hang garments on a coat hanger to dry and some will require a light touch-up, or no ironing at all. The self-cleaning lint removal system hygienically disposes of lint automatically.

3 Precise

The automatic temperature sensing uses an in-built thermometer to precisely mix water to the required temperature. This saves power by making washing in cooler temperatures possible throughout the year.

4 Ergonomic


The ergonomic design of our top-loading format reduces excessive bending or crouching.



SmartDrive™ Range Features

1 SmartDrive™ Technology

To deliver the best clothes care, reduced energy and water consumption and greater reliability, Fisher & Paykel washing machines are powered by SmartDrive™ technology. SmartDrive™ comprises just three main parts: a small computer, a flexible agitator, and a simple direct-drive motor that allow these washing machines to sense each load, use less water and run with less moving parts.



2 1000rpm Spin

All SmartDrive™ washers spin to a speed of 1000rpm. They remove up to 2½ litres more water per load than other washing machines, reducing drying time and drying costs.



3 Self-Cleaning Lint Disposal

All SmartDrive™ washers have a self-cleaning lint disposal system. The water and lint are drawn down the agitator and through the inner and outer bowls. The holes in the stainless bowl trap the lint, which is flushed down the drain. This is a hygienic way of dealing with lint. There is no need for you to touch the lint and no contamination of micro-organisms growing in filters.



4 Auto Water Level Sensing

SmartDrive™ Technology is used to determine the right amount of water for each load. People often over-estimate the amount of water required for each load. Washing is a chemical reaction, so too much water means a diluted detergent solution, and less soil removal.



5 Automatic Temperature Sensing

The SmartDrive™ control system uses an in-built thermometer to precisely mix water to the required temperature. This saves power by making washing in cooler temperatures possible throughout the year. It ensures you get better performance.





FRONT LOADERS NOW POWERED BY SMARTDRIVE™

World-first SmartDrive™ technology is re-engineered for Fisher & Paykel's Front Loader range. By combining smart electronics with vector control and a direct drive motor, the need for a belt and pulley is removed and the motor constantly provides feedback to the computer controlling the tumble and spin action. With 20 years of experience using this technology in Top Loaders, the result is a quieter, quicker and more reliable product. For the first time a Front Loader has been designed to meet the specific requirements of Australasian consumers wanting energy savings, the ability to wash at lower temperatures and for most washing cycles to produce clean clothes in under an hour.

WashSmart™

WashSmart™ provides 13 specific wash cycles and hands-on control to select exactly how you want to wash each load. It is designed for those who like fingertip control, without getting their hands dirty. WashSmart™ has all the clothes care benefits of a front loader, but with SmartDrive™ technology to give a quicker, quieter wash.

1 Innovative

The Vortex wash speeds up the cleaning process so nine of the 13 cycles take less than an hour to complete when washing at 30°C. It quite simply uses the force of the spinning drum to thrust the detergent solution through the clothes. The Vortex wash means the Everyday cycle can be used for all load sizes.

2 Convenient

The 'add a garment' option allows you to quickly add or remove a garment mid cycle. A 'wrinkle free' option ensures your wet clothes don't sit around too long at the completion of the cycle and a choice of three soil levels gives you more control over your wash.

3 Efficient

A maximum spin speed of 1400rpm removes more water from each load, reducing drying times while keeping clothes soft.

4 Eco friendly

WashSmart™ delivers a 4 star energy rating as well as a 4.5 star water rating (WELS), making it one of the most efficient front loaders on the market.

Available in July 2013



QuickSmart™

QuickSmart™ offers one touch control with nine programmed cycles. It is designed for you to select and walk away leaving this SmartDrive™ front loader to get on with the job on its own—taking time out of washing so you can spend more time living.

1 Innovative

Using the Vortex wash to speed up the cleaning process, seven of the nine cycles take less than an hour to complete when washing at 30°C.

2 Convenient

Fisher & Paykel's SmartDrive™ contains no belts or pulleys, for a more reliable washer with less vibration and whisper quiet noise levels.

3 Efficient

A maximum spin speed of 1100rpm removes more water from each load, reducing drying times while keeping clothes soft.

4 Eco friendly

QuickSmart™ delivers a 4 star energy rating as well as a 4.5 star water rating (WELS), making it one of the most efficient front loaders on the market.

Available in July 2013



SmartDrive™ Front Loaders Range Features

1 SmartDrive™ Technology

Fisher & Paykel SmartDrive™ washing machines use our world first direct drive technology, which has revolutionised clothes washing and clothes care since the 1990s. By combining smart electronics with vector control and a direct drive motor, removing the belt and pulleys, these washing machines can sense and respond to each load, delivering exceptional clothes care quickly and quietly.



2 Quick Vortex Wash Cycles

Fisher & Paykel have developed the Vortex wash which speeds up the cleaning process so most cycles take less than an hour to complete. This is like an explosion in the midst of the tumble action which thrusts the sudsy water from the bottom of the drum into and through the clothes. By getting the cleaning agents and heat into the fibres of the clothes quicker the clothes get clean quicker.



3 Whisper Quiet

Our SmartDrive™ Front Loaders use our latest generation direct drive motors, removing cumbersome parts and improving our ability to sense what's happening inside the drum. Without these old components, SmartDrive™ Front Loaders are more reliable, produce less vibration and noise levels are reduced to being whisper quiet.



4 SmartTouch™ Control Dial

The SmartTouch™ Control Dial is your interface to SmartDrive™ Technology. It distills 21 years of SmartDrive™ development into a user-friendly interface, to deliver an expert wash every time.



5 Energy and Water Efficiency

Our SmartDrive™ Front Loaders deliver a 4.5 star water rating (WELS), as well as a 4 star energy rating, making them one of the most efficient front loaders on the market.



6 Hot and Cold Fill

Unlike many others, our SmartDrive™ Front Loaders let you choose whether your water is heated in the washing machine or from your hot water cylinder. With energy efficient quicker wash cycles, environmental and cost savings in mind, Fisher & Paykel Front Loaders can be installed with just a cold water inlet or both hot and cold water inlets—ideal for those with alternative water heating solutions.



WASH

CleanSmart™ Top Load Washer



01

①
WL1068P1
10kg CleanSmart™ Washer
H1060—1090 X W685 X D700mm

FabricSmart™ Top Load Washers



01




02

①
WA80T65FW1
8kg FabricSmart™ Washer
H1030—1050 x W650 x D650mm

②
WA70T60FW1
7kg FabricSmart™ Washer
H1030—1050 x W600 x D600mm

AquaSmart™ 2 Top Load Washers



01



02

①
WL80T65CW2
8kg AquaSmart™ 2 Washer
H1030—1050 x W650 x D650mm

②
WL70T60CW2
7kg AquaSmart™ 2 Washer
H1030—1050 x W600 x D600mm

**WashSmart™
Top Load Washers**



01

①
WA1068G1
10kg WashSmart™ Washer
H1060 — 1090 X W685 X D700mm

②
WA80T65GW1
8kg WashSmart™ Washer
H1030 — 1050 x W650 x D650mm

③
WA70T60GW1
7kg WashSmart™ Washer
H1030 — 1050 x W600 x D600mm



02



03

**QuickSmart™
Top Load Washer**



01

①
MW513
5.5kg QuickSmart™ Washer
H1030 — 1050 x W560 x D560mm

WASH

WashSmart™ Front Load Washers



01



02

⑩
WH8560P1
8.5kg Front Load Washer
H850 x W600 x D645mm

⑪
WH7560P1
7.5kg Front Load Washer
H850 x W600 x D590mm

QuickSmart™ Front Load Washers



01



02

⑫
WH8560J1
8.5kg Front Load Washer
H850 x W600 x D645mm

⑬
WH7560J1
7.5kg Front Load Washer
H850 x W600 x D590mm

D

A

R

Y



NEW MOVEMENT IN CLOTHES CARE

The unique Quad Fin system in our dryers is designed to change the way clothes circulate within the dryer drum. The problem with most twin fin dryers is that they tumble clothes in a fixed pattern, causing hot spots and damp spots. The Quad Fin design rotates and propels clothes from the front to the back of the drum in a continuous 360 degree movement, creating faster and more even drying throughout the load. The refreshed compact dryer range offers a range of options tailored to different household needs.

AeroXL™ 8kg Condensing Dryer

This extra large capacity dryer makes a perfect pair with the WashSmart™ Front Loader. The condensing technology of the AeroXL™ means no venting is required making this an ideal product for installations where venting is difficult.

1 Healthier Drying

The condensing technology means that water is collected instead of vented out meaning less allergens and moisture going into the home, for a healthier drying option. The right choice for people with asthma or other respiratory illnesses.

2 Perfect Pair

AeroXL™ is a true visual match to the WashSmart™ Front Loader. No other manufacturer offers this feature. Can be installed side by side, or stacked.

3 SmartTouch™ Control Dial

The SmartTouch™ Control Dial gives finger tip control access to a user friendly interface that makes the AeroXL™ easy to use.

4 Easy installation

No venting is required, making this an ideal product for apartments or in fact any installation where expensive venting is difficult.

5 Auto-sensing

Auto-sensing automatically senses the moisture inside the drum, shutting off at the perfect level so your clothes don't overdry, helping your clothes last longer.

Available in July 2013





AeroSense™ Dryer

The unique Quad Fin system is designed to change the way clothes circulate within the dryer drum.

The Quad Fin design rotates and propels clothes from the front to the back of the drum in a continuous 360 degree movement, removing hot spots and creating more even drying throughout the load.

1 Innovative

Auto-sensing automatically senses when the clothes have reached the required level of dryness, saving you money and time.

2 Convenient

Delay start time by up to nine hours, so clothes are ready when you want.

3 Ergonomic

The front access lint filter makes access easy. Can be wall mounted to save space and eliminate bending.

4 Intuitive

Wrinkle Free means clothes are tumbled through cool air periodically, until you are ready to remove them. This minimises wrinkles, and ironing.

5 Precise

Five dryness settings plus two temperature settings ensure clothes are dried the way you want them.

6 Eco friendly

Autosensing ensures clothes are not over-dried, saving energy.



DRY

AeroSense™ Dryer



01

Ⓜ
DE50F56E1
5kg AeroSense™ Dryer
H795 x W565 x D560mm

AeroLogic™ Dryer



01

Ⓜ
DE50F56A2
5kg AeroLogic™ Dryer
H795 x W565 x D560mm

AeroDry™ Dryer



01

Ⓜ
DE40F56A2
4kg AeroDry™ Dryer
H795 x W565 x D440mm

AeroXL™ Dryer



01

Ⓜ

DE8060P1

8kg AeroXL™ Dryer

H850 x W600 x D645mm

Cook	198
Specifications	200
Built-in Ovens	200
Companion Products	205
Cooktops	209
Freestanding Cookers	217
Rangehoods	219
Dimensions	226
Built-in Ovens	226
Companion Products	232
Cooktops	234
Freestanding Cookers	243
Rangehoods	244


Cool	252
Specifications	254
CoolDrawer™	254
Integrated Refrigerator	254
French Door Refrigerators	255
Ice & Water Refrigerators	256
Bottom Freezer Refrigerators	257
Top Freezer Refrigerators	260
Compact Refrigerators	263
Vertical Refrigerators	264
Vertical Freezers	266
Bar Refrigerators	268
Chest Freezers	269
Dimensions	272
CoolDrawer™	272
Integrated Refrigerator	272
French Door Refrigerators	273
Ice & Water Refrigerators	274
Bottom Freezer Refrigerators	275
Top Freezer Refrigerators	277
Compact Refrigerators	280
Vertical Refrigerators	280
Vertical Freezers	282
Bar Refrigerators	285
Chest Freezers	285

Clean	290
Specifications	292
DishDrawer™ Wide Dishwashers	292
DishDrawer™ Tall Dishwashers	293
DishDrawer™ Double Dishwashers	294
DishDrawer™ Single Dishwashers	295
Dishwashers	296
Dimensions	298
DishDrawer™ Wide Dishwashers	298
DishDrawer™ Tall Dishwashers	299
DishDrawer™ Double Dishwashers	300
DishDrawer™ Single Dishwashers	301
Dishwashers	303

Wash	304
Specifications	306
Top Loaders	306
Front Loaders	311
Dimensions	312
Top Loaders	312
Front Loaders	316
Dry	318
Specifications	320
Dryers	320
Dimensions	322
Dryers	322



COOK

COOK



Type of appliance	90cm Pyrolytic Built-in Oven
Model no.	OB90S9MEPX2
Finish	Black reflective glass Brushed stainless steel
Dimensions	H478 x W895 x D566mm
Total capacity+	103 litres
Usable capacity+	87 litres
Shelf positions	4
Oven functions	9
Bake	●
Fan Bake	●
Pastry Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Warm	●
Rotisserie	●
Pyrolytic Self-Clean	●
Performance	
Grill	4050W
Automatic Rapid pre-heat	●
Cleaning	
Acid resistant graphite enamel	●
Pyrolytic self-clean	●
Removable shelf runners	●
Removable oven door	●
Removable inner door glass	●
Safety	
Cool touch door	●
Door and cavity cooling system	●
Non-tip shelves	●
Control panel key lock	●
Catalytic venting system	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Electronic temperature control	●
Illuminated halo dials	●
Halogen lights	2 x 20W
Sabbath mode	●
Pre-set cooking temperatures	●
AMP draw	19.1A
Accessories	
Step down wire shelf	1
Flat wire shelf	1
Grill pan + grill rack	1
Rotisserie set	1
Flat brushed baking tray	1
Fat filter	1
Warranty*	2 years





+ measured to EN 50304:209+A1:2012 and EN 60350:2009+A11:2010



Type of appliance	76cm Double Pyrolytic Built-in Oven	76cm Single Pyrolytic Built-in Oven
Model no.	OB76DDEPX2	OB76SDEPX2
Finish	Black reflective glass Brushed stainless steel	Black reflective glass Brushed stainless steel
Dimensions	H1230 x W757 x 608mm	H688 x W757 x D608mm
Total capacity+	121 + 121 litres	121 litres
Usable capacity+	104 + 104 litres	104 litres
Shelf positions	8 per cavity	8
Oven functions	11	11
Aero™ Bake	●	●
Aero™ Grill	●	●
Aero™ Pastry	●	●
Bake	●	●
Grill	●	●
Maxi Grill	●	●
Pastry Bake	●	●
Roast	●	●
TrueAero™	●	●
Warm	●	●
Pyrolytic Self-Clean	●	●
Performance		
Grill	4400W	4400W
AeroTech™ cooking system	●	●
Rapid pre-heat	●	●
Cleaning		
Acid resistant graphite enamel	●	●
Pyrolytic self-clean	●	●
Removable shelf runners	●	●
Removable oven door/s	●	●
Safety		
Cool touch door	●	●
Door and cavity cooling system	●	●
Non-tip shelves	●	●
Control panel key lock	●	●
Catalytic venting system	●	●
Telescopic sliding shelves	●	●
Controls		
Electronic clock	●	●
Automatic cooking/minute timer	●	●
Electronic temperature control	●	●
Illuminated halo dials	●	●
Halogen lights	3 x 20W per cavity	3 x 20W
Sabbath mode	●	●
AMP draw	38.2A	21A
Accessories		
Telescopic sliding shelves	4 sets	3 sets
Three piece anti-splatter grill system	1	1
Aluminium baking tray	4	2
Meat probe	1	1
Warranty*	2 years	2 years



+ measured to EN 50304:209+A1:2012 and EN 60350:2009+A11:2010

COOK



Type of appliance	60cm 11 Function Pyrolytic Built-in Oven	60cm Nine Function Built-in Oven	60cm Seven Function Built-in Oven	60cm Seven Function Built-in Oven
Model no.	OB60SL1DEPX1	OB60SL9DEX1	OB60SL7DEX1	OB60SL7DEW1
Finish	Black reflective glass Polished metal trim	Black reflective glass Polished metal trim	Black reflective glass Polished metal trim	White
Dimensions	H598 x W596 x D580mm	H598 x W596 x D580mm	H598 x W596 x D580mm	H598 x W596 x D580mm
Total capacity+	90 litres	90 litres	90 litres	90 litres
Usable capacity+	77 litres	77 litres	77 litres	77 litres
Shelf positions	6	6	6	6
Oven functions	11	9	7	7
Bake	●	●	●	●
Vent Bake	●	●		
Fan Bake	●	●	●	●
Fan Forced	●	●	●	●
Grill	●	●	●	●
Fan Grill	●	●	●	●
Classic Bake	●	●	●	●
Pastry Bake	●	●	●	●
Roast	●	●		
Warm	●	●		
Pyrolytic Self-Clean	●			
Performance				
Grill	3200W	3200W	3000W	3000W
AeroTech™ technology	●	●	●	●
ActiveVent™ system	●	●		
Automatic rapid pre-heat	●	●		
Cleaning				
Acid resistant graphite enamel	●	●	●	●
Drop down grill element		●	●	●
Pyrolytic self-clean	Standard and light cycles			
Self-cleaning catalytic liners		Sides	Optional	Optional
Removable shelf runners	●	●	●	●
Removable oven door/inner glass	●	●	●	●
Safety				
Cool touch door	●	●	●	●
Advanced cooling system	●	●	●	●
Balanced oven door	●	●	●	●
Non-tip shelves	●	●	●	●
Full extension telescopic shelves	●	●	Optional	Optional
Control panel key lock	●	●	●	●
Catalytic venting system	●	●		
Controls				
Electronic clock	●	●	●	●
Automatic cooking/minute timer	●	●	●	●
Precise electronic temperature control	●	●		
Automatic pre-set temperatures	●	●		
Capacitive touch controls	●	●		
Illuminated halo dials	●	●		
Interior light	2 x 25W (halogen)	2 x 25W	25W	25W
Audio feedback	●	●		
Celsius/Fahrenheit temperature	●	●		
Sabbath mode	●	●		
AMP draw	15.5A	15.5A	13.0A	13.0A
Accessories				
Step down wire shelf	1	1	1	1
Flat wire shelf	1	1	1	1
Full extension telescopic shelves	2	1	Optional	Optional
Flat brushed baking tray	1	1	1	1
Roasting dish and grill rack set	1	1	1	1
Smokeless grill tray	1	1		
Rotisserie set	Optional	Optional		
Meat probe	1			
Warranty*	2 years	2 years	2 years	2 years



+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010



Type of appliance	60cm Tower Built-in Oven	60cm Double Built-in Oven	60cm Double Built-in Oven	60cm Double Built-in Oven
Model no.	OB60DEX4	OB60B7DEX3	OB60B7CEX3	OB60B7CEW3
Finish	Black reflective glass Brushed stainless steel	Black reflective glass Brushed stainless steel	Black reflective glass Brushed stainless steel	White
Dimensions	H888 x W595 x D567mm	H888 x W595 x D567mm	H888 x W595 x D567mm	H888 x W595 x D567mm
Total capacity+	71 + 71 litres	45 + 71 litres	45 + 71 litres	45 + 71 litres
Usable capacity+	58 + 58 litres	36 + 58 litres	36 + 58 litres	36 + 58 litres
Shelf positions	4 (top oven), 6 (bottom oven)	4 (top oven), 6 (bottom oven)	4 (top oven), 6 (bottom oven)	4 (top oven), 6 (bottom oven)
Oven functions	7	7	7	7
Bake	●	●	●	●
Fan Bake	●	●	●	●
Grill	●	●	●	●
Fan Grill	●	●	●	●
Fan Forced	●	●	●	●
Warm	●	●	●	●
Defrost	●	●	●	●
Performance				
Grill	3000W (both ovens)	2700W (top oven), 3000W (bottom oven)	2700W (top oven), 3000W (bottom oven)	2700W (top oven), 3000W (bottom oven)
Cleaning				
Acid resistant graphite enamel	●	●	●	●
Drop down grill element	●	Bottom oven	Bottom oven	Bottom oven
Self-cleaning catalytic liners	Sides and rear	Sides and rear	Sides and rear	Sides and rear
Removable shelf runners	●	●	●	●
Removable oven door/s	●	●	●	●
Removable liner door glass	●	●	●	●
Safety				
Cool touch door	●	●	●	●
Door and cavity cooling system	●	●	●	●
Non-tip shelves	●	●	●	●
Telescopic sliding runners	●	●	●	●
Controls				
Electronic clock	●	●	●	●
Automatic cooking/minute timer	Top oven	Bottom oven	Bottom oven	Bottom oven
Rear light	Top oven	Top oven	Top oven	Top oven
Slide and rear lights	●	Bottom oven	Bottom oven	Bottom oven
AMP draw	27A	25.4A	25.4A	25.4A
Accessories				
Step down wire shelf	2	1	1	1
Flat wire shelf	2	2	2	2
Telescopic sliding runners	4 sets	3 sets	2 sets	2 sets
Grill pan + grill rack	2	1	1	1
Flat brushed baking tray	2	1	1	1
Fat filter	2	1	1	1
Catalytic liners	Sides and rear	Sides and rear	Sides and rear	Sides and rear
Warranty*	2 years	2 years	2 years	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010

COOK




	60cm Single Built-in Oven	60cm Single Built-in Oven
Type of appliance	60cm Single Built-in Oven	60cm Single Built-in Oven
Model no.	OB60SCMX4	OB60SLCX3
Finish	Black reflective glass Brushed stainless steel	Black reflective glass Brushed stainless steel
Dimensions	H597 x W595 x D567mm	H597 x W595 x D567mm
Total capacity+	71 litres	71 litres
Usable capacity+	58 litres	58 litres
Shelf positions	6	6
Oven functions	4	4
Bake	●	●
Fan Bake	●	●
Grill	●	●
Fan Grill	●	●
Performance		
Grill	3000W	3000W
Cleaning		
Acid resistant graphite enamel	●	●
Drop down grill element	●	●
Self-cleaning catalytic liners	Sides	Sides
Removable shelf runners	●	●
Removable oven door/s	●	●
Safety		
Door and cavity cooling system	●	●
Non-tip shelves	●	●
Controls		
Electronic clock	●	●
Automatic cooking/minute timer	●	●
Side and rear lights	●	●
AMP draw	13.3A	10.9A
Accessories		
Step down wire shelf	1	
Flat wire shelf	1	1
Grill pan + grill rack	1	1
Flat brushed baking tray	1	
Fat filter	1	
Catalytic liners	Optional	
Warranty*	2 years	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010



Type of appliance	60cm Compact Built-in Oven
Model no.	OB60NDEX2
Finish	Black reflective glass Brushed stainless steel
Dimensions	H450 x W595 x D556mm
Total capacity+	45 litres
Usable capacity+	36 litres
Shelf positions	4
Oven functions	7
Bake	●
Fan Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Warm	●
Defrost	●
Performance	
Grill	2700W
Cleaning	
Acid resistant graphite enamel	●
Removable shelf runners	●
Removable oven door/s	●
Safety	
Cool touch door	●
Door and cavity cooling system	●
Non-tip shelves	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Rear light	●
AMP draw	12.8A
Step down wire shelf	1
Grill pan + grill rack	1
Flat brushed baking tray	1
Fat filter	1
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010



Type of appliance	60cm 11 Function Pyrolytic Built-in Oven
Model no.	OB60SL1IDCPX1
Finish	Black reflective glass Polished metal trim
Dimensions	H598 x W596 x D580mm
Total capacity+	90 litres
Usable capacity+	77 litres
Shelf positions	6
Oven functions	11
Bake	●
Vent Bake	●
Fan Bake	●
Fan Forced	●
Grill	●
Fan Grill	●
Classic Bake	●
Pastry Bake	●
Roast	●
Warm	●
Pyrolytic Self-Clean	●
Performance	
Grill	3200W
AeroTech™ technology	●
ActiveVent™ system	●
Automatic rapid pre-heat	●
Cleaning	
Acid resistant graphite enamel	●
Pyrolytic self-clean	Standard and light cycles
Removable shelf runners	●
Removable oven door/inner glass	●
Safety	
Advanced cooling system	●
Balanced oven door	●
Non-tip shelves	●
Full extension telescopic shelves	●
Control panel key lock	●
Catalytic venting system	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Precise electronic temperature control	●
Automatic pre-set temperatures	●
Capacitive touch controls	●
Illuminated halo dials	●
Interior light	2 x 25W (halogen)
Audio feedback	●
Celsius/Fahrenheit temperature	●
Sabbath mode	●
AMP draw	15.5A
Accessories	
Step down wire shelf	1
Flat wire shelf	1
Full extension telescopic shelves	2
Flat brushed baking tray	1
Roasting dish and grill rack set	1
Smokeless grill tray	1
Rotisserie set	Optional
Meat probe	1
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010

COOK



Type of appliance	60cm Built-in Convectional Compact Oven
Model no.	OB60N8DTX1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W595 x D570mm (height 478mm with optional lower trim kit)
Total capacity+	40 litres
Usable capacity+	36 litres
Shelf positions	3
Oven functions	8
Defrost	●
Traditional	●
Double Fan Assisted	Bottom element
Grill	●
Medium Grill	●
Fan Assisted Grill	●
Turbo Plus	●
Traditional Fan Assisted	●
Performance	
Thermostat regulation	35-275°C
Powerful grill element	●
Cleaning	
Easy clean enamel interior	●
Catalysing filter to remove odours	●
Easy clean glass inner door	●
Removable door panes	●
Safety	
Child safety lock	●
Safe touch door (two removable panes)	Triple glazed
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Recipe function	●
Digital temperature control	●
Electronic clock	●
Minute minder	●
Programmable oven timer	●
Interior light	●
AMP draw	16A
Accessories	
Enamel tray	1
Shelf	1
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010




Type of appliance	60cm Built-in Steam Oven
Model no.	OS60NDTX1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W595 x D423mm (height 478mm with optional lower trim kit)
Total capacity+	29 litres
Usable capacity+	23 litres
Steam oven functions	8
Also features:	
Electronic programmer	●
Pre-set temperature	●
Auto-clock	●
Water indicator	●
Performance	
Thermostat regulation	55-100°C
Steam generator	1.78kW
Steam generator/bottom part oven	●
Steam at 100°C	●
Cleaning	
Easy clean stainless steel interior	●
Removable water tank	●
Safety	
Child safety lock	●
Glazed door	●
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Interior light	●
AMP draw	10A
Accessories	
Two piece steaming dish	1
Support rack	1
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010



Type of appliance	60cm Built-in Combination Microwave Oven
Model no.	OM36NDXB1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W595 x D570mm (height 478mm with optional lower trim kit)
Total capacity+	40 litres
Usable capacity+	36 litres
Shelf positions	3
Oven Functions	10
Microwave Max	●
Microwave by levels	●
Grill High	●
Grill Medium	●
Grill High + Microwave	●
Grill Medium + Microwave	●
Heat Circulation	●
Microwave + Heat Circulation	●
Defrost	●
Warm	●
Performance	
Thermostat regulation	35–220°C
Microwave power	1000W
Grill power	1800W
19 power levels	●
Full width dual variable grill	●
Turbo plus fan controlled cooking	●
Cleaning	
Easy clean enamel interior	●
Easy clean glass inner door	●
Fold down grill	●
Removable side racks	●
Safety	
Child safety lock	●
Glazed door	Triple glazed
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Interior light	25W
AMP draw	16A
Accessories	
Turntable	1
Glass tray	1
Rack	1
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years





Type of appliance	60cm Built-in Coffee Maker
Model no.	EB60DSXB1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W595 x D412mm (height 478mm with optional lower trim kit)
Number of cups	1 or 2
Functions	
Coffee strength in 5 levels	Extra-strong, Strong, Medium, Mild, Extra-mild
Cup size in 5 levels	Espresso “MyCup”, Small, Medium, Large, Mug
Personalisation of cup sizes and cappuccino (milk + coffee) via menu	●
Takes pre-ground coffee	●
Performance	
Coffee temperature	3 temperatures
15 bar pump pressure	●
System heating power (Coffee/Steam)	1200W/1000W
Grinding coarseness	13 positions
Water tank capacity	1.8 litres
Cleaning	
Self-clean function	●
Easy to remove coffee grinds bin	●
Removable drip tray with level indicator	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Water tank empty indicator	●
Cleaning reminder	●
Coffee grounds full reminder	●
Maintenance data reminder	●
Refill coffee bean reminder	●
Lights	●
AMP draw	10A
Accessories	
Coffee spoon	1
Stainless steel milk jug	1
Descaling solution bottle	1
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010

COOK






Type of appliance	60cm Warming Drawer	60cm Warming Drawer
Model no.	WB60SDEB1	WB60SDEX1
Finish	Black reflective glass	Brushed stainless steel
Dimensions	H118 x W596 x D556mm	H118 x W596 x D556mm
Useable height	83mm	83mm
Place settings	6	6
Cappuccino cups	20	20
Espresso cups	48	48
Maximum allowable weight	30kg	30kg
Performance		
Low	45°C	45°C
Medium	55°C	55°C
High	65°C	65°C
Cleaning		
Easy clean smooth-glass base	●	●
Safety		
Full extension slides	●	●
Soft closing mechanism	●	●
Automatic turn off after 12 hours	●	●
Controls		
Illuminated capacitive touch controls	●	●
Two automatic timers	1 or 2 hours	1 or 2 hours
On/Off indicator	●	●
Supply voltage	220V - 240V	220V - 240V
AMP draw	1.6-1.8A	1.6-1.8A
Warranty*	2 years	2 years






	CookSurface Deep	CookSurface
Type of appliance	CookSurface Deep	CookSurface
Model no.	CG903MLDNGB1 (Natural gas only)	CG903MLNGB1 (Natural gas only)
Finish	Ceramic glass	Ceramic glass
Dimensions	H89 x W900 x D530mm	H89 x W900 x D410mm
Burners	3	3
Burner ratings (using natural gas)		
Small Aero™ burner	7.2MJ/h	7.2MJ/h
Medium Aero™ burner	8.00MJ/h	8.00MJ/h
Wok Aero™ burner	12.8MJ/h	12.8MJ/h
Performance		
Independent burner operation	●	●
Quiet glow ignition	●	●
Electronic flame settings	●	●
Cleaning		
Easy clean cooktop design	●	●
Removable support pins	●	●
Removable burner heads	●	●
Safety		
Flame failure re-ignition system	●	●
Key lock	●	●
Individual hot surface indicators	●	●
Overheat protection	●	●
Controls		
Intuitive dial control	●	●
LED display	●	●
Audio and visual feedback	●	●
Self diagnostics	●	●
AMP draw	10A	10A
Supply voltage	230 - 240V	230 - 240V
Accessories		
Wok stand	1	1
Warranty*	2 years	2 years

COOK







Type of appliance	90cm 5 Burner Gas on Glass Cooktop	60cm 4 Burner Gas on Glass Cooktop	60cm 3 Burner Gas on Glass Cooktop
Model no.	CG905DNGGB1 (Natural gas) CG905DLPGB1 (LPG)	CG604DNGGB1 (Natural gas) CG604DLPGB1 (LPG)	CG603DNGGB1 (Natural gas) CG603DLPGB1 (LPG)
Finish	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim
Dimensions	H59 x W899 x D530mm	H59 x W599 x D530mm	H59 x W599 x D530mm
Burners	5 including dual wok burner	4 including mini wok burner	3 including dual wok burner
Burner ratings (using natural gas)			
Auxiliary burner	3.6MJ/h	3.6MJ/h	
Semi rapid burner	8.4MJ/h	8.4MJ/h	8.4MJ/h
Rapid burner	11.5MJ/h		
Wok burner	18MJ/h/2.4MJ/h	11.7MJ/h	16.6MJ/h/2.4MJ/h
Performance			
LPG/Natural gas models	●	●	●
Cast iron trivets	●	●	●
Cleaning			
Easy clean cooktop design	●	●	●
Quick component removal	●	●	●
Safety			
Flame failure system	●	●	●
Controls			
Toughened fused glass graphics	●	●	●
Controls on cooktop	●	●	●
Dual wok control	●		●
AMP draw	10A	10A	10A
Supply voltage	230 - 240V	230 - 240V	230 - 240V
Accessories			
Wok stand	1	1	1
Small pan support	1		1
Warranty*	2 years	2 years	2 years






Type of appliance	90cm 5 Burner Gas Cooktop	90cm 5 Burner Gas Cooktop	90cm 5 Burner Gas Cooktop
Model no.	CG905DWACX1	CG905DX1	CG905DWFCX1
Finish	Stainless steel	Stainless steel with polished strip	Stainless steel
Dimensions	H76 x W914 x D546mm	H59 x W900 x D530mm	H50 x W914 x D533mm
Burners	5 including 1 wok burner	5 including dual wok burner	5 including 2 wok burners
Burner ratings (using natural gas)			
Auxiliary burner	3.6MJ/h/0.9MJ/h	3.6MJ/h	3.6MJ/h
Semi rapid burner	7.2MJ/h	8.4MJ/h	8.5MJ/h
Rapid burner	10.5MJ/h	11.5MJ/h	
Wok burner	16.3MJ/h	16.6MJ/h	15.0MJ/h
Performance			
Innovalve™ technology	●		
Electronic ignition	●	●	●
Quick connect gas valve		●	●
LPG/Natural gas compatible	●	●	●
Cast iron trivets	●	●	●
Cleaning			
Easy clean cooktop design	●	●	●
Quick component removal	●	●	●
Safety			
Auto re-ignition system	●		
Flame failure re-ignition system	●		
Flame failure system		●	●
Spill containment	4 litres	2 litres	2.5 litres
Controls			
Ergonomic control dials	●	●	●
Burner indicator lights	●		
Fault indication lights	●		
Laser etched graphics	●	●	●
AMP draw	10A	10A	10A
Supply voltage	230 - 240V	230 - 240V	230 - 240V
Accessories			
Wok stand		1	1
Warranty*	2 years	2 years	2 years

COOK






Type of appliance	60cm 4 Burner Gas Cooktop	60cm 4 Burner Gas Cooktop	60cm 4 Burner Gas Cooktop	60cm 4 Burner Gas Cooktop
Model no.	CG604DX1	CG604DWFCX1	CG604CWCX1	CG604LCX1
Finish	Stainless steel with polished strip	Stainless steel	Stainless steel	Stainless steel
Dimensions	H59 x W600 x D530mm	H50 x W578 x D511mm	H50 x W578 x D511mm	H50 x W578 x D511mm
Burners	4 including mini wok burner	4 including 1 wok burner	4 including 1 wok burner	4
Burner ratings (using natural gas)				
Auxiliary burner	3.6MJ/h	3.6MJ/h	3.6MJ/h	3.6MJ/h
Semi rapid burner	8.4MJ/h	8.5MJ/h	8.5MJ/h	8.5MJ/h
Rapid burner				12.0MJ/h
Wok burner	11.7MJ/h	15.0MJ/h	15.0MJ/h	
Performance				
Electronic ignition	●	●	●	●
Quick connect gas valve	●	●		
LPG/Natural gas compatible	●	●	●	●
Cast iron trivets	●	●	●	●
Cleaning				
Easy clean cooktop design	●	●	●	●
Quick component removal	●	●	●	●
Safety				
Flame failure system	●	●		
Spill containment	1 litre	1.5 litres	1.5 litres	0.7 litres
Controls				
Ergonomic control dials	●	●		
Satin chrome control dials			●	●
Laser etched graphics	●	●	●	●
AMP draw	10A	10A	10A	10A
Supply voltage	230 - 240V	230 - 240V	230 - 240V	230 - 240V
Accessories				
Wok stand	1	1	1	
Warranty*	2 years	2 years	2 years	2 years





Type of appliance	60cm 4 Burner Gas Cooktop	60cm 4 Burner Gas Cooktop	60cm 4 Burner Gas Cooktop
Model no.	CG604CWF1	CG604CWW1	CG604CW1
Finish	White	White	White
Dimensions	H34 x W580 x D500mm	H34 x W580 x D500mm	H34 x W580 x D500mm
Burners	4 including 1 wok burner	4 including 1 wok burner	4
Burner ratings (using natural gas)			
Auxiliary burner	3.6MJ/h	3.6MJ/h	3.6MJ/h
Semi rapid burner	6.3MJ/h	6.3MJ/h	6.3MJ/h
Rapid burner			10.3MJ/h
Wok burner	12.7MJ/h	12.7MJ/h	
Performance			
Electronic ignition	●	●	●
Quick connect gas valve	●		
LPG/Natural gas compatible	●	●	●
Cast iron trivets	●	●	●
Cleaning			
Easy clean cooktop design	●	●	●
Quick component removal	●	●	●
Safety			
Flame failure system	●		
Spill containment	0.7 litres	0.7 litres	0.7 litres
Controls			
Ergonomic control dials	●	●	●
Laser etched graphics	●	●	●
AMP draw	10A	10A	10A
Supply voltage	230 - 240V	230 - 240V	230 - 240V
Accessories			
Wok stand	1	1	
Warranty*	2 years	2 years	2 years

COOK





Type of appliance	90cm 5 Zone Induction Cooktop	75cm 4 Zone Induction Cooktop	60cm 4 Zone Induction Cooktop
Model no.	CI905DTB1	CI754DTB1	CI604DTB1
Finish	Ceramic glass	Ceramic glass	Ceramic glass
Dimensions	H50 x W900 x D530mm	H50 x W750 x D530mm	H50 x W600 x D530mm
Cooking zones	5	4	4
Zone ratings	*Maximum power output when set for PowerBoost		
Left front	2300W (3200W*)	1850W (2500W*)	2300W (3700W*)
Right front	1850W (2500W*)	1400W (1800W*)	1400W (1800W*)
Left rear	1400W (1800W*)	1850W (2500W*)	1400W (1800W*)
Right rear	1850W (2500W*)	2300W (3700W*)	1850W (2500W*)
Centre	2400W (3700W*)		
PowerBoost	3700W	3700W	3700W
Performance			
Induction cooking technology	●	●	●
Heat settings	9	9	9
Auto heat reduce	●	●	●
GentleHeat	●	●	●
PowerBoost	●	●	●
Cleaning			
Flat easy clean glass surface	●	●	●
Safety			
Key lock	●	●	●
Safety time out	●	●	●
Pan detection system	●	●	●
Surface hot indicators	●	●	●
Spillage auto off	●	●	●
Controls			
Soft touch electronic controls	●	●	●
Minute timer	●	●	●
Auto cut-off timer for each zone	●	●	●
AMP draw	42A	32A	30A
Supply voltage	230 - 240V	230 - 240V	230 - 240V
Warranty*	2 years	2 years	2 years





Type of appliance	75cm 4 Element Electric Cooktop	60cm 4 Element Electric Cooktop
Model no.	CE754DTB1	CE604DTB1
Finish	Ceramic glass	Ceramic glass
Dimensions	H58 x W750 x D530mm	H58 x W600 x D530mm
Elements	4 including 1 dual element	4 including 1 dual element
Element ratings		
Left front	1800W	1200W
Right front	1200W	1200W
Left rear	1200W	1800W
Right rear	2500W/1100W	2200W/750W
GentleHeat	20W	20W
Performance		
Hi-light high speed ribbon elements	●	●
Dual element	●	●
Auto heat reduce	●	●
Cleaning		
Flat easy clean glass surface	●	●
Safety		
Key lock	●	●
Safety time out	●	●
Individual hot surface indicators	●	●
Temperature limiters	●	●
Spillage auto off	●	●
Controls		
Touch&Slide controls	●	●
Minute timer	●	●
Auto cut-off timer for each element	●	●
AMP draw	28A	28A
Supply voltage	230 - 240V	230 - 240V
Warranty*	2 years	2 years

COOK



Type of appliance	90cm 5 Element Electric Cooktop	60cm 4 Element Electric Cooktop	30cm 2 Element Electric Cooktop
Model no.	CE905CBX1	CE604CBX1	CE302CBX1
Finish	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim
Dimensions	H59 x W900 x D530mm	H59 x W600 x D530mm	H63 x W300 x D530mm
Elements	5 including 2 dual elements	4 including 1 dual element	2 including 1 dual element
Element ratings			
Left front	1700W/700W	2200W/750W	1200W
Right front	1200W	1200W	1700W/700W
Left rear	1800W	1200W	
Right rear	1200W	1800W	
Centre	2500W/1100W		
GentleHeat	25W		
Performance			
Hi-light high speed ribbon elements	●	●	●
Dual element	●	●	●
Cleaning			
Flat easy clean glass surface	●	●	●
Safety			
Temperature limiters	●	●	●
Individual hot surface indicators	●	●	●
Controls			
Satin chrome control dials	●	●	●
Laser etched graphics	●	●	●
AMP draw	36.5A	28A	13A
Supply voltage	230 - 240V	230 - 240V	230 - 240V
Warranty*	2 years	2 years	2 years



Type of appliance	90cm Freestanding Cooker
Model no.	OR90SDBSIX1
Finish	Black reflective glass Brushed stainless steel
Dimensions	H892 - 917 x W898 x D600mm
Total capacity+	103 litres
Usable capacity+	87 litres
Shelf positions	5
Cooking zones	4
Oven functions	8
Bake	●
Fan Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Defrost	●
Warm	●
Rotisserie	●
Zone ratings	
Left front	2300W
Right front	1400W
Left rear	1400W
Right rear	2300W
PowerBoost	3000W
Performance	
Grill	3600W
Induction cooking technology	●
Nine heat settings	●
Auto heat reduce	●
GentleHeat	●
PowerBoost	●
Cleaning	
Flat easy clean glass surface	●
Acid resistant graphite enamel	●
Drop down grill element	●
Self-cleaning catalytic liners	Sides
Removable shelf runners	●
Removable oven door	●
Removable inner door glass	●
Safety	
Cool touch door	●
Advanced cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Controls	
Satin chrome control dials	●
Electronic clock	●
Automatic cooking/minute timer	●
Halogen rear lights	2 x 25W
AMP draw	48A
Accessories	
Step down oven shelf	1
Flat wire shelf	1
Telescopic runners	1 set
Flat brushed baking tray	1
Roasting dish and grill rack set	1
Fat filter	1
Catalytic liners	Sides
Storage compartment	1
Rotisserie system	1
Warranty*	2 years

Type of appliance	90cm Freestanding Cooker
Model no.	OR90SDBGFX2
Finish	Black reflective glass Brushed stainless steel
Dimensions	H892 - 917 x W898 x D600mm
Total capacity+	103 litres
Usable capacity+	87 litres
Shelf positions	4
Burners	5 including 1 dual burner
Oven functions	8
Bake	●
Fan Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Defrost	●
Warm	●
Rotisserie	●
Burner ratings (using natural gas)	
Semi rapid burner	6.5MJ/h
Wok burner	11.88MJ/h
Dual burner	16.20MJ/h/2.4MJ/h
Performance	
Grill	3600W
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Cleaning	
Acid resistant graphite enamel	●
Drop down grill element	●
Self-cleaning catalytic liners	Sides
Removable shelf runners	●
Removable oven door	●
Removable inner door glass	●
Safety	
Cool touch door	●
Advanced cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Controls	
Satin chrome control dials	●
Electronic clock	●
Automatic cooking/minute timer	●
Halogen rear lights	2 x 25W
AMP draw	16A
Accessories	
Step down oven shelf	1
Flat wire shelf	1
Telescopic runners	1 set
Flat brushed baking tray	1
Roasting dish and grill rack set	1
Fat filter	1
Wok stand	1
Catalytic liners	Sides
Rotisserie set	1
Storage compartment	1
Warranty*	2 years

+ measured to EN 50304:209+A1:2012 and EN 60350:2009+A11:2010

+ measured to EN 50304:209+A1:2012 and EN 60350:2009+A11:2010

*(For further warranty information see inside back cover)

COOK



Type of appliance	60cm Freestanding Cooker
Model no.	OR60SDBGFX2
Finish	Black reflective glass Brushed stainless steel
Dimensions	H900 – 915 x W596 x D600mm
Total capacity+	71 litres
Usable capacity+	57 litres
Shelf positions	6
Burners	4
Oven functions	8
Bake	●
Fan Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Defrost	●
Warm	●
Burner ratings (using natural gas)	
Auxiliary burner	3.6MJ/h
Semi rapid burner	6.3MJ/h
Wok burner	12.7MJ/h
Performance	
Grill	2000W
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Cleaning	
Acid resistant graphite enamel	●
Drop down grill element	●
Self-cleaning catalytic liners	Sides
Removable shelf runners	●
Removable oven door	●
Removable inner door glass	●
Safety	
Cool touch door	●
Advanced cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Controls	
Satin chrome control dials	●
Electronic clock	●
Automatic cooking/minute timer	●
Rear light	●
AMP draw	14A
Accessories	
Step down oven shelf	1
Flat wire shelf	1
Telescopic runners	2 sets
Flat brushed baking tray	1
Roasting dish and grill rack set	1
Fat filter	1
Wok stand	1
Catalytic liners	Sides
Grill pan handles	1
Trivet small pan	1
Storage compartment	1
Warranty*	2 years

+ measured to EN 50304.209+A1:2012 and EN 60350:2009+A11:2010




Type of appliance	120cm VentSurface Island Rangehood	90cm VentSurface Wall Rangehood
Model no.	HI120MXB1	HC90MXB1
Finish	Stainless steel Black glass	Stainless steel Black glass
Dimensions	H682 - 939 x W1198 x D648mm	H682 - 939 x W898 x D470mm
Fan ratings		
Max air movement	750m ³ /hr	750m ³ /hr
Max decibel rating	61dBA	61dBA
Performance		
Perimeter extraction	●	●
Fan speeds	6	6
Cleaning		
Dishwasher safe aluminium mesh filters	●	●
Filter cleaning alert	●	●
Installation		
Two piece adjustable flue with optional extensions	●	●
Ducted or recirculating options	●	●
Controls		
Soft touch controls	●	●
Manual and sensor modes	●	●
Timer function	●	●
Halogen lights	4 x 10W	2 x 10W
Supply voltage	220 - 240V	220 - 240V
Optional accessories		
Recirculating kit	●	●
Charcoal filter	●	●
Warranty*	2 years	2 years

COOK





Type of appliance	120cm Wall Canopy Rangehood	90cm Wall Canopy Rangehood
Model no.	HC120DCXB1	HC90DCXB1
Finish	Stainless steel Black glass	Stainless steel Black glass
Dimensions	H635 - 1035 x W1200 x D500mm	H635 - 1035 x W900 x D500mm
Fan ratings		
Max air movement	800m ³ /hr	800m ³ /hr
Max decibel rating	60dBA	60dBA
Performance		
Centrifugal fan	●	●
Fan speeds	3	3
Cleaning		
Dishwasher safe aluminium mesh filters	4	3
Easy-clean interior plate	●	●
Installation		
Two piece adjustable flue with optional extensions	●	●
Ducted or recirculating options	●	●
Controls		
Capacitive touch controls	●	●
Timer function	●	●
Halogen lights	2 x 50W	2 x 50W
Dimmable lights	●	●
Supply voltage	220 - 240V	220 - 240V
Optional accessories		
Chimney extension	●	●
Ducting accessories	●	●
Recirculating kit	●	●
Charcoal filter	●	●
Warranty*	2 years	2 years



Type of appliance	90cm Wall Canopy Rangehood
Model no.	HC90CGX1
Finish	Stainless steel Clear glass
Dimensions	H820 - 1070 x W900 x D500mm
Fan ratings	
Max air movement	750m ³ /hr
Max decibel rating	60dBA
Performance	
Centrifugal fan	●
Fan speeds	3
Cleaning	
Dishwasher safe aluminium mesh filters	1
Easy-clean interior plate	●
Installation	
Two piece adjustable flue with optional extensions	●
Ducted or recirculating options	●
Controls	
Soft touch controls	●
Timer function	●
Halogen lights	2 x 50W
Supply voltage	220 - 240V
Optional accessories	
Chimney extension	●
Ducting accessories	●
Recirculating kit	●
Charcoal filter	●
Warranty*	2 years

COOK




Type of appliance	90cm Wall Canopy Rangehood	60cm Wall Canopy Rangehood
Model no.	HC90PCHTX2	HC60PCHTX2
Finish	Stainless steel	Stainless steel
Dimensions	H648 - 1068 x W900 x D480mm	H648 - 1068 x W600 x D450mm
Fan ratings		
Max air movement	863m ³ /hr	812m ³ /hr
Max decibel rating	65dBA	65dBA
Performance		
Centrifugal fan	●	●
Fan speeds	3	3
Cleaning		
Dishwasher safe aluminium mesh filters	3	2
Easy-clean drip tray		●
Installation		
Two piece adjustable flue with optional extensions	●	●
Ducted or recirculating options	●	●
Controls		
Soft touch controls	●	●
Halogen lights	2 x 20W	2 x 20W
Supply voltage	220 - 240V	220 - 240V
Optional accessories		
Chimney extension	●	●
Ducting accessories	●	●
Charcoal filter	●	
Warranty*	2 years	2 years



Type of appliance	90cm Built-in Powerpack Rangehood	60cm Built-in Powerpack Rangehood
Model no.	HP90IDCHX2	HP60IDCHX2
Finish	Black reflective glass Brushed stainless steel	Black reflective glass Brushed stainless steel
Dimensions	H352 x W830 x D280mm	H352 x W530 x D280mm
Fan ratings		
Max air movement	780m ³ /hr	780m ³ /hr
Max decibel rating	64dBA	68dBA
Performance		
Centrifugal fan	●	●
Fan speeds	3	3
Cleaning		
Dishwasher safe aluminium mesh filters	3	2
Installation		
Air outlet	150mm	150mm
Ducted or recirculating options	●	●
Controls		
LED lights	2 x 4W	2 x 4W
Slide switch controls	●	●
Supply voltage	220 - 240V	220 - 240V
Optional accessories		
Ducting kit	●	●
Recirculation kit	●	●
Ducting option	●	●
Light bulb	●	●
Charcoal filter	●	●
Warranty*	2 years	2 years

COOK



Type of appliance	90cm Slideout Rangehood	60cm Slideout Rangehood	60cm Slideout Rangehood
Model no.	HS90CSX3	HS60CIWX3	HS60CSX3
Finish	Stainless steel	Stainless steel or White	Stainless steel
Dimensions	H181 x W898 x D280mm	H181 x W598 x D280mm	H181 x W598 x D280
Fan ratings			
Max air movement	360m ³ /hr	530m ³ /hr	360m ³ /hr
Max decibel rating	62dBA	63dBA	62dBA
Performance			
Centrifugal fan	●	2	●
Fan speeds	2	2	2
Cleaning			
Dishwasher safe aluminium mesh filters	2	2	2
Installation			
Air outlet	120mm	120mm	120mm
Controls			
Halogen lights	2 x 50W	2 x 50W	2 x 50W
Slider switch controls	●	●	●
AMP draw	10A	10A	10A
Supply voltage	220 - 240V	220 - 240V	220 - 240V
Accessories			
Ducting kit	●	●	●
Optional accessories			
Ducting option	●	●	●
Light bulb	●	●	●
Charcoal filter	●	●	●
Warranty*	2 years	2 years	2 years




Type of appliance	60cm Standard Rangehood
Model no.	HF60CSX2
Finish	Stainless steel
Dimensions	H140 x W600 x D480mm
Fan ratings	
Max air movement	270m ³ /hr
Max decibel rating	60dBA
Performance	
Centrifugal fan	●
Fan speeds	3
Cleaning	
Dishwasher safe aluminium mesh filters	2
Installation	
Air outlet	120mm
Ducted or recirculating options	●
Controls	
Push button controls	●
Incandescent lights	2 x 40W
Supply voltage	220 - 240V
Optional accessories	
Ducting	●
Charcoal filter	●
Warranty*	2 years

90cm Single Pyrolytic Built-In Oven

Model no:
OB90S9MEPX2


Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	895
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis	544



76cm Double Pyrolytic Built-In Oven

Model no:
OB76DDEPX2


Dimensions	mm
Ⓐ Overall height of product	1230
Ⓑ Overall width of product	757
Ⓒ Front and control panel (excludes handle and dials)	38
Ⓓ Depth of product chassis	570



76cm Single Pyrolytic Built-In Oven

Model no:
OB76SDEPX2


Dimensions	mm
Ⓐ Overall height of product	688
Ⓑ Overall width of product	757
Ⓒ Depth of product front and control panel (excludes handle and dials)	38
Ⓓ Depth of product chassis	570



60cm 11 Function Pyrolytic Built-In Oven

Model no:
OB60SL1DEPX1, OB60SL1IDCPX1


Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis (does not include oven front)	557



60cm Nine Function Built-In Oven

Model no:
OB60SL9DEX1


Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis (does not include oven front)	557



60cm Seven Function Built-In Oven

Model no:
OB60SL7DEX1


Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis (does not include oven front)	557



60cm Seven Function Built-In Oven

Model no:
OB60SL7DEW1


Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	596
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis	557



60cm Tower Built-In Oven

Model no:
OB60DDEX4

Dimensions	mm
Ⓐ Overall height of product	1077
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis	545




60cm Double Built-In Oven

Model no:

OB60B77DEX3, OB60B77CEX3, OB60B77CEW3

Dimensions	mm
Ⓐ Overall height of product	888
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis	545




60cm Single Built-In Oven

Model no:

OB60SCMX4, OB60SLCX3

Dimensions	mm
Ⓐ Overall height of product	597
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis	545




60cm Compact Built-In Oven

Model no:

OB60NDEX2

Dimensions	mm
Ⓐ Overall height of product	450*
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis	534

*If fitting the lower trim extension kit, the overall height of product increases by 25mm (to 475mm).




60cm Built-In Conventional Compact Oven

Model no:

OB60N8DTX1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	547

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Steam Oven

Model no:
OS60NDTX1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	400

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Combination Microwave Oven

Model no:
OM36NDXB1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	547

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Coffee Maker

Model no:
EB60DSXB1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel	21
Ⓓ Depth of product chassis	391


*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).



60cm Warming Drawer

Model no:
WB60SDEB1, WB60SDEX1

Dimensions	mm
Ⓐ Overall height of product	118
Ⓑ Overall width of product	596
Ⓒ Depth of product front (excludes handle)	22
Ⓓ Depth of product chassis	536




COOK

CookSurface Deep

Model no:
CG903MLDNGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	89
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530



CookSurface

Model no:
CG903MLNGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	89
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	410



90cm 5 Burner Gas on Glass Cooktop

Model no:
CG905DNGB1, CG905DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530



60cm 4 Burner Gas on Glass Cooktop

Model no:
CG604DNGB1, CG604DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



60cm 3 Burner Gas on Glass Cooktop

Model no:
CG603DNGB1, CG603DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



90cm 5 Burner Gas Cooktop

Model no:
CG905DWACX1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	76
Ⓑ Overall width of product	914
Ⓒ Overall depth of product	546



90cm 5 Burner Gas Cooktop

Model no:
CG905DX1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530



90cm 5 Burner Gas Cooktop

Model no:
CG905DWFCX1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	50
Ⓑ Overall width of product	914
Ⓒ Overall depth of product	533




60cm 4 Burner Gas Cooktop

Model no:

CG604DX1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530




60cm 4 Burner Gas Cooktop

Model no:

CG604DWFCX1, CG604CWCX1, CG604LCX1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	34
Ⓑ Overall width of product	580
Ⓒ Overall depth of product	500



60cm 4 Burner Gas Cooktop

Model no:
CG604CWW1, CG604CW1, CG604CWF1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	50
Ⓑ Overall width of product	578
Ⓒ Overall depth of product	511



90cm 5 Zone Induction Cooktop

Model no:
CI905DTB1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	50
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530




75cm 4 Zone Induction Cooktop

Model no:

CI754DTB1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	50
Ⓑ Overall width of product	750
Ⓒ Overall depth of product	530




60cm 4 Zone Induction Cooktop

Model no:

CI604DTB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	50
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



75cm 4 Element Electric Cooktop

Model no:
CE754DTB1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	58
Ⓑ Overall width of product	750
Ⓒ Overall depth of product	530



60cm 4 Element Electric Cooktop

Model no:
CE604DTB1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	58
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



90cm 5 Element Electric Cooktop

Model no:
CE905CBX1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	59
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530



60cm 4 Element Electric Cooktop

Model no:
CE604CBX1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



30cm 2 Element Electric Cooktop

Model no:
CE302CBX1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	63
Ⓑ Overall width of product	300
Ⓒ Overall depth of product	530



90cm Freestanding Cooker

Model no:
OR90SDBGFX2, OR90SDBSIX1


Dimensions	mm
Ⓐ Height of product (to top of cooktop not including pan supports)	min. 900 -max. 925
Ⓑ Overall width of product	897
Ⓒ Depth of product (excludes handle and dials)	600



60cm Freestanding Cooker

Model no:
OR60SDBGFX2


Dimensions	mm
Ⓐ Height of product (to top of cooktop not including pan supports)	min. 900 -max. 915
Ⓑ Overall width of product	596
Ⓒ Depth of product (excludes handle and dials)	600



120cm VentSurface Island Rangehood

Model no:
HI120MXB1


Dimensions	mm
Ⓐ Overall height of product	min. 682 -max. 939
Ⓑ Overall width of product	1198
Ⓒ Overall depth of canopy	648



90cm VentSurface Wall Rangehood

Model no:
HC90MXB1


Dimensions	mm
Ⓐ Overall height of product	min. 682 -max. 939
Ⓑ Overall width of product	898
Ⓒ Overall depth of canopy	470



120cm Wall Canopy Rangehood

Model no:
HC120DCXB1


Dimensions	mm
Ⓐ Overall height of product	min. 635 -max. 1035
Ⓑ Overall width of product	1200
Ⓒ Overall depth of canopy	500



90cm Wall Canopy Rangehood

Model no:
HC90DCXB1


Dimensions	mm
Ⓐ Overall height of product	min. 635 - max. 1035
Ⓑ Overall width of product	900
Ⓒ Overall depth of canopy	500



90cm Wall Canopy Rangehood

Model no:
HC90CGX1


Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 1070
Ⓑ Overall width of product	900
Ⓒ Overall depth of canopy	500



90cm Wall Canopy Rangehood

Model no:
HC90PCHTX2


Dimensions	mm
Ⓐ Overall height of product	min. 648 - max. 1068
Ⓑ Overall width of product	900
Ⓒ Overall depth of canopy	480



60cm Wall Canopy Rangehood

Model no:
HC60PCHTX2


Dimensions	mm
Ⓐ Overall height of product	min. 648 - max. 1068
Ⓑ Overall width of product	600
Ⓒ Overall depth of canopy	450



90cm Built-in Powerpack Rangehood

Model no.
HP90IDCHX2


Dimensions	mm
Ⓐ Overall height of product	352
Ⓑ Overall width of product	830
Ⓒ Overall depth of canopy	280



60cm Built-in Powerpack Rangehood

Model no:
HP60IDCHX2

Dimensions	mm
Ⓐ Height of chassis above cabinet	352
Ⓑ Overall width of product	530
Ⓒ Overall depth of canopy	280




90cm Slideout Rangehood

Model no:

HS90CSX3

Dimensions	mm
Ⓐ Overall height of product	181
Ⓑ Overall width of product	898
Ⓒ Overall depth of canopy (does not include handle)	280




60cm Slideout Rangehood

Model no:

HS60CIWX3

Dimensions	mm
Ⓐ Overall height of product	181
Ⓑ Overall width of product	598
Ⓒ Overall depth of canopy (does not include handle)	280




60cm Slideout Rangehood

Model no:


HS60CSX3

Dimensions	mm
Ⓐ Overall height of product	181
Ⓑ Overall width of product	598
Ⓒ Overall depth of canopy (does not include handle)	280




C O O L



COOL



Type of appliance	CoolDrawer™
Model no.	RB90S64MKIW1
Finish	●
Integrated	
EZKleen Stainless Steel façade	part number 840545
Dimensions	H640 x W855 x D557mm (excluding drawer panel, including power cord)
Capacity	
Total gross volume	123 litres
Energy rating	
Refrigerator	3 stars
Freezer	1.5 stars
Energy usage (kWh per year)	
Refrigerator	163
Freezer	328
Modes	
Chill (-0.5°C)	●
Pantry (12°C)	●
Wine (7 - 15°C)	●
Refrigerator (3°C)	●
Freezer (-18°C)	●
Features	
Touch control glass interface	●
Key lock	●
Variable temperature control	●
Fruit and vegetable drawer & pullout tray	●
Customisable storage container	●
Drawer alarm	●
Warranty*	
Parts & labour	2 years
Sealed system parts	5 years






Type of appliance	Bottom Mount Integrated Refrigerator
Model no.	RB60V18
Finish	Integrated (apply your own cabinetry façade)
Dimensions (excluding handles)	H1773 x W540 x D544mm
Capacity	
Refrigerator	186 litres
Freezer	80 litres
Total	266 litres
Energy rating	3 stars
Energy usage (kWh per year)	327
Performance	
Frost free	●
Auto defrost	●
Fast freeze	●
Rapid cooling	●
Variable temperature drawer	●
Humidity controlled crisper bin	●
Holiday mode	●
Refrigerator	
Door alarm	●
Adjustable glass shelves	3
Split glass shelf	1
Fruit & vegetable bins	1
Adjustable door shelves	3
LED lighting	●
Egg trays	1
Freezer	
Clear plastic bins	3
Warranty*	
Parts & labour	2 years
Sealed system parts	5 years



Type of appliance	French Door Refrigerator	French Door Refrigerator	French Door Refrigerator
Models no.	RF610ADUX3	RF522ADUX1	RF522ADX1
Finish	EZKleen stainless steel flat door Concealed hinge	EZKleen stainless steel flat door Concealed hinge	EZKleen stainless steel flat door Concealed hinge
Dimensions (excluding handles)	H1790 x W900 x D695mm	H1715 x W790 x D695mm	H1715 x W790 x D695mm
Capacity			
Refrigerator	433 litres	360 litres	360 litres
Freezer	181 litres	159 litres	159 litres
Total	614 litres	519 litres	519 litres
Energy rating	2 stars	2 stars	2 stars
Energy usage (kWh per year)	645	591	586
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
Water dispenser	●	●	
Door alarm	●	●	●
Adjustable glass shelves	3	4	4
Fruit & vegetable bins	2	2	2
Stackable bottle holders	4	4	4
Adjustable door shelves	6	6	6
Covered door shelves	2	2	2
LED light	●	●	●
Deli storage bins	2		
Freezer			
Built-in ice maker	●	●	
Large plastic bin	●	●	●
Small plastic bins	2	2	2
Ice bin and scoop	●	●	●
LED light	●		●
Door alarm	●	●	●
Accessories			
Water filter	part number 836848	part number 836848	
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years

*(For further warranty information see inside back cover)

COOL



Type of appliance	Ice & Water Bottom Mount Refrigerator	Ice & Water Bottom Mount Refrigerator	Ice & Water Bottom Mount Refrigerator
Models no.	E522BRXFU3 E522BLXFU3	E442BRXFU3	E522BRXU3 E522BLXU3
Finish	EZKleen stainless steel flat door Concealed hinge	EZKleen stainless steel flat door Concealed hinge	EZKleen stainless steel curved door
Dimensions (excluding handles)	H1715 x W790 x D695mm	H1715 x W680 x D695mm	H1705 x W790 x D715mm
Capacity			
Refrigerator	360 litres	307 litres	360 litres
Freezer	159 litres	135 litres	159 litres
Total	519 litres	442 litres	519 litres
Energy rating	2 stars	2 stars	2 stars
Energy usage (kWh per year)	570	542	570
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
Water dispenser	●	●	●
Door alarm	●	●	●
Adjustable glass shelves	4	4	4
Fruit & vegetable bins	2	2	2
Stackable bottle holders	4	2	4
Adjustable door shelves	4	4	4
Covered door shelves	2	2	2
Egg trays	2	2	2
LED light	●	●	●
Freezer			
Built-in ice maker	●	●	●
Large plastic bin	●	●	●
Small plastic bins	2	2	2
Ice bin and scoop	●	●	●
Centre roll out tray	●	●	●
Door alarm	●	●	●
Accessories			
Water filter	part number 836848	part number 836848	part number 836848
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years





	Bottom Mount Refrigerator	Bottom Mount Refrigerator
Type of appliance	E522BRXFD3	E442BRXFD3
Model no.	E522BLXFD3	E442BLXFD3
Finish	EZKleen stainless steel flat door Concealed hinge	EZKleen stainless steel flat door Concealed hinge
Dimensions (excluding handles)	H1715 x W790 x D695mm	H1705 x W680 x D695mm
Capacity		
Refrigerator	360 litres	307 litres
Freezer	159 litres	135 litres
Total	519 litres	442 litres
Energy rating	2.5 stars	2 stars
Energy usage (kWh per year)	540	525
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
Door alarm	●	●
Adjustable glass shelves	4	4
Fruit & vegetable bins	2	2
Stackable bottle holders	4	2
Adjustable door shelves	4	4
Covered door shelves	2	2
Egg trays	2	2
LED light	●	●
Freezer		
Large plastic bin	●	●
Small plastic bins	2	2
Ice tray	2	2
Ice bin and scoop	●	●
Door alarm	●	●
Warranty*		
Parts & labour	2 years	2 years
Sealed system parts	5 years	5 years

COOL




Type of appliance	Bottom Mount Refrigerator	Bottom Mount Refrigerator	Bottom Mount Refrigerator
Model no.	E522BRX3 E522BLX3	E442BRX3 E442BLX3	E402BRX3 E402BLX3
Finish	EZKleen stainless steel curved door	EZKleen stainless steel curved door	EZKleen stainless steel curved door
Dimensions (excluding handles)	H1695 x W790 x D715mm	H1695 x W680 x D715mm	H1695 x W635 x D715mm
Capacity			
Refrigerator	360 litres	307 litres	280 litres
Freezer	159 litres	135 litres	123 litres
Total	519 litres	442 litres	403 litres
Energy rating	2.5 stars	2 stars	2 stars
Energy usage (kWh per year)	540	525	505
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
Door alarm	●	●	●
Adjustable glass shelves	4	4	4
Fruit & vegetable bins	2	2	2
Stackable bottle holders	4	2	2
Adjustable door shelves	4	4	4
Covered door shelves	2	2	2
Egg trays	2	2	2
LED light	●	●	●
Freezer			
Large plastic bin	●	●	●
Small plastic bins	2	2	2
Ice trays	2	2	2
Centre roll out tray	●	●	●
Door alarm	●	●	●
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years






Type of appliance	Bottom Mount Refrigerator		Bottom Mount Refrigerator	
Model no.	E522BRE3	E522BLE3	E442BRE3	E442BLE3
Finish	White curved door		White curved door	
Dimensions (excluding handles)	H1695 x W790 x D715mm		H1695 x W680 x D715mm	
Capacity	360 litres		307 litres	
Refrigerator	159 litres		123 litres	
Freezer	519 litres		442 litres	
Total	2.5 stars		2 stars	
Energy rating	540		525	
Energy usage (kWh per year)	●		●	
Performance	●		●	
ActiveSmart™	●		●	
Frost free freezer	●		●	
Adaptive defrost	●		●	
Humidity control system	●		●	
Sabbath mode	●		●	
Refrigerator	●		●	
Door alarm	4		4	
Adjustable glass shelves	2		2	
Fruit & vegetable bins	4		4	
Adjustable door shelves	2		2	
Covered door shelves	2		2	
Egg trays	2		2	
LED light	●		●	
Freezer	●		●	
Large plastic bin	2		2	
Small plastic bins	2		2	
Ice trays	●		●	
Centre roll out tray	●		●	
Door alarm	2 years		2 years	
Warranty*	5 years		5 years	
Parts & labour	2 years		2 years	
Sealed system parts	5 years		5 years	

*(For further warranty information see inside back cover)

COOL





Type of appliance	Top Mount Refrigerator	Top Mount Refrigerator	Top Mount Refrigerator
Model no.	E521TRX3 E521TLX3	E440TRX3 E440TLX3	E411TRX2 E411TLX2
Finish	EZKleen stainless steel curved door	EZKleen stainless steel curved door	EZKleen stainless steel curved door
Dimensions (excluding handles)	H1695 x W790 x D715mm	H1695 x W680 x D715mm	H1695 x W635 x D715mm
Capacity			
Refrigerator	400 litres	342 litres	314 litres
Freezer	117 litres	105 litres	97 litres
Total	517 litres	447 litres	411 litres
Energy rating	2.5 stars	2.5 stars	2.5 stars
Energy usage (kWh per year)	484	480	443
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
Door alarm	●	●	●
Adjustable glass shelves	4	4	4
Fruit & vegetable bins (full width with divider)	●	●	●
Stackable bottle holders	4	2	2
Adjustable door shelves	4	4	4
Covered door shelves	2	2	2
Egg trays	2	2	2
LED light	●	●	●
Freezer			
Glass shelves	●	●	●
Door shelves	3	2	2
Ice trays	2	2	2
Door alarm	●	●	●
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years



Type of appliance	Top Mount Refrigerator	Top Mount Refrigerator	Top Mount Refrigerator
Model no.	E521TRT3 E521TLT3	E440TRT3 E440TLT3	E411TRT2 E411TLT2
Finish	White curved door	White curved door	White curved door
Dimensions (excluding handles)	H1695 x W790 x D715mm	H1695 x W680 x D715mm	H1695 x W635 x D715mm
Capacity			
Refrigerator	400 litres	342 litres	314 litres
Freezer	117 litres	105 litres	97 litres
Total	517 litres	447 litres	380 litres
Energy rating	2.5 stars	2.5 stars	2.5 stars
Energy usage (kWh per year)	484	480	443
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
Door alarm	●	●	●
Adjustable glass shelves	4	4	4
Fruit & vegetable bin (full width with divider)	●	●	●
Adjustable door shelves	4	4	4
Covered door shelves	2	2	2
Egg trays	2	2	2
LED light	●	●	●
Freezer			
Glass shelves	●	●	●
Door shelves	3	2	2
Ice trays	2	2	2
Door alarm	●	●	●
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years

COOL




Type of appliance	Top Mount Refrigerator	Top Mount Refrigerator
Model no.	E381TRT2 E381TLT2	E331TRT2 E331TLT2
Finish	White curved door	White curved door
Dimensions (excluding handles)	H1595 x W635 x D715mm	H1425 x W635 x D715mm
Capacity		
Refrigerator	283 litres	232 litres
Freezer	97 litres	97 litres
Total	380 litres	329 litres
Energy rating	2.5 stars	2.5 stars
Energy usage (kWh per year)	417	405
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
Door alarm	●	●
Adjustable glass shelves	4	3
Fruit & vegetable bin (full width with divider)	●	●
Adjustable door shelves	2	3
Covered door shelves	2	2
Egg trays	2	2
LED light	●	●
Freezer		
Glass shelves	●	●
Door shelves	2	2
Ice trays	2	2
Door alarm	●	●
Warranty*		
Parts & labour	2 years	2 years
Sealed system parts	5 years	5 years



Type of appliance	Compact Refrigerator	Compact Refrigerator
Model no.	E249TRX E249TLX	E249TRW E249TLW
Finish	EZKleen stainless steel curved door	White curved door
Dimensions (excluding handles)	H1595 x W525 x D575mm	H1595 x W525 x D575mm
Capacity		
Refrigerator	191 litres	191 litres
Freezer	57 litres	57 litres
Total	248 litres	248 litres
Energy rating	2 star	3 star
Energy usage (kWh per year)	394	364
Performance		
Frost free freezer	●	●
Automatic defrost	●	●
Refrigerator		
Air circulation fan	●	●
Interchangeable door	●	●
Door alarm	●	●
Adjustable glass shelves	4	4
Full width adjustable door shelves	4	4
Full width crisper bin	●	●
Covered door shelf	●	●
Interior light	●	●
Freezer		
Ice trays	2	2
Glass shelf	●	●
Warranty*		
Parts & labour	2 years	2 years
Sealed system parts	5 years	5 years

*(For further warranty information see inside back cover)

COOL





Type of appliance	Vertical Refrigerator	Vertical Refrigerator	Vertical Refrigerator
Model no.	E450RXFD E450LXFD	E450RW E450LW	E373RW E373LW
Finish	EZKleen stainless steel flat door	White curved door	White curved door
Dimensions (excluding handles)	H1695 x W635 x D695mm	H1695 x W635 x D715mm	H1425 x W635 x D715mm
Capacity			
Total	451 litres	451 litres	373 litres
Energy rating	2 stars	2 stars	2 stars
Energy usage (kWh per year)	335	335	301
Performance			
Air circulation fan	●	●	●
Adaptive defrost	●	●	●
Humidity control lid	●	●	●
Refrigerator			
Door alarm	●	●	●
Adjustable glass shelves	5	5	4
Crisper bin (full width)	●	●	●
Adjustable half width door shelves	4	4	4
Adjustable full width door shelves	3	3	3
Covered door shelves	2	2	2
Egg trays	2	2	2
Halogen light	●	●	●
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years



Type of appliance	Vertical Refrigerator	Vertical Refrigerator
Model no.	C270R SX	C270R WW C270L WW
Finish	Stainless steel curved door	White curved door
Dimensions (excluding handles)	H1595 x W525 x D575mm	H1595 x W525 x D575mm
Capacity		
Total	266 litres	266 litres
Energy rating	1 star	1 star
Energy usage (kWh per year)	362	362
Performance		
Automatic defrost	●	●
Refrigerator		
Adjustable shelves	6	6
Crisper bin	●	●
Adjustable full width door shelves	5	5
Covered door shelves	1	1
Halogen light	●	●
Warranty*		
Parts & labour	2 years	2 years
Sealed system parts	5 years	5 years

COOL



Type of appliance	Vertical Freezer	Vertical Freezer	Vertical Freezer
Model no.	E388R XFD E388L XFD	E388R WW E388L WW	E308R WW E308L WW
Finish	EZKleen stainless steel flat door	White curved door	White curved door
Dimensions (excluding handles)	H1695 x W635 x D695mm	H1695 x W635 x D715mm	H1425 x W635 x D715mm
Capacity			
Total	389 litres	389 litres	304 litres
Energy rating	1.5 stars	1.5 stars	1 star
Energy usage (kWh per year)	616	616	559
Performance			
Air circulation fan	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Freezer			
Door alarm	●	●	●
Freezer baskets	6	6	5
Ice trays	2	2	2
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years




Type of appliance	Vertical Freezer	Vertical Freezer	Vertical Freezer
Model no.	E210L SX	E210R WW E210L WW	E150R WW E150L WW
Finish	EZKleen stainless steel curved door	White curved door	White curved door
Dimensions (excluding handles)	H1595 x W525 x D575mm	H1595 x W525 x D575mm	H1207 x W525 x D575mm
Capacity			
Total	213 litres	213 litres	153 litres
Energy rating	1 star	1 star	1.5 stars
Energy usage (kWh per year)	481	481	386
Performance			
Air circulation fan	●	●	●
Frost free freezer	●	●	●
Automatic defrost	●	●	●
Freezer			
Door alarm	●	●	●
Freezer baskets	5 (plus 1 wire shelf & 1 tilting basket)	5 (plus 1 wire shelf & 1 tilting basket)	3
Ice trays	2	2	2
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years

*(For further warranty information see inside back cover)

COOL



Type of appliance	Bar Refrigerator	Bar Refrigerator
Model no.	P12ORSX P12OLSX	P12ORW P12OLW
Finish	EZKleen stainless steel curved door	White curved door
Dimensions	H819 x W525 x D575mm	H819 x W525 x D575mm
Capacity		
Refrigerator	107 litres	107 litres
Ice box	6 litres	6 litres
Total	113 litres	113 litres
Energy rating	1 star	1 star
Energy usage (kWh per year)	296	296
Performance		
Push button defrost	●	●
Refrigerator		
Adjustable plastic shelves	2	2
Adjustable full width door shelves	2	2
Covered door shelves	●	●
Interior light	●	●
Ice tray	●	●
Warranty*		
Parts & labour	2 years	2 years
Sealed system parts	5 years	5 years



Type of appliance	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer
Model no.	H701	H510	H360	H320 Slimline
Finish	White	White	White	White
Dimensions	H903 x W1781 x D730mm	H903 x W1351 x D730mm	H903 x W1111 x D662mm	H898 x W1214 x D565mm
Capacity				
Total	699 litres	511 litres	358 litres	320 litres
Energy rating	2 stars	2 stars	2.5 stars	2.5 stars
Energy usage (kWh per year)	703	586	438	424
Performance				
Defrost drain system	●	●	●	●
Stackable freezer baskets	3	2	2	2
Interior light	●	●	●	●
Lightweight lid	●	●	●	●
Power on indicator	●	●	●	●
Warranty*				
Parts & labour	2 years	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years	5 years

*(For further warranty information see inside back cover)

COOL



Type of appliance	Chest Freezer	Chest Freezer	Chest Freezer	Chest Freezer
Model no.	H280	H275 Slimline	H220	H215 Slimline
Finish	White	White	White	White
Dimensions	H903 x W901 x D662mm	H898 x W1073 x D565mm	H903 x W746 x D662mm	H898 x W881 x D565mm
Capacity				
Total	276 litres	275 litres	216 litres	215 litres
Energy rating	2.5 stars	2.5 stars	2.5 stars	2.5 stars
Energy usage (kWh per year)	392	393	348	345
Performance				
Defrost drain system	●	●	●	●
Stackable freezer baskets	2	2	1	1
Interior light	●	●	●	●
Lightweight lid	●	●	●	●
Power on indicator	●	●	●	●
Warranty*				
Parts & labour	2 years	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years	5 years



Type of appliance	Chest Freezer
Model no.	H160
Finish	White
Dimensions	H903 x W611 x D662mm
Capacity	
Total	164 litres
Energy rating	2.5 stars
Energy usage (kWh per year)	304
Performance	
Defrost drain system	●
Stackable freezer baskets	1
Lightweight lid	●
Power on indicator	●
Warranty*	
Parts & labour	2 years
Sealed system parts	5 years


COOL

CoolDrawer

Model No:
RB90S64MKIW1

Dimensions	mm
Ⓐ Overall height of product	640
Ⓑ Overall width of product	855
Ⓒ Overall depth of product	557
Ⓓ Height of product front	476*
Ⓔ Width of product front	896*
Ⓕ Depth of product front (excludes handle)	18*

*Optional EZKleen Stainless Steel drawer panel, alternatively door and false panel to be manufactured and fitted by cabinetmaker.




Bottom Mount Integrated Refrigerator

Model No:
RB60V18

Dimensions	mm
Ⓐ Overall height of product	1773
Ⓑ Overall width of product	555
Ⓒ Overall depth of product (includes condenser and door brackets)	540*


* Does not include door panels to be manufactured and fitted by cabinetmaker.




French Door Refrigerator (Flat door)

Model No:
RF610ADUX3 (Ice & Water)


Dimensions	mm
Ⓐ Overall height of product	1790
Ⓑ Overall width of product	900
Ⓒ Overall depth of product (excludes handle and evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1810
Flush with refrigerator chassis	
Ⓔ Inside width	940
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	1170
Ⓗ Inside depth flush to flat door	695
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	1125
Ⓚ Inside depth flush to flat door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	365
Ⓡ Door clearance-hinge side flush with door-full rotation	250




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door




Plan View
Flush with refrigerator door
- 90° door rotation




French Door Refrigerator (Flat door)

Model no:
RF522ADUX1 (Ice & Water)
RF522ADX1


Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle and evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	830
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	1060
Ⓗ Inside depth flush to flat door	695
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	1015
Ⓚ Inside depth flush to flat door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	325
Ⓡ Door clearance-hinge side flush with door-full rotation	210




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door





Plan View
Flush with refrigerator door
- 90° door rotation



Bottom Mount Refrigerator (Flat door)

Model no:
E522BRXFDU3, E522BLXFDU3 (Ice & Water)
E522BRXFD3, E522BLXFD3



Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle and evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	830
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	945
Ⓗ Inside depth flush to flat door	695
Flush with refrigerator door-90° rotation	
Ⓘ Inside width	900
Ⓚ Inside depth flush to flat door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	645
Ⓡ Door clearance-hinge side flush with door-full rotation	530



Bottom Mount Refrigerator (Flat door)

Model no:
E442BRXFDU3 (Ice & Water)
E442BRXFD3, E442BLXFD3



Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	680
Ⓒ Overall depth of product (excludes handle, includes evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	720
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	835
Ⓗ Inside depth flush to flat door	695
Flush with refrigerator door-90° rotation	
Ⓘ Inside width	790
Ⓚ Inside depth flush to flat door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	555
Ⓡ Door clearance-hinge side flush with door-full rotation	440



Bottom Mount Refrigerator (Curved door)

Model no:
E522BRXU3, E522BLXU3 (Ice & Water)



Dimensions	mm
Ⓐ Overall height of product	1705
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	830
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	945
Ⓗ Inside depth flush to flat door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	900
Ⓚ Inside depth flush to flat door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	645
ⓓ Door clearance-hinge side flush with door-full rotation	530



Bottom Mount Refrigerator (Curved door)

Model no:
E522BRX3, E522BLX3, E522BRE3, E522BLE3



Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	830
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	945
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	900
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	645
ⓓ Door clearance-hinge side flush with door-full rotation	530



Bottom Mount Refrigerator (Curved door)

Model no:
E442BRX3, E442BLX3, E442BRE3, E442BLE3



Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	680
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	720
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	835
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	790
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	555
Ⓡ Door clearance-hinge side flush with door-full rotation	440



Bottom Mount Refrigerator (Curved door)

Model no:
E402BRX3, E402BLX3, E402BRE3, E402BLE3

Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	745
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance-hinge side flush with chassis-full rotation	520
Ⓡ Door clearance-hinge side flush with door-full rotation	405




Bottom Mount Refrigerator (Curved door)


Model no:

E372BRE3, E372BLE3


Dimensions	mm
Ⓐ Overall height of product	1595
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1645
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	745
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	520
ⓓ Door clearance-hinge side flush with door-full rotation	405




Plan view
Flush with refrigerator chassis



Plan view
Flush with refrigerator door



Plan view
Flush with refrigerator door
- 90° door rotation




Top Mount Refrigerator (Curved door)


Model no:

E521TRX3, E521TLX3, E521TRT3, E521TLT3


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	830
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	945
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	900
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	645
ⓓ Door clearance-hinge side flush with door-full rotation	530




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door




Plan View
Flush with refrigerator door
- 90° door rotation




Top Mount Refrigerator (Curved door)

Model no:
E440TRX3, E440TLX3, E440TRT3, E440TLT3


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓢ Overall width of product	680
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓣ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓤ Inside width	720
Ⓦ Inside depth	620
Flush with refrigerator door	
Ⓧ Inside width	835
Ⓨ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓩ Inside width	790
ⓐ Inside depth flush to curved door	680
Minimum clearances	
ⓑ Side clearance	20
ⓓ Side clearance-hinge side flush with door-full rotation	135
ⓔ Side clearance-hinge side flush with door-90° rotation	90
ⓕ Rear clearance (including evaporator tray)	30
ⓖ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓗ Door clearance-hinge side flush with chassis-full rotation	555
Ⓢ Door clearance-hinge side flush with door-full rotation	440




Plan View
 Flush with refrigerator chassis



Plan View
 Flush with refrigerator door




Plan View
 Flush with refrigerator door
 - 90° door rotation




Top Mount Refrigerator (Curved door)

Model no:
E411TRX2, E411TLX2, E411TRT2, E411TLT2


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓢ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓣ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓤ Inside width	675
Ⓦ Inside depth	620
Flush with refrigerator door	
Ⓧ Inside width	790
Ⓨ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓩ Inside width	745
ⓐ Inside depth flush to curved door	680
Minimum clearances	
ⓑ Side clearance	20
ⓓ Side clearance-hinge side flush with door-full rotation	135
ⓔ Side clearance-hinge side flush with door-90° rotation	90
ⓕ Rear clearance (including evaporator tray)	30
ⓖ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓗ Door clearance-hinge side flush with chassis-full rotation	520
Ⓢ Door clearance-hinge side flush with door-full rotation	405




Plan View
 Flush with refrigerator chassis



Plan View
 Flush with refrigerator door



Plan View
 Flush with refrigerator door
 - 90° door rotation




Top Mount Refrigerator (Curved door)


Model no:

E331TRT2, E331TLT2


Dimensions	mm
Ⓐ Overall height of product	1425
Ⓞ Overall width of product	635
Ⓢ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓢ Inside height of cavity	1465
Flush with refrigerator chassis	
Ⓢ Inside width	675
Ⓢ Inside depth	620
Flush with refrigerator door	
Ⓢ Inside width	790
Ⓢ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓢ Inside width	745
Ⓢ Inside depth flush to curved door	680
Minimum Clearances	
Ⓢ Side clearance	20
Ⓢ Side clearance-hinge side flush with door-full rotation	135
Ⓢ Side clearance-hinge side flush with door-90° rotation	90
Ⓢ Rear clearance (including evaporator tray)	30
Ⓢ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance-hinge side flush with chassis-full rotation	520
Ⓢ Door clearance-hinge side flush with door-full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door



Plan View
Flush with refrigerator door - 90° door rotation




Top Mount Refrigerator (Curved door)


Model no:

E381TRT2, E381TLT2


Dimensions	mm
Ⓐ Overall height of product	1595
Ⓞ Overall width of product	635
Ⓢ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓢ Inside height of cavity	1635
Flush with refrigerator chassis	
Ⓢ Inside width	675
Ⓢ Inside depth	620
Flush with refrigerator door	
Ⓢ Inside width	790
Ⓢ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓢ Inside width	745
Ⓢ Inside depth flush to curved door	680
Minimum clearances	
Ⓢ Side clearance	20
Ⓢ Side clearance-hinge side flush with door-full rotation	135
Ⓢ Side clearance-hinge side flush with door-90° rotation	90
Ⓢ Rear clearance (including evaporator tray)	30
Ⓢ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance-hinge side flush with chassis-full rotation	520
Ⓢ Door clearance-hinge side flush with door-full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door





Plan View
Flush with refrigerator door - 90° door rotation



Compact Refrigerator (Curved door)

Model no:
E249TRX, E249TLX, E249TRW, E249TLW



Dimensions	mm
Ⓐ Overall height of product	1595
Ⓑ Overall width of product	525
Ⓒ Overall depth of product (excludes handle, includes evaporator)	575
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1645
Flush with refrigerator chassis	
Ⓔ Inside width	565
Ⓕ Inside depth	502
Flush with refrigerator door	
Ⓖ Inside width	680
Ⓗ Inside depth flush to curved door	552
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	635
Ⓚ Inside depth flush to curved door	552
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	440
ⓓ Door clearance-hinge side flush with door-full rotation	325



Vertical Refrigerator (Flat door)

Model no:
E450RFXD, E450LXFD


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	695
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	745
Ⓚ Inside depth flush to curved door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	520
ⓓ Door clearance-hinge side flush with door-full rotation	405




Vertical Refrigerator (Curved door)

Model no:
E450RW, E450LW


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓜ Overall width of product	635
Ⓢ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓢ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓢ Inside width	675
Ⓢ Inside depth	620
Flush with refrigerator door	
Ⓢ Inside width	790
Ⓢ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓢ Inside width	745
Ⓢ Inside depth flush to curved door	680
Minimum clearances	
Ⓢ Side clearance	20
Ⓢ Side clearance-hinge side flush with door-full rotation	135
Ⓢ Side clearance-hinge side flush with door-90° rotation	90
Ⓢ Rear clearance (including evaporator tray)	30
Ⓢ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance-hinge side flush with chassis-full rotation	520
Ⓢ Door clearance-hinge side flush with door-full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door




Plan View
Flush with refrigerator door
- 90° door rotation




Vertical Refrigerator (Curved door)

Model no:
E373RW, E373LW


Dimensions	mm
Ⓐ Overall height of product	1425
Ⓜ Overall width of product	635
Ⓢ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓢ Inside height of cavity	1465
Flush with refrigerator chassis	
Ⓢ Inside width	675
Ⓢ Inside depth	620
Flush with refrigerator door	
Ⓢ Inside width	790
Ⓢ Inside depth flush to curved door	680
Flush with refrigerator door-90° rotation	
Ⓢ Inside width	745
Ⓢ Inside depth flush to curved door	680
Minimum clearances	
Ⓢ Side clearance	20
Ⓢ Side clearance-hinge side flush with door-full rotation	135
Ⓢ Side clearance-hinge side flush with door-90° rotation	90
Ⓢ Rear clearance (including evaporator tray)	30
Ⓢ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance-hinge side flush with chassis-full rotation	520
Ⓢ Door clearance-hinge side flush with door-full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door




Plan View
Flush with refrigerator door
- 90° door rotation




Vertical Refrigerator (Curved door)

Model no:
C270R SX, C270R WW, C270L WW


Dimensions	mm
Ⓐ Overall height of product	1595
Ⓑ Overall width of product	525
Ⓒ Overall depth of product (excludes handle, includes evaporator)	575
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1645
Flush with refrigerator chassis	
Ⓔ Inside width	565
Ⓕ Inside depth	502
Flush with refrigerator door	
Ⓖ Inside width	680
Ⓗ Inside depth flush to curved door	552
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	635
Ⓚ Inside depth flush to curved door	552
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	440
ⓓ Door clearance-hinge side flush with door-full rotation	325




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door




Plan View
Flush with refrigerator door
- 90° door rotation




Vertical Freezer (Flat door)

Model no:
E388RXFD, E388LXFD


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	695
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	695
Flush with refrigerator door-90° rotation	
Ⓙ Inside width	745
Ⓚ Inside depth flush to curved door	695
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance-hinge side flush with door-full rotation	135
Ⓨ Side clearance-hinge side flush with door-90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance-hinge side flush with chassis-full rotation	520
ⓓ Door clearance-hinge side flush with door-full rotation	405




Plan view
Flush with refrigerator chassis



Plan view
Flush with refrigerator door



Plan view
Flush with refrigerator door
- 90° door rotation




Vertical Freezer (Curved door)


Model no:

E388R WW, E388L WW


Dimensions	mm
Ⓐ Overall height of product	1695
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry dimensions	
Ⓓ Inside height of cavity	1735
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door -90° rotation	
Ⓘ Inside width	745
Ⓚ Inside depth flush to curved door	680
Minimum clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance -hinge side flush with door -full rotation	135
Ⓨ Side clearance -hinge side flush with door -90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance -hinge side flush with chassis -full rotation	520
Ⓡ Door clearance -hinge side flush with door -full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door



Plan View
Flush with refrigerator door
- 90° door rotation




Vertical Freezer (Curved door)


Model no:

E308R WW, E308L WW


Dimensions	mm
Ⓐ Overall height of product	1425
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (excludes handle, includes evaporator)	715
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1465
Flush with refrigerator chassis	
Ⓔ Inside width	675
Ⓕ Inside depth	620
Flush with refrigerator door	
Ⓖ Inside width	790
Ⓗ Inside depth flush to curved door	680
Flush with refrigerator door -90° rotation	
Ⓘ Inside width	745
Ⓚ Inside depth flush to curved door	680
Minimum Clearances	
Ⓛ Side clearance	20
Ⓜ Side clearance -hinge side flush with door -full rotation	135
Ⓨ Side clearance -hinge side flush with door -90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
Ⓟ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓠ Door clearance -hinge side flush with chassis -full rotation	520
Ⓡ Door clearance -hinge side flush with door -full rotation	405




Plan View
Flush with refrigerator chassis



Plan View
Flush with refrigerator door



Plan View
Flush with refrigerator door
- 90° door rotation





Vertical Freezer (Curved door)

Model no:

E210L SX, E210R WW, E210L WW

Dimensions	mm
Ⓐ Overall height of product	1595
Ⓑ Overall width of product	525
Ⓒ Overall depth of product (excludes handle, includes evaporator)	575
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1645
Flush with refrigerator chassis	
Ⓔ Inside width	565
Ⓕ Inside depth	502
Flush with refrigerator door	
Ⓖ Inside width	680
Ⓢ Inside depth flush to flat door	552
Flush with refrigerator door -90° rotation	
Ⓣ Inside width	635
Ⓤ Inside depth flush to flat door	552
Minimum Clearances	
Ⓦ Side clearance	20
Ⓧ Side clearance -hinge side flush with door -full rotation	135
Ⓨ Side clearance -hinge side flush with door -90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance -hinge side flush with chassis -full rotation	440
ⓓ Door clearance -hinge side flush with door -full rotation	325





Vertical Freezer (Curved door)

Model no:

E150R WW, E150L WW

Dimensions	mm
Ⓐ Overall height of product	1207
Ⓑ Overall width of product	525
Ⓒ Overall depth of product (excludes handle, includes evaporator)	575
Cabinetry Dimensions	
Ⓓ Inside height of cavity	1257
Flush with refrigerator chassis	
Ⓔ Inside width	565
Ⓕ Inside depth	502
Flush with refrigerator door	
Ⓖ Inside width	680
Ⓢ Inside depth flush to curved door	552
Flush with refrigerator door -90° rotation	
Ⓣ Inside width	635
Ⓤ Inside depth flush to curved door	552
Minimum Clearances	
Ⓦ Side clearance	20
Ⓧ Side clearance -hinge side flush with door -full rotation	135
Ⓨ Side clearance -hinge side flush with door -90° rotation	90
Ⓩ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓑ Door clearance -hinge side flush with chassis -full rotation	440
ⓓ Door clearance -hinge side flush with door -full rotation	325




Bar Refrigerator (Curved door)

Model no:

P12ORSX, P12OLX, P12ORW, P12OLW

Dimensions	mm
Ⓐ Overall height of product	819
Ⓔ Overall width of product	525
Ⓒ Overall depth of product (excludes handle, includes evaporator)	575
Cabinetry dimensions	
Ⓓ Inside height of cavity	869
Flush with refrigerator chassis	
Ⓔ Inside width	565
Ⓕ Inside depth	502
Flush with refrigerator door	
Ⓔ Inside width	680
Ⓖ Inside depth flush to curved door	552
Flush with refrigerator door-90° rotation	
Ⓔ Inside width	635
Ⓖ Inside depth flush to curved door	552
Minimum clearances	
Ⓒ Side clearance	20
Ⓖ Side clearance-hinge side flush with door-full rotation	135
Ⓒ Side clearance-hinge side flush with door-90° rotation	90
Ⓒ Rear clearance (including evaporator tray)	30
Ⓒ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓒ Door clearance-hinge side flush with chassis-full rotation	440
Ⓒ Door clearance-hinge side flush with door-full rotation	325




Chest Freezer

Model no:

H701


Dimensions	mm
Ⓐ Overall height of product	903
Ⓔ Overall width of product	1781
Ⓒ Overall depth of product	730
Height of product, lid open	1545



Chest Freezer

Model no:
H510


Dimensions	mm
Ⓐ Overall height of product	903
Ⓑ Overall width of product	1351
Ⓒ Overall depth of product	730
Height of product, lid open	1545



Chest Freezer

Model no:
H360


Dimensions	mm
Ⓐ Overall height of product	903
Ⓑ Overall width of product	1111
Ⓒ Overall depth of product	662
Height of product, lid open	1475



Chest Freezer

Model no:
H320


Dimensions	mm
Ⓐ Overall height of product	898
Ⓑ Overall width of product	1214
Ⓒ Overall depth of product	565
Height of product, lid open	1380



Chest Freezer

Model no:
H280


Dimensions	mm
Ⓐ Overall height of product	903
Ⓑ Overall width of product	901
Ⓒ Overall depth of product	662
Height of product, lid open	1475



Chest Freezer

Model no:
H275


Dimensions	mm
Ⓐ Overall height of product	898
Ⓑ Overall width of product	1073
Ⓒ Overall depth of product	565
Height of product, lid open	1380



Chest Freezer

Model no:
H220


Dimensions	mm
Ⓐ Overall height of product	903
Ⓑ Overall width of product	746
Ⓒ Overall depth of product	662
Height of product, lid open	1475



Chest Freezer

Model no:
H215


Dimensions	mm
Ⓐ Overall height of product	898
Ⓑ Overall width of product	881
Ⓒ Overall depth of product	565
Height of product, lid open	1380



Chest Freezer


Model no:
H160

Dimensions	mm
Ⓐ Overall height of product	903
Ⓑ Overall width of product	611
Ⓒ Overall depth of product	662
Height of product, lid open	1475




CLEAN

CLEAN







	DishDrawer™ Wide Dishwasher	DishDrawer™ Wide Dishwasher
Type of appliance	DishDrawer™ Wide Dishwasher	DishDrawer™ Wide Dishwasher
Model no.	DD90SDFTX2	DD90ST12
Finish	EZKleen stainless steel flat door	Integrated (apply your own cabinetry façade)
Dimensions (excluding handles)	H478 x W895 x D571mm	H478 x W855 x D569 – 573mm
Energy rating	3 star	3 star
Energy usage	197kWh per year	210kWh per year
Water rating	4 star (WELS)	4 star (WELS)
Water usage	9.4 litres per wash cycle	9.4 litres per wash cycle
Performance		
SmartDrive™ technology	●	●
Water level sensing	●	●
Flow through detergent dispenser	●	●
Quiet operation	●	●
Fan assisted drying	●	●
Capacity and loading		
Place settings per drawer	9	9
Flexible racking system	●	●
Fold down tines	●	●
Adjustable racks and cup racks	●	●
Accommodates long stemmed glasses	●	●
Accommodates plates up to	315mm	315mm
Wash programs		
Nine wash programs	●	●
Eco options	●	●
Permanent memory of the last cycle used	●	●
Safety		
Three stage total flood protection	●	●
Controls		
Wireless remote		●
Concealed control panels with single touch programming	●	●
Key lock	●	
Child lock	●	●
End of cycle beeps	●	●
One button start	●	●
Energy saving delay start option up to 12 hours	●	●
Rinse aid indicator light and lens	●	●
Electronic fault/Diagnostic indicator	●	●
AMP draw	10A	10A
Accessories		
Cutlery basket	1	1
Knife clip	2	2
Warranty*	2 years	2 years



Type of appliance	DishDrawer™ Tall Dishwasher	DishDrawer™ Tall Dishwasher
Model no.	DD60SDFTX7	DD60STI7
Finish	EZKleen stainless steel flat door	Integrated (apply your own cabinetry façade)
Dimensions (excluding handles)	H478 x W599 x D571mm	H453 - 478 x W599 x D569 - 573mm
Energy rating	3.5 star	3.5 star
Energy usage	134kWh per year	134kWh per year
Water rating	4.5 star (WELS)	4.5 star (WELS)
Water usage	6.7 litres per wash cycle	6.7 litres per wash cycle
Performance		
SmartDrive™ technology	●	●
Water level sensing	●	●
Flow through detergent dispenser	●	●
Quiet operation	●	●
Fan assisted drying	●	●
Capacity and loading		
Place settings per drawer	7	7
Flexible racking system	●	●
Fold down and pitch adjustable tines	●	●
Adjustable racks and cup racks	●	●
Accommodates long stemmed glasses	●	●
Accommodates plates up to	330mm	330mm
Wash programs		
Nine wash programs	●	●
Eco options	●	●
Permanent memory of the last cycle used	●	●
Safety		
Three stage total flood protection	●	●
Controls		
Wireless remote		●
Concealed control panels with single touch programming	●	●
Key lock	●	
Child lock	●	●
End of cycle beeps	●	●
One button start	●	●
Energy saving delay start option up to 12 hours	●	●
Rinse aid indicator light and lens	●	●
Electronic fault/Diagnostic indicator	●	●
AMP draw	4.5A	4.5A
Accessories		
Cutlery basket	1	1
Knife clip	2	2
Warranty*	2 years	2 years

*(For further warranty information see inside back cover)

CLEAN



Type of appliance	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher
Model no.	DD60DDFX7	DD60DI7	DD60DCX7	DD60DCW7
Finish	EZKleen stainless steel flat door	Integrated (apply your own cabinetry façade)	EZKleen stainless steel curved door	White curved door
Dimensions (excluding handles)	H820 - 880 x W599 x D571mm	H820 - 880 x W599 x D569-573mm	H820 - 880 x W599 x D582mm	H820 - 880 x W599 x D582mm
Energy rating	3.5 star	3.5 star	3.5 star	3.5 star
Energy usage	134kWh per year	134kWh per year	134kWh per year	134kWh per year
Water rating	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)
Water usage	6.7 litres per wash cycle	6.7 litres per wash cycle	6.7 litres per wash cycle	6.7 litres per wash cycle
Performance				
SmartDrive™ technology	●	●	●	●
Water level sensing	●	●	●	●
Flow through detergent dispenser	●	●	●	●
Quiet operation	●	●	●	●
Fan assisted drying	●	●	●	●
Capacity and loading				
Place settings per drawer	7	7	7	7
Flexible racking system	●	●	●	●
Fold down and pitch adjustable tines	●	●	●	●
Adjustable racks and cup racks	●	●	●	●
Accommodates long stemmed glasses	●	●	●	●
Accommodates plates up to	290mm	290mm	290mm	290mm
Wash programs				
Nine wash programs	●	●	●	●
Genuine half load wash option	●	●	●	●
Eco options	●	●	●	●
Permanent memory of the last cycle used	●	●	●	●
Safety				
Three stage total flood protection	●	●	●	●
Controls				
Wireless remote		●		
Concealed control panels with single touch programming	●	●	●	●
Key lock	●		●	●
Child lock	●	●	●	●
End of cycle beeps	●	●	●	●
One button start	●	●	●	●
Energy saving delay start option up to 12 hours	●	●	●	●
Rinse aid indicator light and lens	●	●	●	●
Electronic fault/Diagnostic indicator	●	●	●	●
AMP draw	9A	9A	9A	9A
Accessories				
Cutlery basket	2	2	2	2
Knife clip	4	4	4	4
Kickstrip	1	1	1	1
Warranty*	2 years	2 years	2 years	2 years







Type of appliance	Single DishDrawer™ Dishwasher	Single DishDrawer™ Dishwasher	Single DishDrawer™ Dishwasher	Single DishDrawer™ Dishwasher
Model no.	DD60SDFX7	DD60SI7	DD60SCX7	DD60SCW7
Finish	EZKleen stainless steel flat door	Integrated (apply your own cabinetry façade)	EZKleen stainless steel curved door	White curved door
Dimensions (excluding handles)	H410 x W599 x D571mm	H410 x W599 x D569 - 573mm	H410 x W599 x D582mm	H410 x W599 x D582mm
Energy rating	3.5 star	3.5 star	3.5 star	3.5 star
Energy usage	134kWh per year	134kWh per year	134kWh per year	134kWh per year
Water rating	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)
Water usage	6.7 litres per wash cycle	6.7 litres per wash cycle	6.7 litres per wash cycle	6.7 litres per wash cycle
Performance				
SmartDrive™ technology	●	●	●	●
Water level sensing	●	●	●	●
Flow through detergent dispenser	●	●	●	●
Quiet operation	●	●	●	●
Fan assisted drying	●	●	●	●
Capacity and loading				
Place settings per drawer	7	7	7	7
Flexible racking system	●	●	●	●
Fold down and pitch adjustable tines	●	●	●	●
Adjustable racks and cup racks	●	●	●	●
Accommodates long stemmed glasses	●	●	●	●
Accommodates plates up to	290mm	290mm	290mm	290mm
Wash programs				
Nine wash programs	●	●	●	●
Eco options	●	●	●	●
Permanent memory of the last cycle used	●	●	●	●
Safety				
Three stage total flood protection	●	●	●	●
Controls				
Wireless remote		●		
Concealed control panels with single touch programming	●	●	●	●
Key lock	●			
Child lock	●	●	●	●
End of cycle beeps	●	●	●	●
One button start	●	●	●	●
Energy saving delay start option up to 12 hours	●	●	●	●
Rinse aid indicator light and lens	●	●	●	●
Electronic fault/Diagnostic indicator	●	●	●	●
AMP draw	4.5A	4.5A	4.5A	4.5A
Accessories				
Cutlery basket	1	1	1	1
Knife clip	2	2	2	2
Warranty*	2 years	2 years	2 years	2 years

*(For further warranty information see inside back cover)

CLEAN



Type of appliance	OneTouch™
Model no.	DW60DOX1
Finish	Stainless steel
Dimensions (excluding handles)	H820 - 880 x W598 x D570mm
Energy rating	3 stars
Energy usage	332kWh per year
Water rating	5 stars (WELS)
Water usage	11.1 litres per wash cycle
Performance	
Intelligent load sensing	●
Sensor controlled	●
Multiple spray levels	4
Variable wash pressure technology	●
Capacity and loading	
Place settings	14
Flexible racking system	●
Fold down tines	●
Easy lift adjustable upper basket	●
Adjustable racks and cup racks	●
Glass support insert	●
Cutlery drawer	●
Bottle support	●
Three piece cutlery basket	●
Accommodates most plates up to	300mm
Wash programs	
Wash programs	5
Automatic wash program selection	●
Safety	
Aquasafe+ system (anti-flood protection system)	●
Counter balanced door	●
Controls	
OneTouch™ control	●
Key lock	●
End of cycle beeps	●
One button start	●
Wash progress and time remaining display	●
Digital display	●
Rinse aid indicator light and lens	●
AMP draw	10A
Accessories	
Cutlery basket	1
Warranty*	2 years




Type of appliance	Dishwasher	Dishwasher	Dishwasher	Dishwasher
Model no.	DW60CCX1	DW60CCW1	DW60CEX1	DW60CEW1
Finish	Stainless steel	White	Stainless steel	White
Dimensions (excluding handles)	H850 - 870 x W595 x D600mm			
Energy rating	3.5 star	3.5 star	3.5 star	3.5 star
Energy usage	272kWh per year	272kWh per year	288kWh per year	288kWh per year
Water rating	4.5 star (WELS)	4.5 star (WELS)	4 star (WELS)	4 star (WELS)
Water usage	12.1 litres per wash	12.1 litres per wash	13.3 litres per wash cycle	13.3 litres per wash cycle
Performance				
Multiple spray levels	5	5	4	4
Variable wash pressure technology	●	●	●	●
Fan assisted drying	●	●		
Three-way self-cleaning filtration system	●	●	●	●
Capacity and loading				
Place settings	14	14	14	14
Fold down tines	●	●	●	●
Easy lift adjustable upper basket	●	●		
Adjustable top basket			●	●
Cup racks	●	●	●	●
Wine glass supports	●	●	●	●
Handy multi purpose utensil tray	●	●	●	●
Accommodates most plates up to	300mm	300mm	300mm	300mm
Wash programs				
Wash programs	8	8	6	6
Hygiene and Auto cycles	●	●		
Eco Option	●	●	●	●
Permanent memory of the last cycle used	●	●	●	●
Safety				
Counter balanced door	●	●	●	●
Dual mode flood protection	●	●	●	●
Controls				
LCD display	●	●		
LED display			●	●
End of cycle beeps	●	●	●	●
Energy saving delay start option up to 24 hours	●	●		
Energy saving delay start option up to 12 hours			●	●
Wash progress and time remaining display	●	●	●	●
Rinse aid indicator light and lens	●	●	●	●
Half load option both top and lower levels	●	●		
Key lock	●	●	●	●
AMP draw	10A	10A	10A	10A
Accessories				
Cutlery basket	1	1	1	1
Warranty*	2 years	2 years	2 years	2 years

DishDrawer™ Single Dishwasher

Model no:
DD90SDFTX2

Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	895
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	553




DishDrawer™ Wide Dishwasher

Model no:
DD90ST12

Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	855
Ⓒ Depth of product front (excludes handle)	16
Ⓓ Depth of product chassis	-20*


*Door panel to be manufactured and fitted by cabinetmaker.



DishDrawer™ Tall Dishwasher

Model no:
DD60SDFTX7

Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	553




DishDrawer™ Tall Dishwasher

Model no:
DD60ST17

Dimensions	mm
Ⓐ Overall height of product	453 - 478*
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	16 - 20*
Ⓓ Depth of product chassis	553

*Door panel to be manufactured and fitted by cabinetmaker.
*You may choose to install Tall Height Integrated models into either a 458 or a 480mm high cavity. Note: the minimum height of the custom drawer front panel will also be different for these options.




Double DishDrawer™ Dishwasher

Model no:

DD60DDFX7

Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	553




Double DishDrawer™ Dishwasher

Model no:

DD60DI7

Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	16 - 20*
Ⓓ Depth of product chassis	553

*Door panel to be manufactured and fitted by cabinetmaker.




Double DishDrawer™ Dishwasher

Model no:

DD60DCX7, DD60DCW7

Dimensions	mm
Ⓐ Overall height of product	min. 820- max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front measured at edge of door	20*
Ⓓ Depth of product chassis	553

*Product front varies along the curve to a depth of 29mm.




Single DishDrawer™ Dishwasher

Model no:

DD60SDFX7

Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	553




Single DishDrawer™ Dishwasher

Model no:

DD60S17

Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front measured at edge of door	16 -20*
Ⓓ Depth of product chassis	553

*Door panel to be manufactured and fitted by cabinetmaker.




Single DishDrawer™ Dishwasher

Model no:

DD60SCX7, DD60SCW7

Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	20*
Ⓓ Depth of product chassis	553

*Product front varies along the curve to a depth of 29mm.




OneTouch™

Model No:

DW60DOX1

Dimensions	mm
Ⓐ Overall height of product front	min. 820 - max. 900
Ⓑ Overall width of product front	598
Ⓒ Overall depth of product	570




Dishwasher

Model No:


DW60CCX1, DW60CCW1, DW60CEX1, DW60CEW1

Dimensions	mm
Ⓐ Overall height of product	min. 850 - max. 870
Ⓑ Overall width of product	595
Ⓒ Overall depth of product	600




WASH

WASH




Type of appliance	10kg CleanSmart™ Top Load Washer
Model no.	WL1068P1
Finish	White
Dimensions	H1060 - 1090 x W685 x D700mm
Capacity (dry load)	10kg
Energy rating	4 star
Water rating	4 star (WELS)
Water usage (per wash cycle)	102 litres
Performance	
SmartDrive™	●
Load sensing	●
Wash profiles	Unlimited
Three spin speeds	●
1100 max spin speed	●
Detergent	High efficiency
Hot/cold water connection essential	●
Wash cycles	
Regular	●
Heavy	●
Handwash	●
Easy Iron	●
Sheets	●
Allergy	●
Bulky	●
Quick	●
Towels	●
Bowl clean	●
Rinse and spin	●
Spin	●
Wash modes	
High efficiency	●
Conventional	●
Eco-Active™ wash	●
Wash features	
Auto water level	●
Water temperature controls	5
Controlled cold	●
Soil level	3
Eco	●
Rinse options	4
Soak	●
No spin	●
Dual wash	●
Stain treatment	●
Time to go	●
Delay start:	5, 15, 30 minutes, 1 - 18 hours
Key lock	●
Auto-lint disposal	●
Lid lock	●
Auto out of balance correction	●
Detergent dispenser	●
Fabric softener dispenser	●
Adjustable alert beeps	●
Smart touch dial	●
Stainless steel bowl	●
Agitator	Low profile
Lid	Glass with soft close
Warranty*	
Parts & labour	2 years
Parts only Direct Drive Motor	8 years




Type of appliance	8kg FabricSmart™ Top Load Washer	7kg FabricSmart™ Top Load Washer
Model no.	WA80T65FW1	WA70T60FW1
Finish	White	White
Dimensions	H1030 - 1050 x W650 x D650mm	H1030 - 1050 x W600 x D600mm
Capacity (dry load)	8kg	7kg
Energy rating	3.5 star	3.5 star
Water rating	3.5 star (WELS)	3.5 star (WELS)
Water usage (per wash cycle)	98 litres	86 litres
Performance		
SmartDrive™	●	●
Load sensing	●	●
Fabric sensing	●	●
Wash profiles	125	125
Three spin speeds	●	●
1000 max spin speed	●	●
Detergent	Regular	Regular
Wash cycles		
Auto sensing	●	●
Easy Iron	●	●
Wool	●	●
Handwash	●	●
Favourite	●	●
13 Lifestyle Cycles - (Allergy, Nappy Rinse, Duvet/Doona, Sweaty, Muddy, Sports shoes, Beach Gear, Tomato, Chocolate, Blood/Grass, Fruit/Wine, Bowl Clean, Max Wash)	●	●
Wash modes		
Conventional	●	●
Eco-Active™	●	●
Wash features		
Auto water level	●	●
Manual water levels	5	5
Wash temperature controls	6	6
Controlled cold	●	●
How dirty?	●	●
Water saver options	●	●
Rinse options	6	6
Drip dry	●	●
Soak	●	●
Delay start:	15, 30 minutes, 1 - 10, 12, 15, 18 hours	15, 30 minutes, 1 - 10, 12, 15, 18 hours
Customise cycle	●	●
Save time	●	●
Auto-lint disposal	●	●
Lid lock	●	●
Auto out of balance correction	●	●
Detergent dispenser	●	●
Fabric softener dispenser	●	●
Adjustable alert beeps	●	●
Stainless steel bowl	●	●
Agitator	Flexible finned	Flexible finned
Lid	Solid ABS	Solid ABS
Warranty*		
Parts & labour	2 years	2 years
Parts only Direct Drive Motor	8 years	8 years

*(For further warranty information see inside back cover)

WASH




Type of appliance	8kg AquaSmart™ 2 Top Load Washer	7kg AquaSmart™ 2 Top Load Washer
Model no.	WL80T65CW2	WL70T60CW2
Finish	White	White
Dimensions	H1030 - 1050 x W650 x D650mm	H1030 - 1050 x W600 x D600mm
Capacity (dry load)	8kg	7kg
Energy rating	3.5 star	3.5 star
Water rating	4 star (WELS)	4 star (WELS)
Water usage (per wash cycle)	82 litres	72 litres
Performance		
SmartDrive™	●	●
Load sensing	●	●
Wash profiles	Unlimited	Unlimited
Three spin speeds	●	●
1000 max spin speed	●	●
Detergent	High efficiency	High efficiency
Hot/cold water connection essential	●	●
Wash cycles		
Regular	●	●
Heavy	●	●
Delicate	●	●
Easy Iron	●	●
Sheets	●	●
Colours	●	●
Bulky	●	●
Whites	●	●
19 Specialty Lifestyle cycles (Handwash, Wool, Jeans, Chocolate, Tomato, Blood, Grass, Fruit, Wine, Duvet/Doona, Allergy, Hygiene, Soft Toys, Nappy Rinse, Sweaty, Muddy, Clean Up, Sports Shoes, Beach Gear)	●	●
Wash modes		
High efficiency	●	●
Conventional	●	●
Eco-Active™ wash	●	●
Wash features		
Auto water level	●	●
Six water temperature controls	●	●
Controlled cold	●	●
Soil level (adjust heaviness)	●	●
Water saver options	●	●
Five rinse options	●	●
Soak	●	●
Drip dry	●	●
Delay start:	15, 30 minutes, 1 - 10, 12, 15, 18 hours	15, 30 minutes, 1 - 10, 12, 15, 18 hours
Clean me cycle (bowl clean)	●	●
Auto-lint disposal	●	●
Lid lock	●	●
Auto out of balance correction	●	●
Detergent dispenser	●	●
Fabric softener dispenser	●	●
Adjustable alert beeps	●	●
Stainless steel bowl	●	●
Agitator	Low profile	Low profile
Lid	Solid ABS	Solid ABS
Warranty*		
Parts & labour	2 years	2 years
Parts only Direct Drive Motor	8 years	8 years







Type of appliance	10kg WashSmart™ Top Load Washer	8kg WashSmart™ Top Load Washer	7kg WashSmart™ Top Load Washer
Model no.	WA1068G1	WA80T65GW1	WA70T60GW1
Finish	White	White	White
Dimensions	H1060 - 1090 x W685 x D700mm	H1030 - 1050 x W650 x D650mm	H1030 - 1050 x W600 x D600mm
Capacity (dry load)	10kg	8kg	7kg
Energy rating	4 star	2 star	2 star
Water rating	3.5 star (WELS)	3.5 star (WELS)	3.5 star (WELS)
Water usage (per wash cycle)	123 litres	98 litres	86 litres
Performance			
SmartDrive™	●	●	●
Load sensing	●	●	●
Wash profiles	Unlimited	16	16
Three spin speeds	●	●	●
Max spin speed	1100rpm	1000rpm	1000rpm
Detergent	Regular	Regular	Regular
Wash cycles			
Regular	●	●	●
Heavy	●	●	●
Handwash	●	●	●
Easy Iron	●	●	●
Allergy	●	●	●
Quick	●		
Favourite		●	●
Wash modes			
Conventional	●	●	●
Eco-Active™ wash	●		
Wash features			
Auto water level	●	●	●
Manual water levels	5	5	5
Water temperature controls	6	6	6
Controlled cold	●	●	●
Rinse options	3	4	4
Soak	●	●	●
No spin/Spin hold	●	●	●
Eco	●	●	●
Quick wash		●	●
Time to go	●		
Delay start:	5, 15, 30 minutes, 1-18 hours	1, 3, 9 hours	1, 3, 9 hours
Customise cycle	●	●	●
Auto-lint disposal	●	●	●
Lid lock	●	●	●
Auto out of balance correction	●	●	●
Detergent dispenser	●	●	●
Fabric softener dispenser	●	●	●
Adjustable alert beeps	●	●	●
Stainless steel bowl	●	●	●
Agitator	Flexible finned	Flexible finned	Flexible finned
Lid	Powder coated steel with soft close	Solid ABS	Solid ABS
Smart touch panel	●		
Warranty*			
Parts & labour	2 years	2 years	2 years
Parts only Direct Drive Motor	8 years	8 years	8 years

*(For further warranty information see inside back cover)

WASH



Type of appliance	5.5kg QuickSmart™ Top Load Washer
Model no.	MW513
Finish	White
Dimensions	H1030 - 1050 x W560 x D560mm
Capacity (dry load)	5.5kg
Energy rating	1.5 star
Water rating	3 star (WELS)
Water usage (per wash cycle)	77 litres
Performance	
SmartDrive™	●
Load sensing	●
Wash profiles	10
Three spin speeds	●
1000 max spin speed	●
Detergent	Regular
Wash cycles	
Regular	●
Heavy Duty	●
Delicate	●
Wool	●
Wash modes	
Conventional	●
Wash features	
Manual water levels	3
Water temperature controls	3
Rinse options	3
Spin hold option	●
Eco option	●
Auto-lint disposal	●
Lid lock	●
Auto out of balance correction	●
Detergent dispenser	●
Fabric softener dispenser	●
Stainless steel bowl	●
Agitator	Flexible finned
Lid	Solid ABS
Warranty*	
Parts & labour	2 years
Parts only Direct Drive Motor	8 years



Type of appliance	8.5kg WashSmart™ Front Load Washer	7.5kg WashSmart™ Front Load Washer	8.5kg QuickSmart™ Front Load Washer	7.5kg QuickSmart™ Front Load Washer
Model no.	WH8560P1	WH7560P1	WH8560J1	WH7560J1
Finish	White	White	White	White
Dimensions	H850 x W600 x D645mm	H850 x W600 x D590mm	H850 x W600 x D645mm	H850 x W600 x D590mm
Capacity (dry load)	8.5 kg	7.5 kg	8.5 kg	7.5 kg
Energy rating	4 star (320 kWh/y)	4 star (285 kWh/y)	4 star (320 kWh/y)	4 star (285 kWh/y)
Water rating	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)	4.5 star (WELS)
Water usage (per wash cycle)	73 litres	64 litres	73 litres	64 litres
Performance				
SmartDrive™	●	●	●	●
Vortex™ Wash	●	●	●	●
Wash profiles	14	14	10	10
Spln speeds	4	4	3	3
Max spln speed	1400	1400	1100rpm	1100rpm
Detergent	High efficiency	High efficiency	High efficiency	High efficiency
Wash cycles				
Cottons	●	●	●	●
Everyday	●	●	●	●
Heavy	●	●	●	●
Delicate	●	●	●	●
Easy Iron	●	●	●	●
Bulky	●	●	●	●
Allergy	●	●	●	●
Handwash	●	●	●	●
Quick	●	●	●	●
Super Quick	●	●	●	●
Drum Clean	●	●	●	●
Rinse	●	●	●	●
Spln	●	●	●	●
Wash features				
Water temperature controls	5	5	5	5
Soil level	3	3	3	3
Add a garment (Immediate door opening)	●	●	●	●
Controlled cold	●	●	●	●
Extra rinse option	●	●	●	●
Pre Wash	●	●	●	●
No spln/Spln hold	●	●	●	●
Eco	●	●	●	●
Wrinkle Free	●	●	●	●
Time to go	●	●	●	●
Delay start	●	●	●	●
Customise cycle	●	●	●	●
Anti-fungal door gasket	●	●	●	●
Keylock	●	●	●	●
Auto out of balance correction	●	●	●	●
Excess foam detection	●	●	●	●
Flood protection	●	●	●	●
Detergent dispenser	●	●	●	●
Fabric softener dispenser	●	●	●	●
Hot and cold water Inlets	●	●	●	●
Stainless steel drum	●	●	●	●
SmartTouch™ control dial	●	●	●	●
Warranty*				
Parts & labour	2 years	2 years	2 years	2 years
Parts only Direct Drive Motor	8 years	8 years	8 years	8 years

*For further warranty information see inside back cover)


WASH

10kg CleanSmart™ Washer

Model no:

WL1068P1

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1060 -1090
Ⓑ Overall width of product	685
Ⓒ Overall depth of product	700
Height (lid open)	1440 -1470
Standpipe height	min 850 -1200




8kg AquaSmart™ 2 Washer

Model no:

WL80T65CW2

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	650
Ⓒ Overall depth of product	650
Height (lid open)	1410 -1440
Standpipe height	min 850 -1200




7kg AquaSmart™ 2 Washer

Model no:

WL70T60CW2


Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	600
Height (lid open)	1360 -1390
Standpipe height	min850 -1200

**8kg FabricSmart™ Washer**

Model no:

WA80T65FW1

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	650
Ⓒ Overall depth of product	650
Height (lid open)	1440 -1470
Standpipe height	min850 -1200




WASH

7kg FabricSmart™ Washer

Model no:
WA70T60FW1


Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	600
Height (lid open)	1360 -1390
Standpipe height	min850 -1200



10kg WashSmart™ Washer

Model no:
WA1068G1

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1060 -1090
Ⓑ Overall width of product	685
Ⓒ Overall depth of product	700
Height (lid open)	1440 -1470
Standpipe height	min850 -2400




8kg WashSmart™ Washer

Model no:

WA80T65GW1


Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	650
Ⓒ Overall depth of product	650
Height (lid open)	1410 -1440
Standpipe height	min850 -1200

**7kg WashSmart™ Washer**

Model no:

WA70T60GW1

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	600
Height (lid open)	1360 -1390
Standpipe height	min850 -1200




WASH

5.5kg QuickSmart™ Washer

Model no:

MW513

Dimensions	mm
Ⓐ Overall height of product (to highest point on consul)	1030 -1050
Ⓑ Overall width of product	560
Ⓒ Overall depth of product	560
Height (lid open)	1320 -1350
Standpipe height	min850 -1200




8.5kg Front Load Washer

Model no:

WH8560P1, WH8560J1

Dimensions	mm
Ⓐ Overall height of product	850
Ⓑ Overall width of product	600
Ⓒ Overall depth of product (including dial)	645
Depth to door open	1060




7.5kg Front Load Washer

Model no:


WH7560P1, WH7560J1

Dimensions	mm
Ⓐ Overall height of product	850
Ⓑ Overall width of product	600
Ⓒ Overall depth of product (including dial)	590
Depth to door open	1060




DRY


DRY




Type of appliance	5kg AeroSense™ Dryer
Model no.	DE50F56E1
Finish	White
Dimensions	H795 x W565 x D560mm
Capacity (dry load)	5kg
Energy rating	2 star
Performance	
Auto-sensing	●
Reverse tumbling	●
Quad Fin	●
LED control panel	●
Dryness settings	5
Wrinkle free option	●
Easy access lint filter	●
Manual time dry	1 hour
Delay start:	3, 6, 9 hours
Key lock	●
End of cycle signal	●
Stainless steel drum	●
Drying rack	●
Inverted panel	●
Rear venting	●
Safety restart switch	●
Temperature settings	
Regular	●
Low	●
Airing	●
AMP draw	8A
Warranty*	2 years



Type of appliance	5kg AeroLogic™ Dryer
Model no.	DE50F56A2
Finish	White
Dimensions	H795 x W565 x D560mm
Capacity (dry load)	5kg
Energy rating	1.5 star
Performance	
Reverse tumbling	●
Quad Fin	●
Easy access lint filter	●
Rear venting	●
Safety restart switch	●
Temperature settings	
Delicate	●
Regular	●
AMP draw	8A
Warranty*	2 years



Type of appliance	4kg AeroDry™ Timer Dryer
Model no.	DE40F56A2
Finish	White
Dimensions	H795 x W565 x D440mm
Capacity (dry load)	4kg
Energy rating	1 star
Performance	
Lint filter	●
Front venting	●
Temperature settings	
Delicate	●
Regular	●
AMP draw	8A
Warranty*	2 years




Type of appliance	8kg AeroXL™ Dryer
Model no.	DE8060P1
Finish	White
Dimensions	H850 x W600 x D645mm
Capacity (dry load)	8kg
Energy rating	2 star
Dry Cycles	
Everyday	●
Heavy	●
Delicate	●
Easy Iron	●
Bulky	●
Dry Rack	●
Freshen up	●
Air Dry	●
Time Dry 30	●
Time Dry 60	●
Time Dry 90	●
Performance	
Auto-sensing	●
Condensing	●
SmartTouch™ Control Dial	●
Time Remaining Indicator	●
Dryness settings	5
Wrinkle free option	●
Easy access lint filter	●
Manual time dry	90, 60, 30 mins
Delay start:	5, 15, 30 mins, 1-12 hours
Key lock	●
End of cycle signal	●
Stainless steel drum	●
Drying rack	●
Drum Light	●
Safety restart switch	●
Temperature settings	
High	●
Medium	●
Low	●
No Heat	●
AMP draw	10A
Warranty*	2 years

DRY

5kg AeroSense™ Dryer

Model no:
DE50F56E1


Dimensions	mm
Ⓐ Overall height of product	795
Ⓑ Overall width of product	565
Ⓒ Overall depth of product	560
Depth to door open	930



5kg AeroLogic™ Dryer

Model no:
DE50F56A2


Dimensions	mm
Ⓐ Overall height of product	795
Ⓑ Overall width of product	565
Ⓒ Overall depth of product (including front curve)	560
Depth to door open	930



4kg AeroDry™ Timer Dryer

Model no:
DE40F56A2


Dimensions	mm
Ⓐ Overall height of product	795
Ⓑ Overall width of product	565
Ⓒ Overall depth of product	440
Depth to door open	825



8kg AeroXL™ Dryer

Model no:
DEP8060P1

Dimensions	mm
Ⓐ Overall height of product	850
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	645
Depth to door open	1080



FPBR0518 MARCH 2013.
Copyright © Fisher & Paykel 2013.
All Rights Reserved.

The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Centre to ensure this brochure correctly describes the products currently available.

Copyright © Fisher & Paykel 2013. All Rights Reserved. The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Centre to ensure this brochure correctly describes the products currently available.

Warranty Information: Any warranty referred to in this brochure is an extra benefit and does not affect your legal rights. In respect of any two year warranty, Fisher & Paykel undertakes to repair or, at its option, replace without cost to the owner either for material or labour, any part of the relevant product which is found to be defective within two years of the date of purchase. In respect of any parts only warranty Fisher & Paykel undertakes to repair or, at its option replace the warranted part which is found to be defective within the relevant period from the expiry of the two year warranty without cost

to the owner other than the owner will pay for labour (including any call out or service fees) and freight (if any) for replacing the relevant part. To make a claim under any warranty call customer care 1300 650 590. Or email – aus.customercare@fisherpaykel.com Service under any warranty must be provided by an authorised Fisher & Paykel Appliances Service Provider. Use other than in accordance with the products user guide and other than for normal domestic use may invalidate any warranty. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. For more information on any warranty go to www.fisherpaykel.com.au The warrantor is: Fisher & Paykel Australia Pty Ltd, 16 Parramatta Road, Lidcombe, NSW 2141. Ph Customer Care: 1300 650 590 Email: aus.customercare@fisherpaykel.com

Important Notice of Disclaimer: Our brochure contains information on a wide range of products which we manufacture and/or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

ACCESS

SORRIES

COOK — ACCESSORIES AND PARTS



Carbon Filter
HI120MXB1 (Wall), HC90MXB1 (Island)

Part No. 791474



Carbon Filter
HC120DCXB1, HC90DCXB1, HC60DCXB1, HC90CGX1

Part No. 791772



Aluminium Filter
HI120MXB1

Part No. 791480



Aluminium Filter
HC90MXB1

Part No. 791530



Aluminium Filter
HC120DCXB1, HC90DCXB1, HC60DCXB1

Part No. 791824



Aluminium Filter
HC90CGX1

Part No. 791773



Recirculatory Kit + Charcoal Filter
HC90DCXB1, HC90CGX1

Part No. 791820 + 791772



Round White
125 x 1000mm

Part No. RR1608



Roof Cowl
125mm

Part No. RR1613



Round Galvanised
150 x 1000mm
Ideal for cooking meat.

Part No. RR1634



Roof Cowl
150mm

Part No. RR1635



Vertical Round Kit
125mm

Part No. RR1637

COOK — ACCESSORIES AND PARTS



Semi Rigid Duct Kit
125mm

Part No. RR1687





Semi Rigid Duct Kit
150mm

Part No. RR1688

Ventilation options

Rangehoods can be ventilated to either external ducting or recirculation. The diagrams illustrate the differences between the two options. Refer to installation instructions for specific models for more detailed information on ventilation.



Rangehood Ducting Guide	Ducted		Rear Ducting	Recirculating
	Top Ducting (Roof)	Top Ducting (Soffit)		
HF60CI	RR1608 + RR1613	RR1608 + RR1687	RR1687	791841
HS60CS Series 3	RR1637 + RR1613	RR1687	RF1687	
HS60CI Series 3	RR1637 + RR1613	RR1607 + RR1636	RR1687	
HC60PCI/HC60PCHT	RR1634 + RR1635	RR1688 + RR16345	RR1688	790681
HC90PCHT	RR1634 + RR1635	RR1688 + RR16345	RR1688	
HC90CGX1/HC90DCXB1/HC120DCXB1	RR1634 + RR1635	RR1688 + RR16345	RR1688	791820 + 791772
HI120MXB1/HC90MXB1	RR1634 + RR1635	RR1688 + RR16345	RR1688	791531 + 791820

This is only a guide and is true for a standard installation. Different installations may need further parts. Extra lengths and/or bends may be required depending on the length required and whether there is any structural material in the run, eg, rafters. Please note this chart is designed as a guide only, please consult with a trained UNIDUCT consultant if unsure.



Water Filter

Provides clean filtered water. For best results replace every 6 months or 2800 Litres (indicated on fridge LCD).


Part No. 836848



Integration Kit

Allows you to conceal your refrigerator behind your kitchen joinery.


Part No. 814990



Stainless Steel Surround Kit
900mm

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.


Part No. 821360



Stainless Steel Surround Kit
790 + 790mm

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.


Part No. 818759



Stainless Steel Surround Kit
680 + 680mm

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.


Part No. 818760



Stainless Steel Surround Kit
635 + 635mm

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.


Part No. 818761



Stainless Steel Surround Kit
790mm Right and Left hand

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.

Part No. 818762 (Right) 818758 (Left)




Stainless Steel Surround Kit
680mm Right and Left hand

Allows you to build your refrigerator into your kitchen cabinetry to give it an integrated look.

Part No. 820972 (Right) 820971 (Left)

Note: Please refer to Surround Kit Installation Sheet for installation directions.




Joiner Kit

E522

Joiner Kit may need to be trimmed for smaller refrigeration pairs.
Provides a seamless join between the refrigerators.

- Part No. 819264 (Silver)
- Part No. 819263 (White)




Joiner Kit

E442

Joiner Kit may need to be trimmed for smaller refrigeration pairs.
Provides a seamless join between the refrigerators.


- Part No. 819264 (Silver)
- Part No. 819263 (White)



Freestanding Installation
Front Load Dryer

The dryer stands on the floor and can easily be moved into position.


Part No. 821360



Plinth Installation
DE50F56E, DE50F56A

A plinth with adjustable feet allows the dryer to be matched in height to your washer or installed under a bench.

Part No. 94852 (60mm)
Part No. 94832 (115mm)



Upright Wall Mounting Installation
DE40F56A, DE50F56A, DE50F56E


The wall mounting bracket allows the dryer to be installed at any desired height minimising the amount of bending and stretching

Part No. 502067

Minimum clearance for dryer = 840mm
Minimum lid clearance for clothes washer MW513 = 415mm

WA70T60G = 455mm
WA70T60F = 455mm
WL70T60C = 455mm


WA80T65G = 505mm
WA80T65F = 505mm
WL80T65C = 505mm
WL108P = 480mm
WA1068G = 480mm



Inverted Wall Mounting Installation
DE40F56A, DE50F56A, DE50F56E

The wall mounting kit and inverted panel allows you to install the dryer above the washer or tub. In low dryer height situations, a lid catch kit allows you to keep the top loading washer lid open while loading and unloading.

Part No. 502067 (Wall mounting bracket)
Part No. 427901 (inverted panel)
Part No. 479273 (Lid catch)




Flush Venting

Front Load Dryer

Suitable for floor and wall mounted dryers installed against an outside wall.

Part No. 460754




Vent Deflector

Internal Venting

DE50F56A, DE50F56E

A vent deflector screws on the back of the dryer over the exhaust outlet.

Part No. 460828P




Movable Venting

DE40F56A, DE50F56A, DE50F56E

Allows the dryer to be moved from the wall slightly. Suitable for floor mounted dryers only.

Part No. 503858




Window Venting

Front Load Dryer

A flexible hose is used to vent the dryer through a window. Maximum hose length is 2 metres.

Part No. 503858



Venting Duct

DE50F56A, DE50F56E

Ducting for narrow applications when space is a premium. Use our Easy Fit by Fisher & Paykel dryer ducting system.

Part No. 503858 (Hose length 2 metres)
Part No. 460601 (Hose length 0.4 metres)
Part No. P6451




Plinth

DE50F56A, DE50F56E

With adjustable feet, allows the dryer to be matched in height to your washer or installed under a bench.

Part No. 94832 (115mm option)
Part No. 94852 (60mm option)



Stacking Kit

Dryer: DE8060P1
Washer: WH8560P1

Allows for space saving, secure the dryer on top of the front loading washing machine.

Part No. 427976

**A PEACE OF
MIND SALE**



**CUSTOMER CARE
CALL 24 HOURS A DAY, 7 DAYS A WEEK.**

Fisher & Paykel has a 24 hour enquiry service that allows customers to speak to a real person about any questions they might have about their products. Our Customer Care Representatives can offer advice on which appliance will best suit their needs, and provide extensive product knowledge on how to use a current Fisher & Paykel product. They can also arrange for a qualified service technician to install selected products and advise consumers where their nearest Fisher & Paykel stockist can be found. Nobody is better qualified to install, service and repair your Fisher & Paykel household appliance than our network of specially trained service technicians.

T 1300 650 590 **E** aus.customercare@fisherpaykel.com

Fisher & Paykel

fisherpaykel.com.au