

FISHER & PAYKEL
PRODUCT CATALOGUE



Fisher & Paykel

Fisher & Paykel

A HISTORY OF INNOVATION

Since our founding in 1934, we have grown into a global, design-led company of more than 3,000 people. Designed and engineered in New Zealand, our products are sold in 50 countries around the world. Our design heritage is founded on a pioneering spirit and a culture of curiosity that has challenged conventional appliance design to consistently deliver products tailored to human needs. For us, legacy is about looking into the future, while ensuring what we develop today is aligned to the fundamental principles of sustainable design. We are committed to ongoing research and development. Our culture is one of open innovation, which allows people to work collaboratively to find insights and ideas that connect with our customers and respect our planet.




We live one day at a time.











Cooking
eating
cleaning
washing
drying
hunting
gathering
talking
playing
relaxing.







And then doing it all over again.
Day in, day out.





TURNING ROUTINES INTO EXPERIENCES

Behind every product is a story and that story starts with you. Your home is an expression of who you are and how you live. Our passion is creating better products that turn everyday routines into enjoyable experiences. We understand the dynamic nature of modern living. We deliver products that are adaptable, functional and durable, as well as human. We don't just make things that fit the space provided, we create products that fit the lives lived around them. Live life — we'll take care of the details.



THE SOCIAL KITCHEN

The kitchen is the humble engine room in which we choose to live — where we create, socialise and enjoy the best that life has to offer. Cooking is a social activity. We generally place the key appliances in what we consider to be logical places: the work triangle of cooktop, sink and fridge. But we no longer cook in straight lines. We don't cook on conveyor belts. Sometimes we assemble, sometimes we bake, sometimes we stir-fry and sometimes we boil. We don't cook the same way every day: we can be a weekday cook and a weekend gourmet. The work triangle limits our creativity. It's not just about efficiency; sometimes it's about fun. Too many cooks may spoil the broth or they may create a wonderful, social and enjoyable meal. Let's reclaim the kitchen. Let's live outside the triangle.



DESIGNED FOR REAL LIFE

At Fisher & Paykel, we are curious about people—how they live, where they live, what they do and how they use things. This is where hidden insights wait to be uncovered. We are curious about not only the function and performance of our products, but also the emotional role they play in people's lives. For us, design is not a self-serving goal—it is a human endeavour to make life a little bit better.


CONTENTS



| | |
|----------------------------|-----------|
| Cook | 20 |
| Cooktops | 24 |
| Built-in Ovens | 32 |
| Kitchen Companion Products | 40 |
| Rangehoods | 56 |
| Cook Overview | 62 |

| | |
|--------------------------------------|-----------|
| Cool | 68 |
| ActiveSmart™ Technology | 70 |
| CoolDrawer™ Multi-temperature Drawer | 72 |
| CoolDrawer™ Range Features | 76 |
| Refrigerators | 78 |
| ActiveSmart™ Range Features | 84 |
| Cool Overview | 88 |

| | |
|---------------------------------|-----------|
| Clean | 92 |
| DishDrawer™ Technology | 94 |
| DishDrawer™ Dishwashers | 96 |
| DishDrawer™ Range Features | 106 |
| DishDrawer™ Dishwasher Overview | 108 |

| | |
|---|------------|
| Wash & Dry | 110 |
| Front Loaders | 114 |
| SmartDrive™ Front Loader Range Features | 120 |
| AeroXL™ 8kg Condensing Dryer | 124 |
| Wash & Dry Overview | 126 |







COOK TO CREATE

We see cooking not as a chore, but a creative act. As more of our lives become virtual and people look for ways to make and create things, we design high-performance tools you can rely on and be creative with, that turn everyday meals into creations. Fisher & Paykel products cater for different patterns of use—whether it's mid week convenience or weekend gourmet, heat and eat or a family feast. We understand everyday life and support the lives lived around our products. Cooking is part of our DNA—one part designer, one part chef. We have a passion for food and we are just as interested in making high-performance ovens that perfect your favourite foods as making the process of cooking more enjoyable. Our insights come from real-world use and then the results are tested in our lab daily, with the aim of inventing technologies that deliver the perfect cooking result.



COOKTOPS

So many things to consider when selecting a cooktop: a look to match your kitchen, a size to fit your space and a fuel type to suit your cooking style. It all comes down to personality and preference. Whether it's the performance and theatre of live flame, the precision, control and sleek simplicity of induction, Fisher & Paykel's Cooktop family is designed to provide the right solution. Whatever your choice, there are many configurations and sizes to suit any cooking style. Each product has been designed to deliver great performance—from searing heat to the gentlest of simmers—and all are designed for easy cleaning and with safety in mind.

Gas on Glass Cooktops

The Gas on Glass range combines the cleanability of the highest-quality glass surface with the efficiency of gas cooking. It delivers total cooking precision through the latest burner technology and elegant stainless steel controls. The Gas on Glass series is a modular family of appliances designed using premium quality materials with a polished metal trim.

1 Perfect Results

Our award-winning Gas on Glass Cooktops come equipped with powerful burners; the wok burner has a uniform flame for even heat distribution while the auxiliary burner has the added capability of exceptionally low temperatures — ideal for delicate sauces.

2 Sized to Suit

A range of different sized burners can be used together: 90cm three-burner, 75cm two-burner and 45cm one-burner. The wok burner comfortably takes a large wok and is among the most powerful on the market.

3 Designed to Match

The black reflective glass, brushed stainless steel and polished metal trim blend elegance with durability to match the rest of our coordinated kitchen family.

4 Easy Cleaning

The easy-to-clean cooktop design means you can simply remove the trivets, wipe and walk away.

5 Precise Control

It delivers total cooking precision through the latest burner technology and elegant stainless steel controls.

6 Safe and Sound

The flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. We only use ecofriendly ceramic glass without any arsenic or heavy metals used in the manufacturing process.



reddot design award
winner 2013





Gas on Steel Cooktops

The Gas on Steel Cooktops come in different sizes and offer power levels for everything from a slow simmer for sauces, to an intense heat for steaks and stir-fries. Combining the attractiveness of sleek stainless steel with the durability of cast iron trivets, these cooktops support the most avid chef.

1 Perfect Results

The Gas on Steel Cooktop perfects both the slow simmer needed for sauces and the intense heat needed for searing and wok cooking. It comes with up to five different strength burners.

2 Sized to Suit

With up to five burners, including simmer, rapid and two wok burners, the Gas on Steel Cooktops provide great cooking flexibility.

3 Designed to Match

The brushed stainless steel blends elegance with durability — matching the rest of our coordinated kitchen family.

4 Easy Cleaning

These cooktops are designed as a singular piece of steel with quick component removal for easy cleaning. Durable and easy to clean, cast iron trivets provide a safe and stable cooking surface. The rubber feet ensure that the cooktop is not scratched when the trivets are placed onto the cooktop.

5 Precise Control

For accurate temperature control, ergonomic dials on the side of the cooktop automatically ignite the flame quickly and safely.

6 Safe and Sound

The flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. All Fisher & Paykel Gas Cooktops feature electronic ignition ensuring they are quick, reliable and safe.









Touch Control Induction Cooktops

Traditionally we cook by generating heat from one source, such as a flame, and conducting it to another. Fisher & Paykel Induction Cooktops work on a different principle. The cooktop itself produces electromagnetic vibrations, which induce the pot or pan to generate its own heat, resulting in shorter heat-up times and a safer cooking surface.

1 Perfect Results

The PowerBoost function delivers instant, intense heat when you need it and the GentleHeat function produces slow, continuous simmering.

2 Sized to Suit

Select from 90cm five zone; 75cm four zone; and 60cm four zone; to suit all sizes of cookware. The cooktops are perfectly flat so the surface can be used as an extension of your preparation area.

3 Designed to Match

Induction cooking is popular with those who love visual simplicity and clean, smooth lines. Finished in black glass, you get elegant design with durability.

4 Easy Cleaning

The flat surface is easy to clean because there are no obstructions and because Induction heats just the pot rather than the surrounding glass, the likelihood of burned spill overs is greatly reduced.

5 Precise Control

Induction cooking delivers an immediate response with greater energy efficiency than that of either gas or electric. Soft-touch controls are simple to use and provide great precision.

6 Safe and Sound

This cooktop will alert you if it's turned on without a pot or pan on it, and will switch off if you don't respond. It will switch off if the pan being used isn't suitable for induction cooking and a key lock is provided for extra safety. We use ecofriendly ceramic glass in the production of our Induction Cooktops without any arsenic or heavy metals used in the manufacturing process.



BUILT-IN OVENS

Fisher & Paykel's multifunction Built-in Ovens are designed to perfect your favourite food, with a full range of cooking modes and temperatures providing greater control and more flexibility; and with a selection of generous oven sizes to meet the needs of the most demanding cook. Roasting is an art as well as a science. The difference between rare and medium takes timing, intuition and a well-trained eye. Fisher & Paykel's Built-in Ovens are programmed to quickly heat to a high temperature, browning the meat to create delicious savoury flavours before automatically lowering the temperature to deliver a perfect, tender roast every time. Our ovens are easy to clean with some models offering pyrolytic self-cleaning or catalytic liners that break down oil and fat splashes during normal cooking. Cool-touch doors with multiple panes of glass and advanced cooling systems ensure the external surfaces remain safe to the touch.

90cm Built-in Oven

A generous capacity and intuitive control system allows for precise cooking-mode selection every time. It's ideally suited to under-bench positioning and will align perfectly with other Fisher & Paykel 90cm Built-in appliances. This oven also features a pyrolytic self-cleaning function.

1 Perfect Results

Create delicious savoury flavours, with the powerful 3875W professional quality rotisserie grill.

2 Sized to Suit

With a spacious 103L total and 87L usable capacity, this wide oven is designed to accommodate both side-by-side and double-layered cooking.

3 Designed to Match

Finished in black reflective glass and stainless steel, this elegant, yet durable design, sits beautifully within the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in our pyrolytic self-cleaning ovens; simply remove the racks and set to self-clean. Smoke and odours are minimised through a catalytic smoke eliminator.

5 Precise Control

Oven functions are pre-set at the touch of a dial, while brilliant lighting, combined with a large viewing window reduce the need to open the oven door, improving energy efficiency and cooking results.

6 Safe and Sound

Cool-touch doors save energy while keeping the kitchen cooler and safer for little hands.

7 Accessories

This oven comes with an easy-to-assemble rotisserie kit; a two-piece anti-splatter grill system and an aluminium baking tray.







60cm Tower Built-in Oven

The Tower Oven delivers outstanding performance and innovative cooking features that make entertaining for small or large groups effortless. This visually impressive oven is finished in black reflective glass and stainless steel, blending minimalist design with durability.

1 Perfect Results

Food is perfectly cooked in either or both of the two ovens, each with seven cooking functions including Fan Grill and the Fan Bake Convection cooking system that provides even heat distribution for multi-shelf cooking. Each oven has a powerful 2850W grill that gives you an even and fast result.

2 Sized to Suit

Entertaining for small or large groups is effortless with these two matching 60cm wide ovens.

3 Designed to Match

All of the models in our Built-in Oven range are finished in black reflective glass and stainless steel, to match the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

Catalytic self-cleaning liners in both ovens break down oil and fat splashes. Not only can the oven doors be easily removed, but so can the glass — making cleaning simple.

5 Precise Control

Six shelf positions give you a range of options for organising the inside of the oven. Large windows reduce the need to open the oven door, providing the ultimate cooking result and improving energy efficiency.

6 Safe and Sound

Easy-glide telescopic oven runners slide in and out effortlessly. Each oven features a cool-touch door with three panes of glass and its own cooling system.

60cm Built-in Oven

This oven delivers the superior performance and full functionality of a larger model with a choice of up to nine programs to best suit your dish.

1 Perfect Results

An electronic thermostat controls temperature variation when cooking, ensuring consistent temperatures throughout the oven (OB60S9 models only) and the 2850W Grill provides rapid and consistent results, quickly searing food to seal in flavours and nutrients.

2 Sized to Suit

This oven can be placed virtually anywhere and can be installed at a convenient height to suit your kitchen design and preference. Easy-glide telescopic oven runners slide in and out effortlessly, while six shelf positions give you a range of options for organising the interior of the oven.

3 Designed to Match

Finished in black reflective glass and polished metal, this elegant, yet durable oven matches the other appliances in the larger Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

Simply remove the racking, set to self-clean and the oven will take care of any grease or grime, reducing it to ash that's easily wiped away with a cloth. (OB60S9DEP models only).

5 Precise Control

Illuminated halos surround the temperature and function dials tell you when the oven has reached your selected temperature. Each function is pre set to the temperature you are likely to use. (OB60S9 models only).

6 Safe and Sound

Cool-touch doors that are made of up to four panes of glass and its own cooling system, ensure it is safe to touch on the outside.





KITCHEN COMPANION PRODUCTS

Whether it's a fresh coffee in the morning, a healthy steamed lunch or a quick ready-made meal in the evening, the Kitchen Companion Product Range takes convenience to a new level. The range includes a Coffee Maker, Steam Oven, Compact Oven, Combination Microwave Oven and Warming Drawer, offering a complete modular family designed to complement any kitchen. Temperature pre-selection and an oven programmer mean that cooking times can be pre-set across the product family, so multiple dishes can be easily coordinated. Each product is based on standard dimensions and can be easily configured to suit your preference — whether it's stacked vertically, placed side-by-side in a linear fashion or configured in a two-by-two block. Any combination will deliver a unified built-in solution. Design features include capacitive touch controls and standard fascia height with black reflective glass and polished metal trim matching the broader Fisher & Paykel range including Cooktops to ActiveSmart™ fridges, CoolDrawer™ multi-temperature drawers and DishDrawer™ dishwashers to create an integrated look throughout your kitchen.





DESIGN FLEXIBILITY

Perfect modularity means Fisher & Paykel's kitchen companion products can be positioned for maximum functionality—whether this is in a compact block, a vertical stack or side-by-side in a linear set. Beautifully finessed design features matched with the optional trim kit allow the kitchen companion range to fit the popular 48cm kitchen module height.

Compact Oven

Space — sometimes there just isn't enough of it. Enter the Fisher & Paykel Compact Oven, the little oven that thinks big, with design detail ideally suited to fit with other Fisher & Paykel's built-in appliances, both large and small.

1 Perfect Results

The Compact Oven delivers the superior performance and full functionality of a large model with a choice of eight oven functions, temperature pre-selection and an oven programmer.

2 Sized to Suit

A compact 460mm height means this oven can be placed virtually anywhere. All companion products can be installed at a convenient height to suit your kitchen design and preference.

3 Designed to Match

Finished in black reflective glass and polished metal, these elegant, yet durable compact ovens match the other companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The Compact Oven has an easy-clean enamel interior with a catalysing filter that removes odours while you cook. The oven door has removable glass panes for effortless cleaning.

5 Precise Control

All the information you need at a glance is on the intuitive display, including a recipe menu and digital temperature control for absolute accuracy. Capacitive touch controls and an electronic touch panel make this oven very easy to use.

6 Safe and Sound

The compact oven has a well-balanced, three-pane glass, cool-touch oven door along with a childproof key lock for extra safety. Cool-touch doors save energy, keep the kitchen cooler and make the kitchen safer for little hands.



Fisher & Paykel



Fisher & Paykel

Steam Oven

This Steam Oven provides appetising and healthier alternatives to fried and baked food. Steam cooking is one of the easiest yet oldest forms of cooking and can be used for almost any food. Heat from steam diffuses through food allowing it to cook in its own juices, retaining valuable nutrients, minerals and vitamins and—most importantly—flavour. The Steam Oven adds a new dimension to oven-based cooking.

1 Perfect Results

The Fisher & Paykel Steam Oven allows for healthy and easy cooking—keeping food moist and fresh with no oil, smoke or mess. The oven heats up quickly and cooks most meals in 30 minutes or less.

2 Sized to Suit

At 460mm high, this 29L built-in Steam Oven can be placed virtually anywhere, fitting perfectly with other products in the kitchen companion range. An optional 21mm trim kit ensures a perfect match with the full range of 60cm built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass with polished metal trim that blends elegance with durability.

4 Easy Cleaning

Cleaning and care of the Steam Oven is simple. After each use, simply clean the smooth stainless steel interior with a dry cloth after the steam generator has cooled.

5 Precise Control

The oven beeps when the food is ready and the intuitive display provides all the information you need, including cooking function selection, time and when to refill. A removable one litre water reservoir is used to generate steam that lasts almost an hour. An alarm sounds when it's empty and it's simple to refill.

6 Safe and Sound

The Steam Oven comes with a childproof key lock for extra safety.

Combination Microwave Oven

Fast cooking is the primary advantage of the built-in Combination Microwave Oven. This oven merges the traditional crisping and browning benefits of the convection oven with the speed of a microwave, and 10 different cooking modes including Reheat, Defrost, Bake and Grill.

1 Perfect Results

Forget soggy defrosted foods or uneven heating. This oven incorporates the best of convection and microwave technology and eliminates the need for two separate appliances, with a choice of 10 cooking modes combined with a powerful 1000W microwave offering 19 power levels.

2 Sized to Suit

A compact 460mm height means this Combination Microwave Oven can be placed virtually anywhere at a height to suit you. An optional 21mm trim kit ensures a perfect match with the full range of 60cm built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass and polished metal that blend an elegant, minimalist aesthetic with design for durability.

4 Easy Cleaning

The smooth enamel interior with glass inner door, drop-down grill and removable side racks, along with a turntable, make cleaning easy.

5 Precise Control

All the information you need at a glance is shown on the intuitive display, including a cooking guide with 12 pre-selected automatic cooking modes.

6 Safe and Sound

The Combination Microwave Oven has a childproof key lock for extra safety.



Fisher & Paykel



Coffee Maker

Like having a barista in your kitchen, the built-in Coffee Maker is designed to make coffee just the way you like it. Offering adjustable coffee strength and temperature, multiple coffee cup sizes and 15-bar pressure at the touch of a button, it's the perfect way to start each day.

1 Perfect Results

Easily adjusted to suit your preference, this Coffee Maker also provides automatic descaling and cleaning for perfect coffee, every time.

2 Sized to Suit

The adjustable coffee dispenser holds 200g of coffee and the conveniently positioned steam milk frother avoids unnecessary detachable milk containers.

3 Designed to Match

Finished in black reflective glass and polished metal, the Coffee Maker matches the other Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

The Coffee Maker has a self-cleaning function and comes with a removable drip tray and a bin for used coffee grounds.

5 Precise Control

The intuitive electronic touch panel display includes refill, cleaning and maintenance data, plus a program to memorise your favourite coffee recipe. Twin LED lights ensure you see what you are doing on those dark mornings.

6 Safe and Sound

The unit glides out on telescopic slides to easily add coffee beans and the adjustable shut-off timer switches the machine off after a set period or when you have made your last coffee. The on/off switch is conveniently hidden for children's safety.

7 Accessories

These comprise: coffee dispenser spoon; descaling solution; and optional lower trim kit.



Warming Drawer

Putting the finishing touch to a delicious meal or coffee, the Warming Drawer keeps plates and cups warm. It's designed to fit under 48cm or 60cm high appliances and can be installed in many combinations—under the bench or built into the wall. It's also strong enough to support the weight of other products such as an oven or coffee maker.

1 Perfect Results

A separate Warming Drawer allows you to warm plates while you finish cooking. The temperature control settings (45°, 55° and 65°C) and even heat distribution within the Warming Drawer means no hot spots. Two timer settings can maintain a temperature for a set time or it can be left on for up to 12 hours.

2 Sized to Suit

Designed to fit under 48cm and 60cm ovens and other kitchen appliances, the Warming Drawer can be installed with or without other appliances under-bench or built into the wall at a convenient height.

3 Designed to Match

Finished in black reflective glass or stainless steel, the Warming Drawer matches the other Fisher & Paykel kitchen companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The front panel and smooth-glass base of the Warming Drawer are easy to wipe clean.

5 Precise Control

All the information you need at a glance is shown on the illuminated touch display, including temperature settings and shut-off timer.

6 Safe and Sound

Full extension slides make it safe to remove hot crockery with minimal obstructions and, as an extra safety measure, the drawer turns itself off after 12 hours of continuous use.







RANGEHOODS

Kitchen inspiration doesn't exist in a vacuum, but simple and responsive extraction is as important as achieving the right look for your kitchen. Designed to complete your kitchen, you can select a Rangehood that best suits your kitchen layout and cooking style. No matter which you choose, all of Fisher & Paykel's ventilation products are built to perform. They have been designed as the perfect partner to our Cooktops and each captures and eliminates cooking odours, vapour and steam effectively. They are easy to use and feature intuitive controls that respond to the touch of a finger.

Fisher & Paykel



VentSurface™ Rangehoods

VentSurface™ has been designed to provide a simple and efficient means of removing steam and cooking odours from the kitchen through automatic adjustment.

① Effective and Quiet

The clever technology in this Rangehood senses cooking activity and turns on automatically and constantly adjusts to capture and eliminate rising cooking odours, vapour or steam. Perimeter extraction technology creates a high velocity vacuum that is more effective over a wider area than that of traditional Rangehoods and is far quieter than those using conventional technology.

② Designed to Match

VentSurface™ comes in two sizes (120cm and 90cm) and is designed to fit any contemporary kitchen and match the Fisher & Paykel kitchen family. VentSurface™ Rangehoods are finished in black reflective glass and stainless steel that blend elegance with durability, while hiding unsightly filters.


③ Easy Cleaning

The black reflective glass and stainless steel finishes are easily wiped clean and the filters are dishwasher safe. A filter cleaning alert reminds you when to clean it and ensures you get the best performance out of the Rangehood.

④ Precise Control

A small selection of simple, soft-touch buttons give you control of the clever technology inside and once set to automatic, the VentSurface™ responds the moment you start cooking.

Fisher & Paykel



Canopy Rangehood

Designed as the perfect partner to our Cooktops, Canopy Rangehoods are easy to use, easy to clean and feature intuitive controls.

1 Effective and Quiet

These Rangehoods offer a selection of fan speeds and clever features that quietly and efficiently remove steam and cooking odours from the kitchen. Odours can linger in the kitchen well after cooking is finished. The practical timer feature keeps the canopy working for up to 15 minutes before it automatically turns itself off.

2 Designed to Match

Fisher & Paykel's Canopy Rangehoods will fit any contemporary kitchen and perfectly match the Fisher & Paykel kitchen family with their black reflective glass and stainless steel.

3 Easy Cleaning

An interior, wipeable plate makes cleaning effortless. Multi-layered filters trap grease effectively. Designed for simple removal, the filters are easy to clean and dishwasher safe.

4 Precise Control

The sleek touch-control panel responds to the touch of your finger. Halogen lights provide superb illumination over the entire cooking surface. The dimmable light feature enables you to create the perfect level of light. (HC120DCXB1, HC90DCXB1, HC60DCXB1 and HT90DBX1 only).

Gas on Glass Cooktops



01



02



03

01
CG903DNGGB1
90cm 3 Burner Gas Cooktop
H59 x W900 x D450mm

02
CG752DNGGB1
75cm 2 Burner Gas Cooktop
H59 x W750 x D450mm

03
CG451DNGGB1
45cm 1 Burner Gas Cooktop
H59 x W450 x D530mm

Gas on Steel Cooktops



01



02

01
CG905DWFCX1
90cm 5 Burner Gas Cooktop
H50 x W914 x D533mm

02
CG604DWFCX1
60cm 4 Burner Gas Cooktop
H50 x W578 x D511mm

Induction Cooktops



01



02



03

- 01
CI905DTB1
90cm 5 Zone Induction Cooktop
H50 x W900 x D530mm
- 02
CI754DTB1
75cm 4 Zone Induction Cooktop
H50 x W750 x D530mm
- 03
CI604DTB1
60cm 4 Zone Induction Cooktop
H50 x W600 x D530mm

Built-in 90cm Oven



01

- 01
OB90S9MEPX1
90cm Single Pyrolytic
Built-in Oven
H478 x W895 x D564mm

Built-in 60cm Ovens



01



02



03



04

- 01
OB60S9DEPX1
60cm Single Pyrolytic
Built-in Oven
H597 x W595 x D567mm
- 02
OB60S9DEX1
60cm Single Built-in Oven
H597 x W595 x D567mm
- 03
OB60DDEX2
60cm Double Built-in Oven
H1077 x W595 x D567mm
- 04
OB60NDEX1
60cm Compact Built-in Oven
H450 x W595 x D556mm

Kitchen Companion
Products



01



02

- 01
OB60N8DTX1
60cm Built-in Conventional
Compact Oven
H457 x W597 x D573mm
- 02
OS60NDTX1
60cm Built-in Steam Oven
H457 x W597 x D428mm

**Kitchen Companion
Products Cont.**



03



04



05



06

03

OM36NDXB1
60cm Built-in
Microwave Oven
H457 x W597 x D573mm

04

EB60DSXB1
60cm Built-in Coffee Maker
H457 x W597 x D412mm

05

WB60SDEB1
60cm Warming Drawer
H118 x W596 x D556mm

06

WB60SDEX1
60cm Warming Drawer
H118 x W596 x D555mm

Microwave



01

01

OM31BDCBX1
31L Microwave Oven
H390 x W592 x D515mm

**VentSurface™
Rangehoods**



01

01

H1120MXB1
120cm VentSurface™
Island Rangehood
H682 – 939 x W1198 x D648mm

VentSurface™
Rangehoods Cont.



02

②
HC90MXB1
90cm VentSurface™
Wall Rangehood
H682 – 939 x W898 x D470mm

Canopy Rangehoods



01

①
HC120DCXB1
120cm Wall Canopy Rangehood
H635 – 1035 x W1200 x D500mm

②
HC90DCXB1
90cm Wall Canopy Rangehood
H635 – 1035 x W898 x D500mm



02

Canopy Rangehoods
Cont.



03

03

HC60DCXB1**60cm Wall Canopy Rangehood**

H635—1035 x W600 x D500mm







04

04

HT90DXBI**90cm Wall Canopy Rangehood**

H855—1152 x W900 x D379mm







WE CONTROL THE WEATHER

At the heart of Fisher & Paykel's Fridge-Freezers is the ability to sense and respond to daily use in an intelligent way. The combination of temperature sensors with smart electronics and variable-speed fans creates a controlled environment and optimum temperature for better food care. We call it ActiveSmart™ technology. Your fridge door is the most used door in your home and, every time it is opened, the temperature changes around your food. The challenge is maintaining a consistent and controlled environment despite ongoing changes inside and outside the fridge. ActiveSmart™ achieves this through constantly monitoring how you and your family use your fridge, adjusting airflow to maintain a stable and even temperature. So despite highs, lows and occasional gusty winds, when it comes to your fridge, let ActiveSmart™ control the weather to deliver better food care.



ACTIVSMART™
TECHNOLOGY



Fischer Paykel



90cm CoolDrawer™ Multi-temperature Drawer

The CoolDrawer™ multi-temperature drawer has been designed to change from refrigerator to freezer at the touch of a button. It is built on the concept of distributed refrigeration, combining ActiveSmart™ technology with a drawer-based design that can be placed anywhere in the kitchen, home or entertainment area. The CoolDrawer™ provides five temperature settings to deliver total flexibility – freezer, chill, fridge, pantry and wine modes, merging intelligence with convenience.

1 Innovative

The multi-temperature CoolDrawer™ is a world-first in refrigeration technology.

2 Convenient

Five temperature settings can be tailored to the needs of your food: freezer, chill, fridge, pantry and wine mode, combining intelligence with convenience.

3 Ergonomic

There is easy access at waist height, with smooth-running drawers.

4 Intuitive

The easy-to-use electronic interface can change the temperature at the touch of a button.

5 Flexible

This innovation complements your existing refrigeration and enhances your kitchen design to suit your lifestyle.

6 Precise

Highly engineered finishing ensures a 4mm clearance between front panels, as demanded by professional cabinetmakers.





CoolDrawer™ Range Features

1 Freezer Mode

This mode is ideal for general frozen food storage with the added flexibility of three freezer functions—bottle chill, fast freeze and deep freeze. Freezer Mode is set at -18°C for longer-term storage of frozen items.



2 Chill Mode

Chill Mode sets the compartment to a temperature perfect for highly perishable meats, poultry and seafood. For these types of food it is ideal to store them at a temperature as close to freezing as possible to retain their vital freshness. Chill Mode sets the compartment at -0.5°C , just above the freezing temperature for meat.



3 Fridge Mode

This mode provides the ideal storage for most foods requiring normal refrigeration, such as fruit and vegetables, dairy products, processed meats and drinks. The compact upper storage tray is a perfect place for sensitive foods such as peaches, cherries, cheeses and deli items; the tall bin is ideal for large bottles and containers.



4

Pantry Mode

This is designed for foods that require a cool, dark place for storage, such as tropical fruits, tomatoes, bananas, bread and cereals. Pantry Mode provides a solution for all those foods that you didn't previously know what to do with and have always resorted to storing on the bench or in the cupboard. This setting offers a stable storage environment at 12°C, making it ideal for sensitive foods.



5

Wine Mode

Using the innovative Wine Mode, connoisseurs can take advantage of special settings that preserve and present wine at its optimum temperature. This mode is ideal for long-term storage of all wine at 12°C and offers two temperature selections for short-term storage.





French Door Refrigerators

This series has been designed to maximise space as well as access. With new water dispenser styling and SmartTouch controls, these fridges are designed to match with our family of kitchen appliances.

① Fresher Food for Longer

ActiveSmart™ technology keeps your food fresher for longer by constantly monitoring your fridge and adapting to maintain a controlled environment and optimum temperature.

② Designed to Match

The high quality stainless steel, unique surround kits, black finish and the chrome strip detail of the slimline water dispenser, all reflect the styling of our family of kitchen appliances.

③ Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

④ Sized to Suit

Fisher & Paykel French Door Refrigerators are available in 900 and 790mm widths. They can sit flush with your benchtop with ultra flat doors and concealed hinges.

⑤ Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen stainless steel doors just need a wipe to keep spotless.

⑥ Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy, cooling and defrosting only when they need to without compromising on food care.

Bottom Freezer Refrigerators

This series has been designed for what you use most often. The upper refrigerator enables easy access to everyday items. With new water dispenser styling and SmartTouch controls, these fridges are designed to match with our family of kitchen appliances.

1 Fresher Food for Longer

ActiveSmart™ technology keeps your food fresher for longer by constantly monitoring your fridge and adapting to maintain a controlled environment and optimum temperature.

2 Designed to Match

The high quality stainless steel, unique surround kits, black finish and the chrome strip detail of the slimline water dispenser, all reflect the styling of our family of kitchen appliances.

3 Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

4 Sized to Suit

Available in 790, 680 and 635mm widths these fridges suit almost any home. They can sit flush with your benchtop, with ultra flat doors and concealed hinges.

5 Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen stainless steel doors just need a wipe to keep spotless.

6 Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy, cooling and defrosting only when they need to without compromising on food care.



SURROUND KIT

The refrigeration Surround Kit helps create a seamless connection between your appliance and its surrounding cabinetry. Available in a stainless steel finish, the kit frames and complements the product. A Joiner Kit can also be used to join two refrigerators. For more information visit fisherandpaykel.cn



ActiveSmart™ Range Features

1 ActiveSmart™ Technology

ActiveSmart™ technology is the combination of temperature sensors with smart electronics and variable speed fans that create a controlled environment and optimum temperature to keep food fresher longer.



2 SmartTouch Control Panel

For easy access, the new SmartTouch control panel is placed in the inside front of the fridge. These controls have been designed to be intuitively simple and easy to use.



3 Ultra Slim Water Dispenser

The new slimline water dispenser is now even easier to use—the angled water delivery still means that almost any size or shape of vessel can be filled, while taking up no storage space in your fridge door. The black finish reflects the styling of Fisher & Paykel's family of kitchen appliances.



4 Soft-close Doors

No more slamming fridge doors or having the door left open with soft-close hinges on the French Door Ice & Water models.



5 Ice Boost

In Ice & Water models, the ice boost function automatically delivers up to 25% more ice each day* into a dedicated bin that can be easily customised to store different volumes.

*compared to current Fisher & Paykel Ice & Water models



6 Humidity Control System

The Humidity Control System together with the cool and consistent temperature delivered by ActiveSmart™ technology creates the perfect microclimate in each produce bin, maintaining fruit and vegetable quality at just the right humidity and temperature level.



7 Adaptive Defrost

Adaptive defrost means that there is no need for vacation mode settings. Your fridge intelligently selects the best time to defrost based on how it is being used. When you are away it will use less energy as it recognises lower levels of use and defrosts less often.



8 Storage Flexibility

Smart fridge organisation and food preparation are streamlined with best in class features such as flexible shelving, flexible storage options and easy to access bins and trays on full extension runners.



60cm Integrated Refrigerator

This fridge has been designed for what you use most often. The upper refrigerator enables easy access to everyday items. The lower freezer with convenient inner drawers ensures that longer-term storage items are just as easy to access. With a number of features to keep your food fresher for longer and save energy while at the same time providing ergonomic benefits, this integrated fridge is perfect for the designer kitchen.

1 Made to Measure

This is the fridge for people who want to hide their fridge behind cabinetry—you can't see where one starts and the other stops. The 60cm Integrated Fridge is designed to allow only the smallest gaps between cabinetry meaning smooth lines and perfect symmetry.

2 Fresher for Longer

The Variable Temperature Drawer is designed to allow optimal storage of fresh meat, deli and dairy products at lower than standard fridge temperatures. The fruit and vegetable bin provides a humid environment for your produce, ensuring moisture is retained, nutrients are locked in and your fruit and vegetables are kept fresher for longer.

3 Energy Efficient

New premium LED lighting gives off a crisp, clean glow, illuminating the whole compartment for better visibility. Saving energy, the LED uses 80% less power than similar halogen bulbs. Holiday Mode allows your fridge to run efficiently while you are away and the fridge is not being used.

4 Easy Cleaning

The fridge is fitted with shelves especially designed to retain spills, making clean up easier. The shelves can be repositioned at different heights to accommodate different sized food storage containers. The clear door shelves mean you can easily find what you're looking for while being able to easily keep them fresh and clean. You never need to worry about defrosting your fridge with the built-in frost-free function.



COOL

CoolDrawer™
Multi-temperature
Drawer



01

⑪
RB90S64MKIW1
90cm CoolDrawer™
H640 x W855 x D557mm
(Excluding drawer panel, including power cord)

Optional Stainless Steel Pre-finished Door
H476 x W896 x D18mm

Ice & Water
French Door
Refrigerators



01



⑪
RF610ADUSX4
French Door Refrigerator
H1790 x W900 x D695mm
(Dimensions excluding handles)
Flat door

Ice & Water
Bottom Freezer
Refrigerators



01



⑪
E522BRXFDU4
Bottom Freezer Refrigerator
H1715 x W790 x D695mm
(Dimensions excluding handles)
Flat door

Ice & Water
Bottom Freezer
Refrigerators Cont.



02



02

E442BRXFDU4
Bottom Freezer Refrigerator
H1715 x W680 x D695mm
(Dimensions excl. handles)
Flat door



03



03

E402BRXFDU4
Bottom Freezer Refrigerator
H1715 x W635 x D695mm
(Dimensions excluding handles)
Flat door

Bottom Freezer
Refrigerators



01



01

E522BLXFD4
Bottom Freezer Refrigerator
H1715 x W790 x D695mm
(Dimensions excluding handles)
Flat door

Bottom Freezer Refrigerators



02



02
E442BLXFD4
Bottom Freezer Refrigerator
H1715 x W680 x D695mm
(Dimensions excluding handles)
Flat door

03
E402BRXFD4,
E402BLXFD4
Bottom Freezer Refrigerator
H1715 x W635 x D695mm
(Dimensions excluding handles)
Flat door



03



Integrated Bottom Freezer Refrigerator



01



01
RB60V18
Integrated Bottom Freezer Refrigerator
H1773 x W555 x D540mm
Apply your own cabinetry façade and handle — not included

CLEB

E A N



WE LIVE OUT OF DRAWERS

Fisher & Paykel DishDrawer™ dishwashers are designed to make doing the dishes easier than ever before. The combination of a drawer-based system with smart electronics and independent wash technology delivers superior cleaning and better ergonomics. We call it DishDrawer™ technology. Each of our DishDrawer™ products is a self-contained dishwasher with technology that allows traditional double-format or separate modules to be configured at an ergonomic height, allowing complete design freedom. Wide, tall, double and single-drawer options allow you to choose the combination that works best for your lifestyle. The dishwashers in this range can be concealed easily behind kitchen cabinetry to seamlessly blend in with your kitchen and the ergonomic design minimises bending by requiring less movement to open, load and close.



DISHDRAWER™
TECHNOLOGY







DishDrawer™ Wide

Designed for the whole family, the DishDrawer™ Wide dishwasher complements the Fisher & Paykel 900mm product range to deliver a total kitchen solution. Providing space for nine place settings, the DishDrawer™ Wide is suited to medium-sized households and can be partnered with additional drawers to cater for larger families.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

This model is taller than the standard DishDrawer™ dishwasher, so you can fit large plates up to 315mm in diameter. Racking is designed to hold long utensils and can fold away to free up space.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model has the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Ecofriendly

Uses only 10 litres of water on a Normal Eco wash program.

DishDrawer™ Tall

This model is designed for extra headroom. The increased drawer height fits 330mm plates, making cleaning up after dinner parties a breeze. The DishDrawer™ Tall dishwasher can also easily accommodate oversized platters and extra-long stemmed glasses.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

This model is taller than the standard DishDrawer™ dishwasher, so you can fit in large plates up to 330mm in diameter. Racking is designed to hold long utensils and can fold away to free up space.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model has the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Ecofriendly

Uses only 8 litres of water on a Normal Eco wash program.



DishDrawer™ Double

Designed to fit existing kitchen cabinetry, the DishDrawer™ Double dishwasher has comparable dimensions to those of traditional dishwashers but provides the benefit of two independent drawers for added convenience and ergonomics.

1 Innovative

This dishwasher is a world's first in terms of design and configuration. Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

The DishDrawer™ Double dishwasher lets the user match the wash program to the exact load type in each drawer.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model offers the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Ecofriendly

Uses only 8 litres of water per drawer on a Normal Eco wash program.





INTEGRATED MODELS

The integrated product solution enables seamless fitting between Fisher & Paykel products and your kitchen cabinetry. Your chosen aesthetic can extend beyond storage spaces to enable DishDrawer™ and CoolDrawer™ to blend in with your kitchen environment.

DishDrawer™ Range Features

1 Independent Drawers

An independent drawer-based dishwashing platform is part of what makes the DishDrawer™ dishwasher unique. At bench height, drawers glide open for easy access, visibility and better ergonomics. In DishDrawer™ Double dishwashers, both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads. Glasses, pots and pans can be washed in separate drawers at the same time.



2 SmartDrive™ Wash Mechanism

The unique brushless DC motor acts as both a wash pump and a drain pump, which means fewer moving parts and greater reliability. The pump brings water into the spray arm, which rotates at different speeds depending on the wash cycle selected, to deliver a superior clean and better dish care. In the DishDrawer™ Wide dishwasher, two independent spray arms force water throughout the tub, ensuring maximum efficiency and ultimate wash performance.



3 Nine Wash Options

All DishDrawer™ dishwashers feature nine wash programs: Rinse, Fast Eco, Fast, Delicate Eco, Delicate, Normal Eco, Normal, Heavy Eco, Heavy. The range of settings enables the DishDrawer™ dishwasher to wash everything from fine glass and crystal to heavily soiled pots and pans at the touch of a button. Primary and secondary controls provide a simple interface for program selection and operation, while the 'delay' start setting means the dishes can be done when it's most convenient.



4 Flow-through Detergent Dispenser

The DishDrawer™ dishwasher detergent dispenser ensures that undissolved detergent does not enter into the tub; instead, it is mixed as the machine fills with water. This not only cleans each load better but also reduces the possibility of damaging delicate items such as aluminium, cutlery or porcelain glazes.



5 Superior Filtration

One of the challenges in all dishwashers is a robust filter system that removes debris and avoids blocking. Together, the kidney filter and overmoulded filter plate create a firm seal to ensure that debris does not enter the wash mechanism and cause backflow. It is designed to be removable for easy and hygienic cleaning.



6 Adjustable Racking System

The DishDrawer™ dishwasher includes a range of flexible racking options. The cutlery basket can be customised for different utensils. Folding tines can be folded flat to accommodate a full load of pots or be folded upwards to hold glassware. Pitch-adjustable racks can accommodate normal plates, deep bowls or even slide completely out of the way. Wine glass holders ensure that short and long stemmed glasses are secure throughout the wash. Added retainer clips are ideal for holding chopping boards in position.



7 Safety Features

The DishDrawer™ dishwasher incorporates unique safety features such as a child lock which both locks the drawer to prevent opening and disables the buttons. In addition, it includes three-stage flood protection: the high-strength hose withstands water pressure several times greater than normal, overfill detection cuts the water supply if limits are exceeded and the back-up switch activates the drain pump to remove any excess water.



DishDrawer™
Wide Dishwashers



01

01
DD90SDFHTX2
H478 x W895 x D571mm

DishDrawer™
Tall Dishwashers



01



02

01
DD60SDFHTX7
H478 x W599 x D571mm

02
DD60SHTI7
H454 – 478 x W599 x
D569 – 573mm
Apply your own cabinetry façade
and handle – not included

DishDrawer™
Double Dishwashers



01



02

01
DD60DDFH7
H820 – 880 x W599 x D571mm

02
DD60DIH7
H820 – 880 x W599 x
D569 – 573mm
Apply your own cabinetry façade
and handle – not included

DishDrawer™
Single Dishwashers



01



02



03

01

DD60SDFHX7

H410 x W599 x D571mm

02

DD60SCHX7

H410 x W599 x D582mm

03

DD60SHI7

H410 x W599 x D569 — 573mm

Apply your own cabinetry façade
and handle — not included

W

A

&

D

ASH
CRY



WASHING REINVENTED

It takes a lot of brainpower to make things really simple. That, in a sentence, is the essence of SmartDrive™. Traditional washing machines are made up of many moving parts. Their complexity also means there's a lot that can go wrong with them. Our SmartDrive™ Front Loaders use a direct drive motor controlled by a small computer. They can sense each load, use less water and be ultimately more reliable as they run with less moving parts.



POWERED BY
SMARTDRIVE™



FRONT LOADERS NOW POWERED BY SMARTDRIVE™

World-first SmartDrive™ technology is re-engineered for Fisher & Paykel's SmartDrive™ Front Loader range. By combining smart electronics with vector control and a direct drive motor, the need for a belt and pulley is removed and the motor constantly provides feedback to the computer controlling the tumble and spin action. With 20 years of experience using this technology in Top Loaders, the result is a quieter, quicker and more reliable product.

WashSmart™

WashSmart™ provides 13 specific wash cycles and hands-on control to select exactly how you want to wash each load. It is designed for those who like fingertip control, without getting their hands dirty. WashSmart™ has all the clothes care benefits of a front loader, but with SmartDrive™ technology to give a quicker, quieter wash.

1 Innovative

The Vortex wash speeds up the cleaning process so nine of the 13 cycles take less than an hour to complete when washing at 30°C. It quite simply uses the force of the spinning drum to thrust the detergent solution through the clothes. The Vortex wash means the Everyday cycle can be used for all load sizes.

2 Convenient

The 'add a garment' option allows you to quickly add or remove a garment mid cycle. A 'wrinkle free' option ensures your wet clothes don't sit around too long at the completion of the cycle and a choice of three soil levels gives you more control over your wash.

3 Efficient

A maximum spin speed of 1400rpm removes more water from each load, reducing drying times while keeping clothes soft.

4 Ecofriendly

WashSmart™ delivers both energy and water savings making it one of the most efficient front loaders on the market.



QuickSmart™

QuickSmart™ offers one touch control with nine programmed cycles. It is designed for you to select and walk away leaving this SmartDrive™ front loader to get on with the job on its own—taking time out of washing so you can spend more time living.

1 Innovative

Using the Vortex wash to speed up the cleaning process, seven of the nine cycles take less than an hour to complete when washing at 30°C.

2 Convenient

Fisher & Paykel's SmartDrive™ contains no belts or pulleys, for a more reliable washer with less vibration and whisper quiet noise levels.

3 Efficient

A maximum spin speed of 1100rpm removes more water from each load, reducing drying times while keeping clothes soft.

4 Ecofriendly

QuickSmart™ delivers both energy and water savings.



SmartDrive™ Front Loader Range Features

1 SmartDrive™ Technology

Fisher & Paykel SmartDrive™ washing machines use our world first direct drive technology, which has revolutionised clothes washing and clothes care since the 1990s. By combining smart electronics with vector control and a direct drive motor, removing the belt and pulleys, these washing machines can sense and respond to each load, delivering exceptional clothes care quickly and quietly.



2 Quick Vortex Wash Cycles

Fisher & Paykel have developed the Vortex wash which speeds up the cleaning process so most cycles take less than an hour to complete. This is like an explosion in the midst of the tumble action which thrusts the sudsy water from the bottom of the drum into and through the clothes. By getting the cleaning agents and heat into the fibres of the clothes quicker the clothes get clean quicker.



3 Whisper Quiet

Our SmartDrive™ Front Loaders use our latest generation direct drive motors, removing cumbersome parts and improving our ability to sense what's happening inside the drum. Without these cumbersome parts, SmartDrive™ Front Loaders are more reliable, produce less vibration and noise levels are reduced to being whisper quiet.



4 **SmartTouch™ Control Dial**

The SmartTouch™ Control Dial is your interface to SmartDrive™ technology. It distills 21 years of SmartDrive™ development into a user-friendly interface, to deliver an expert wash every time.



5 **Energy and Water Efficiency**

Our SmartDrive™ Front Loaders are one of the most efficient front loaders on the market.



6 **Hot and Cold Fill**

Unlike many others, our SmartDrive™ Front Loaders let you choose whether your water is heated in the washing machine or from your hot water cylinder. With energy efficient quicker wash cycles, environmental and cost savings in mind, Fisher & Paykel Front Loaders can be installed with just a cold water inlet or both hot and cold water inlets—ideal for those with alternative water heating solutions.





NEW MOVEMENT IN CLOTHES CARE

Fisher & Paykel Dryers are designed to make life easier by taking great care of your precious clothes. Accurate moisture sensing ensures all items are evenly dried and prevents over drying. The large 8kg capacity ensures the clothes have plenty of room to move preventing wrinkling and minimising ironing. Our condensing technology means there is no need to vent the moist air to the outside.

AeroXL™ 8kg Condensing Dryer

This extra large capacity dryer makes a perfect pair with the WashSmart™ Front Loader. The condensing technology of the AeroXL™ means no venting is required making this an ideal product for installations where venting is difficult.

1 Healthier Drying

The condensing technology means that water is collected instead of vented out meaning less allergens and moisture going into the home, for a healthier drying option.

2 Perfect Pair

AeroXL™ is a true visual match to the WashSmart™ Front Loader. No other manufacturer offers this feature. Can be installed side by side, or stacked.

3 SmartTouch™ Control Dial

The SmartTouch™ Control Dial gives finger tip control access to a user friendly interface that makes the AeroXL™ easy to use.

4 Easy installation

No venting is required, making this an ideal product for apartments or in fact any installation where venting is difficult.

5 Auto-sensing

Auto-sensing automatically senses the moisture inside the drum, shutting off at the perfect level so your clothes don't over dry, helping your clothes last longer.





WASH & DRY

WashSmart™
SmartDrive™ Front
Load Washers



01



02

②
WH8060P1
8kg WashSmart™
Front Load Washer
H850 x W600 x D645mm

②
WH7060P1
7kg Front Load Washer
H850 x W600 x D590mm

QuickSmart™
SmartDrive™ Front
Load Washers



01



02

①
WH8060J1
8kg QuickSmart™
Front Load Washer
H850 x W600 x D645mm

②
WH7060J1
7kg Front Load Washer
H850 x W600 x D590mm

6kg Front Load Washer



01

①
WH60F60CIW1
6kg Front Load Washer
H825 x W595 x D530mm

**Front Load
Washer & Dryer**



01

⑪

WD6030F60CW1
6kg Front Load Washer Dryer
H825 x W595 x D530mm

AeroXL™ Dryer



01

⑪

DE8060P1
8kg AeroXL™ Dryer
H850 x W600 x D645mm

SPECIFICATIONS




| | |
|----------------------------|------------|
| Cook | 130 |
| Specifications | 132 |
| Cooktops | 132 |
| Built-in Ovens | 135 |
| Kitchen Companion Products | 138 |
| Rangehoods | 142 |
| Dimensions | 148 |
| Cooktops | 148 |
| Built-in Ovens | 152 |
| Kitchen Companion Products | 154 |
| Rangehoods | 157 |



| | |
|--------------------------------------|------------|
| Cool | 162 |
| Specifications | 164 |
| CoolDrawer™ Multi-temperature Drawer | 164 |
| French Door Refrigerators | 164 |
| Ice & Water Refrigerators | 165 |
| Bottom Freezer Refrigerators | 166 |
| Integrated Refrigerator | 167 |
| Dimensions | 168 |
| CoolDrawer™ Multi-temperature Drawer | 168 |
| French Door Refrigerators | 168 |
| Ice & Water Refrigerators | 169 |
| Bottom Freezer Refrigerators | 169 |
| Integrated Refrigerator | 170 |

| | |
|--------------------------------|------------|
| Clean | 172 |
| Specifications | 174 |
| DishDrawer™ Wide Dishwashers | 174 |
| DishDrawer™ Tall Dishwashers | 175 |
| DishDrawer™ Double Dishwashers | 176 |
| DishDrawer™ Single Dishwashers | 177 |
| Dimensions | 178 |
| DishDrawer™ Wide Dishwashers | 178 |
| DishDrawer™ Tall Dishwashers | 178 |
| DishDrawer™ Double Dishwashers | 179 |
| DishDrawer™ Single Dishwashers | 180 |
| Wash & Dry | 182 |
| Specifications | 184 |
| Front Loaders | 184 |
| Dryers | 185 |
| Dimensions | 188 |
| Front Loaders | 188 |
| Dryers | 189 |

COOK




COOK

| | | | |
|------------------------------------|---|---|---|
| |  |  |  |
| Type of appliance | 90cm 3 Burner Gas on Glass Cooktop | 75cm 2 Burner Gas on Glass Cooktop | 45cm 1 Burner Gas on Glass Cooktop |
| Model no. | CG903DNGGB1 | CG752DNGGB1 | CG451DNGGB1 |
| Finish | Ceramic glass Stainless steel trim | Ceramic glass Stainless steel trim | Ceramic glass Stainless steel trim |
| Dimensions | H59 x W900 x D450mm | H59 x W750 x D450mm | H59 x W450 x D530mm |
| Burners | 3 including 2 dual wok burners | 2 dual wok burners | 1 dual wok burner |
| Burner ratings (using natural gas) | | | |
| Semi rapid burner | 1.7kW | | |
| Dual wok burner | 4.5kW | 4.5kW | 5.5kW |
| Performance | | | |
| Natural gas model | ● | ● | ● |
| Cast iron trivets | ● | ● | ● |
| Cleaning | | | |
| Easy clean cooktop design | ● | ● | ● |
| Quick component removal | ● | ● | ● |
| Safety | | | |
| Flame failure system | ● | ● | ● |
| Controls | | | |
| Toughened fused glass graphics | ● | ● | ● |
| Controls on cooktop | ● | ● | ● |
| Dual wok control | ● | ● | ● |
| AMP draw | 10A | 10A | 10A |
| Supply voltage | 220V | 220V | 220V |
| Accessories | | | |
| Wok stand | ● | ● | ● |
| Small pan support | ● | ● | ● |




| | | |
|---|----------------------------------|----------------------------------|
| Type of appliance | 90cm 5 Burner Gas Cooktop | 60cm 4 Burner Gas Cooktop |
| Model no. | CG905DWFCX1 | CG604DWFCX1 |
| Finish | Stainless steel | Stainless steel |
| Dimensions | H50 x W914 x D533mm | H50 x W578 x D511mm |
| Burners | 5 including 2 wok burners | 4 including 1 wok burner |
| Burner ratings (using natural gas) | | |
| Auxiliary burner | 0.9kW | 0.9kW |
| Semi rapid burner | 1.5kW | 1.5kW |
| Wok burner | 4.0kW | 4.0kW |
| Performance | | |
| Electronic ignition | ● | ● |
| Quick connect gas valve | ● | ● |
| LPG compatible | ● | ● |
| Cast iron trivets | ● | ● |
| Cleaning | | |
| Easy clean cooktop design | ● | ● |
| Quick component removal | ● | ● |
| Safety | | |
| Flame failure system | ● | ● |
| Spill containment | 2.5 litres | 1.5 litres |
| Controls | | |
| Satin chrome control dials | ● | ● |
| Laser etched graphics | ● | ● |
| AMP draw | 10A | 10A |
| Supply voltage | 220V | 220V |
| Accessories | | |
| Wok stand | ● | ● |

COOK





| Type of appliance | 90cm 5 Induction Cooktop | 75cm 4 Zone Induction Cooktop | 60cm 4 Zone Induction Cooktop |
|----------------------------------|---|---|---|
| Model no. | CI905DTB1 | CI754DTB1 | CI604DTB1 |
| Finish | Ceramic glass | Ceramic glass | Ceramic glass |
| Dimensions | H50 x W900 x D530mm | H50 x W750 x D530mm | H50 x W600 x D530mm |
| Cooking zones | 5 | 4 | 4 |
| Zone ratings | *Maximum power output when set for PowerBoost | *Maximum power output when set for PowerBoost | *Maximum power output when set for PowerBoost |
| Left front | 2200W (3210W*) | 1800W (2400W*) | 2200W (3500W*) |
| Right front | 1800W (2400W*) | 3400W (1700W*) | 1300W (1700W*) |
| Left rear | 1300W (1700W*) | 1800W (2400W*) | 1300W (1700W*) |
| Right rear | 1800W (2400W*) | 2200W (3500W*) | 1800W (2400W*) |
| Centre | 2300W (3500W*) | | |
| PowerBoost | 3500W | 3500W | 3500W |
| Performance | | | |
| Induction cooking technology | ● | ● | ● |
| Nine heat settings | ● | ● | ● |
| Auto heat reduce | ● | ● | ● |
| GentleHeat | ● | ● | ● |
| PowerBoost | ● | ● | ● |
| Cleaning | | | |
| Flat easy clean glass surface | ● | ● | ● |
| Safety | | | |
| Key lock | ● | ● | ● |
| Safety time out | ● | ● | ● |
| Pan detection system | ● | ● | ● |
| Surface hot indicators | ● | ● | ● |
| Spillage auto off | ● | ● | ● |
| Controls | | | |
| Soft-touch electronic controls | ● | ● | ● |
| Minute timer | ● | ● | ● |
| Auto cut-off timer for each zone | ● | ● | ● |
| AMP draw | 42.6A | 32.25A | 30.25A |
| Supply voltage | 220V | 220V | 220V |




| | |
|--------------------------------|---|
| Type of appliance | 90cm Single Pyrolytic Built-in Oven |
| Model no. | OB90S9MEPX1 |
| Finish | Black reflective glass Brushed stainless steel |
| Dimensions | H478 x W895 x D564mm |
| Total capacity | 103 litres |
| Usable capacity | 87 litres |
| Shelf positions | 4 |
| Oven functions | 9 |
| Bake | ● |
| Fan Bake | ● |
| Pastry Bake | ● |
| Grill | ● |
| Fan Grill | ● |
| Fan Forced | ● |
| Warm | ● |
| Pyrolytic Self-Clean | ● |
| Rotisserie | ● |
| Performance | |
| Grill | 3875W |
| Rapid pre-heat | ● |
| Cleaning | |
| Acid resistant graphite enamel | ● |
| Pyrolytic self-clean | ● |
| Removable shelf runners | ● |
| Removable oven door | ● |
| Removable door glass | ● |
| Safety | |
| Cool-touch door | ● |
| Door and cavity cooling system | ● |
| Non-tip shelves | ● |
| Control panel key lock | ● |
| Catalytic venting system | ● |
| Controls | |
| Electronic clock | ● |
| Automatic cooking/minute timer | ● |
| Electronic temperature control | ● |
| Illuminated halo dials | ● |
| Halogen lights | 2 x 20W sides |
| Sabbath mode | ● |
| Preset cooking temperatures | ● |
| AMP draw | 20A |
| Supply voltage | 220V |
| Accessories | |
| Step down wire shelf | ● |
| Flat wire shelf | ● |
| Grill pan + grill rack | ● |
| Flat brushed baking tray | ● |
| Fat filter | ● |


COOK



| | | |
|--------------------------------|---|---|
| Type of appliance | 60cm Single Pyrolytic Built-in Oven | 60cm Single Built-in Oven |
| Model no. | OB60S9DEPX1 | OB60S9DEX1 |
| Finish | Black reflective glass Brushed stainless steel | Black reflective glass Brushed stainless steel |
| Dimensions | H597 x W595 x D567mm | H597 x W595 x D567mm |
| Total capacity | 70 litres | 71 litres |
| Usable capacity | 57 litres | 58 litres |
| Shelf positions | 6 | 6 |
| Oven functions | 9 | 9 |
| Bake | ● | ● |
| Fan Bake | ● | ● |
| Classic Bake | ● | ● |
| Roast | ● | ● |
| Grill | ● | ● |
| Fan Grill | ● | ● |
| Fan Forced | ● | ● |
| Warm | ● | ● |
| Pyrolytic Self-Clean | ● | ● |
| Defrost | | ● |
| Performance | | |
| Grill | 2850W | 2850W |
| Rapid pre-heat | ● | ● |
| Cleaning | | |
| Acid resistant graphite enamel | ● | ● |
| Drop down grill element | | ● |
| Pyrolytic self-clean | ● | |
| Self-cleaning catalytic liners | | Sides and rear |
| Removable shelf runners | ● | ● |
| Removable oven door | ● | |
| Removable door glass | | ● |
| Safety | | |
| Cool-touch door | ● | ● |
| Door and cavity cooling system | ● | ● |
| Non-tip shelves | ● | ● |
| Control panel key lock | ● | ● |
| Catalytic venting system | ● | ● |
| Telescopic sliding runners | ● | ● |
| Controls | | |
| Electronic clock | ● | ● |
| Automatic cooking/minute timer | ● | ● |
| Electronic temperature control | ● | ● |
| Illuminated halo dials | ● | ● |
| Sabbath mode | ● | ● |
| Rear light | ● | |
| Side and rear lights | | ● |
| AMP draw | 14.15A | 14.15A |
| Supply voltage | 220V | 220V |
| Accessories | | |
| Step down wire shelf | ● | ● |
| Flat wire shelf | ● | ● |
| Telescopic sliding runners | 2 sets | 2 sets |
| Grill pan + grill rack | ● | ● |
| Flat brushed baking tray | ● | ● |
| Fat filter | | ● |
| Catalytic liners | | Sides and rear |




| | |
|--------------------------------|---|
| Type of appliance | 60cm Tower Built-in Oven |
| Model no. | OB60DDEX2 |
| Finish | Black reflective glass Brushed stainless steel |
| Dimensions | H1077 x W595 x D567mm |
| Total capacity | 71 + 71 litres |
| Usable capacity | 58 + 58 litres |
| Shelf positions | 6 per oven cavity |
| Oven functions | 7 |
| Bake | ● |
| Fan Bake | ● |
| Grill | ● |
| Fan Grill | ● |
| Fan Forced | ● |
| Warm | ● |
| Defrost | ● |
| Performance | |
| Grill | 2850W (both ovens) |
| Cleaning | |
| Acid resistant graphite enamel | ● |
| Drop down grill element | ● |
| Self-cleaning catalytic liners | Sides and rear |
| Removable shelf runners | ● |
| Removable oven door/s | ● |
| Removable liner door glass | ● |
| Safety | |
| Cool-touch door | ● |
| Door and cavity cooling system | ● |
| Non-tip shelves | ● |
| Telescopic sliding runners | ● |
| Controls | |
| Electronic clock | ● |
| Automatic cooking/minute timer | Top oven |
| Side and rear lights | ● |
| AMP draw | 28A |
| Supply voltage | 220V |
| Accessories | |
| Step down wire shelf | 2 |
| Flat wire shelf | 2 |
| Telescopic sliding runners | 4 sets |
| Grill pan + grill rack | 2 |
| Flat brushed baking tray | 2 |
| Fat filter | 2 |
| Catalytic liners | Sides and rear |




| | |
|--------------------------------|---|
| Type of appliance | 60cm Compact Built-in Oven |
| Model no. | OB60NDEX1 |
| Finish | Black reflective glass Brushed stainless steel |
| Dimensions | H450 x W595 x D556mm |
| Total capacity | 45 litres |
| Usable capacity | 36 litres |
| Shelf positions | 4 |
| Oven functions | 7 |
| Bake | ● |
| Fan Bake | ● |
| Grill | ● |
| Fan Grill | ● |
| Fan Forced | ● |
| Warm | ● |
| Defrost | ● |
| Performance | |
| Grill | 2500W |
| Cleaning | |
| Acid resistant graphite enamel | ● |
| Removable shelf runners | ● |
| Removable oven door | ● |
| Safety | |
| Cool-touch door | ● |
| Door and cavity cooling system | ● |
| Non-tip shelves | ● |
| Controls | |
| Electronic clock | ● |
| Automatic cooking/minute timer | ● |
| Rear light | ● |
| AMP draw | 11.16A |
| Supply voltage | 220V |
| Accessories | |
| Step down wire shelf | ● |
| Grill pan + grill rack | ● |
| Flat brushed baking tray | ● |
| Fat filter | ● |


COOK




| | |
|---------------------------------------|---|
| Type of appliance | 60cm Built-in Conventional Compact Oven |
| Model no. | OB60N8DTX1 |
| Finish | Black reflective glass Polished metal trim |
| Dimensions | H457 x W597 x D570mm (Height 478mm with optional lower trim kit) |
| Total capacity | 40 litres |
| Usable capacity | 36 litres |
| Shelf positions | 3 |
| Oven Functions | 8 |
| Defrost | ● |
| Traditional | ● |
| Double Fan Assisted | Bottom element |
| Grill | ● |
| Medium Grill | ● |
| Fan Assisted Grill | ● |
| Turbo Plus | ● |
| Traditional Fan Assisted | ● |
| Performance | |
| Thermostat regulation | 35–275°C |
| Powerful grill element | ● |
| Cleaning | |
| Easy clean enamel interior | ● |
| Catalysing filter to remove odours | ● |
| Easy clean glass inner door | ● |
| Removable door panes | ● |
| Safety | |
| Child safety lock | ● |
| Safe touch door (two removable panes) | Triple glazed |
| Safety thermostat | ● |
| Controls | |
| Electronic capacitive touch controls | ● |
| Intuitive information display | ● |
| Recipe function | ● |
| Digital temperature control | ● |
| Electronic clock | ● |
| Minute minder | ● |
| Programmable oven timer | ● |
| Interior light | ● |
| AMP draw | 16A |
| Supply voltage | 220V |
| Accessories | |
| Enamel tray | ● |
| Shelf | ● |
| Optional lower trim kit | Makes product 478mm high |



| | |
|--------------------------------------|---|
| Type of appliance | 60cm Built-in Steam Oven |
| Model no. | OS60NDTX1 |
| Finish | Black reflective glass Polished metal trim |
| Dimensions | H457 x W597 x D423mm (Height 478mm with optional lower trim kit) |
| Total capacity | 29 litres |
| Usable capacity | 23 litres |
| Steam Functions | 8 |
| Also features: | |
| Electronic programmer | ● |
| Preset temperature | ● |
| Auto-clock | ● |
| Water indicator | ● |
| Performance | |
| Thermostat regulation | 55–100°C |
| Steam generator | 1.78kW |
| Steam generator/bottom part oven | ● |
| Steam at 100°C | ● |
| Cleaning | |
| Easy clean stainless steel interior | ● |
| Removable water tank | ● |
| Safety | |
| Child safety lock | ● |
| Glazed door | ● |
| Safety thermostat | ● |
| Controls | |
| Electronic capacitive touch controls | ● |
| Intuitive information display | ● |
| Interior light | ● |
| AMP draw | 10A |
| Supply voltage | 220V |
| Accessories | |
| Two piece steaming dish | ● |
| Support rack | ● |
| Optional lower trim kit | Makes product 478mm high |




| | |
|--------------------------------------|---|
| Type of appliance | 60cm Built-in Combination Microwave Oven |
| Model no. | OM36NDXB1 |
| Finish | Black reflective glass Polished metal trim |
| Dimensions | H457 x W597 x D570mm (Height 478mm with optional lower trim kit) |
| Total capacity | 40 litres |
| Usable capacity | 36 litres |
| Shelf positions | 3 |
| 10 Functions | |
| Microwave Max | ● |
| Microwave by levels | ● |
| Grill High | ● |
| Grill Medium | ● |
| Grill High + Microwave | ● |
| Grill Medium + Microwave | ● |
| Heat Circulation | ● |
| Microwave + Heat Circulation | ● |
| Defrost | ● |
| Warm | ● |
| Performance | |
| Thermostat regulation | 35–220°C |
| Microwave power | 1000W |
| Grill power | 1800W |
| 19 Power levels | ● |
| Full width dual variable grill | ● |
| Turbo plus fan controlled cooking | ● |
| Cleaning | |
| Easy clean enamel interior | ● |
| Easy clean glass inner door | ● |
| Fold down grill | ● |
| Removable side racks | ● |
| Safety | |
| Child safety lock | ● |
| Glazed door | Triple glazed |
| Safety thermostat | ● |
| Controls | |
| Electronic capacitive touch controls | ● |
| Intuitive information display | ● |
| Interior light | 25W |
| AMP draw | 16A |
| Supply voltage | 220V |
| Accessories | |
| Turntable | ● |
| Glass tray | ● |
| Rack | ● |
| Optional lower trim kit | Makes product 478mm high |





| | |
|--|---|
| Type of appliance | 60cm Built-in Coffee Maker |
| Model no. | EB60DSXB1 |
| Finish | Black reflective glass Polished metal trim |
| Dimensions | H457 x W597 x D412mm (Height 478mm with optional lower trim kit) |
| Number of cups | 1 or 2 |
| Functions | |
| Coffee strength in 5 levels | Extra-strong, Strong, Medium, Mild, Extra-mild |
| Cup size in 5 levels | Espresso "MyCup", Small, Medium, Large, Mug |
| Personalisation of cup sizes and cappuccino (milk + coffee) via menu | ● |
| Takes pre-ground coffee | ● |
| Performance | |
| Coffee temperature | 3 temperatures |
| 15 bar pump pressure | ● |
| System heating power (Coffee/Steam) | 1200W/1000W |
| Grinding coarseness | 13 positions |
| Water tank capacity | 1.8 litres |
| Cleaning | |
| Self-clean function | ● |
| Easy to remove coffee grinds bin | ● |
| Removable drip tray with level indicator | ● |
| Controls | |
| Electronic capacitive touch controls | ● |
| Intuitive information display | ● |
| Water tank empty indicator | ● |
| Cleaning reminder | ● |
| Coffee grounds full reminder | ● |
| Maintenance data reminder | ● |
| Refill coffee bean reminder | ● |
| Lights | ● |
| AMP draw | 10A |
| Supply voltage | 220–240V |
| Accessories | |
| Coffee spoon | ● |
| Descaling solution bottle | ● |
| Optional lower trim kit | Makes product 478mm high |







| | | |
|---------------------------------------|------------------------|----------------------|
| Type of appliance | 60cm Warming Drawer | 60cm Warming Drawer |
| Model no. | WB60SDEB1 | WB60SDEX1 |
| Finish | Black reflective glass | Stainless steel |
| Dimensions | H118 x W596 x D556mm | H118 x W596 x D555mm |
| Usable height | 83mm | 83mm |
| Place settings | 6 | 6 |
| Cappuccino cups | 20 | 20 |
| Espresso cups | 48 | 48 |
| Maximum allowable weight | 30kg | 30kg |
| Performance | | |
| Low | 45°C | 45°C |
| Medium | 55°C | 55°C |
| High | 65°C | 65°C |
| Cleaning | | |
| Easy clean smooth-glass base | ● | ● |
| Safety | | |
| Full extension slides | ● | ● |
| Soft-closing mechanism | ● | ● |
| Automatic turn off after 12 hours | ● | ● |
| Controls | | |
| Illuminated capacitive touch controls | ● | ● |
| Two automatic timers | 1 or 2 hours | 1 or 2 hours |
| On/Off indicator | ● | ● |
| AMP draw | 1.6 – 1.8A | 1.6 – 1.8A |
| Supply voltage | 220V | 220V |



| | |
|----------------------------------|---|
| Type of appliance | 60cm Built-in Microwave Oven |
| Model no. | OM31BDCBX1 |
| Finish | Black reflective glass Brushed stainless steel |
| Dimensions | H390 x W592 x D515mm |
| Usable capacity | 31 litres |
| Microwave functions | 5 |
| Microwave | ● |
| Grill | ● |
| Convection Oven | ● |
| Microwave + Grill | ● |
| Microwave + Convection | ● |
| Performance | |
| Microwave | 900W |
| Grill | 1200W |
| Convection | 1350W |
| Cleaning | |
| Stainless steel interior | ● |
| Seamless bottom interior | ● |
| Glass door interior and exterior | ● |
| Glass panel control | ● |
| Safety | |
| Double glazed door | ● |
| Child safety lock | ● |
| Controls | |
| Capacitive touch controls | ● |
| Multi-function LED display | ● |
| Electronic clock | ● |
| 90 minute timer | ● |
| AMP draw | 10A |
| Supply voltage | 220V |
| Accessories | |
| Glass turn table | ● |
| Wire grill rack | ● |


















| | | |
|--|---|---|
| |  |  |
| Type of appliance | 120cm VentSurface Island Rangehood | 90cm VentSurface Wall Rangehood |
| Model no. | HI120MXB1 | HC90MXB1 |
| Finish | Stainless steel Black glass | Stainless steel Black glass |
| Dimensions | H682-939 x W1198 x D648mm | H682-939 x W898 x D470mm |
| Fan ratings | | |
| Maximum air movement | 750m³/hr | 750m³/hr |
| Maximum decibel rating | 61dBA | 61dBA |
| Performance | | |
| Perimeter extraction | ● | ● |
| Fan speeds | 6 | 6 |
| Cleaning | | |
| Dishwasher safe aluminium mesh filters | ● | ● |
| Filter cleaning alert | ● | ● |
| Installation | | |
| Two piece adjustable flue with optional extensions | ● | ● |
| Ducted or recirculating options | ● | ● |
| Controls | | |
| Soft-touch controls | ● | ● |
| Manual and sensor modes | ● | ● |
| Timer function | ● | ● |
| Halogen lights | 4 x 10W | 2 x 10W |
| AMP draw | 10A | 10A |
| Supply voltage | 220V | 220V |
| Optional accessories | | |
| Recirculating kit | ● | ● |
| Carbon filter | ● | ● |
| Aluminium filter | ● | ● |

| | | | |
|--|---|---|---|
| |  |  |  |
| Type of appliance | 120cm Wall Canopy Rangehood | 90cm Wall Canopy Rangehood | 60cm Wall Canopy Rangehood |
| Model no. | HC120DCXB1 | HC90DCXB1 | HC60DCXB1 |
| Finish | Stainless steel Black glass | Stainless steel Black glass | Stainless steel Black glass |
| Dimensions | H635-1035 x W1200 x D500mm | H635-1035 x W898 x D500mm | H635-1035 x W600 x D500mm |
| Fan ratings | | | |
| Maximum air movement | 800m ³ /hr | 800m ³ /hr | 800m ³ /hr |
| Maximum decibel rating | 60dBA | 60dBA | 60dBA |
| Performance | | | |
| Centrifugal fan | ● | ● | ● |
| Fan speeds | 3 | 3 | 3 |
| Cleaning | | | |
| Dishwasher safe aluminium mesh filters | 4 | 3 | 2 |
| Easy-clean interior plate | ● | ● | ● |
| Installation | | | |
| Two-piece adjustable flue with optional extensions | ● | ● | ● |
| Ducted or recirculating options | ● | ● | ● |
| Controls | | | |
| Capacitive touch controls | ● | ● | ● |
| Timer function | ● | ● | ● |
| Halogen lights | 2 x 50W | 2 x 50W | 2 x 50W |
| Dimmable lights | ● | ● | ● |
| AMP draw | 10A | 10A | 10A |
| Supply voltage | 220V | 220V | 220V |
| Optional accessories | | | |
| Chimney extension | ● | ● | ● |
| Ducting accessories | ● | ● | ● |
| Recirculating kit | ● | ● | ● |
| Charcoal filter | ● | ● | ● |



| | |
|--|--------------------------------|
| Type of appliance | 90cm Wall Canopy Rangehood |
| Model no. | HT90DXB1 |
| Finish | Stainless steel Black glass |
| Dimensions | H855-1152 x W900 x D379mm |
| Fan ratings | |
| Maximum air movement | 800m³/hr |
| Maximum decibel rating | 60dBA |
| Performance | |
| Perimeter extraction | ● |
| Fan speeds | 4 |
| Cleaning | |
| Dishwasher safe aluminium mesh filters | ● |
| Filter cleaning alert | ● |
| Installation | |
| Two piece adjustable flue with optional extensions | ● |
| Ducted or recirculating options | ● |
| Controls | |
| Capacitive touch controls | ● |
| Timer function | ● |
| Halogen lights | 2 x 50W |
| Dimmable lights | ● |
| AMP draw | 10A |
| Supply voltage | 220V |
| Optional accessories | |
| Recirculating kit | ● |
| Charcoal filter | ● |

OVEN FUNCTIONS

| | | | |
|--|--|---|---|
|  | Oven Light <p>Remains lit while the oven is in use, but can also be used independently from the other cooking functions.</p> |  | Fan Forced <p>A very flexible method of cooking. A concealed element surrounding the fan at the rear of the oven heats air which is then distributed evenly around the cavity. This is the ideal mode for multi-shelf cooking and complete oven meals.</p> |
|  | Bake <p>Heat is provided from the upper and lower elements. A traditional cooking mode, suitable for single shelf cooking of items like cakes, delicate items like sponges, custard tart and crème brûlée.</p> |  | Defrost <p>The oven fan circulates air around the oven, speeding up the defrosting process by up to 30%.</p> |
|  | Fan Bake <p>The oven fan circulates hot air from upper and lower elements and distributes it around the cavity. Food browns more quickly, great for crisping pastry. Suitable for robust items like cookies, scones and muffins.</p> |  | |
|  | Classic Bake <p>Uses the heat from the lower element only. This is a traditional cooking mode which is suitable for recipes that were developed in older ovens. For best results, cook on only one shelf at a time. Perfect for foods that require delicate cooking and have a pastry base, like custard tarts, quiches and cheesecake or anything that does not require direct heat and browning on the top surface.</p> |  | Warm <p>Use this function to keep cooked food hot and to warm plates and serving dishes.</p> |
|  | Pastry Bake/Fan Forced with Lower Heat <p>The lower heating element and fan provide outstanding cooking performance.</p> |  | Warm <p>Use this function to keep cooked food hot and to warm plates and serving dishes.</p> |
|  | Roast <p>A two step program that has been developed to help you cook delicious roasts effortlessly. This function is a combination of grill and bake, grilling your food for the first 20 minutes it then bakes at the set temperature for the rest of your cooking time. This sears the meat to keep in the juices.</p> |  | Pyrolytic Self-Clean <p>During the self-clean cycle, the oven reaches higher temperatures than it does for cooking, breaking down soil and grease deposits which can be wiped away with a damp cloth.</p> |
|  | Grill <p>The grill element delivers heat for fast, healthy grilling. Perfect for tender meat cuts, toasting and crisping.</p> |  | Rotisserie <p>A delicious way to cook meat and poultry. The slowly rotating food is basted continuously in its own juices, making it tender on the inside and well browned and full of flavour on the outside. A two step program that has been developed to help you cook delicious roasts effortlessly. This function is a combination of grill and bake, grilling your food for the first 20 minutes it then bakes at the set temperature for the rest of your cooking time. This sears the meat to keep in the juices.</p> |
|  | | | Sabbath mode <p>This setting is designed for religious faiths that observe a 'no work' requirement on the Sabbath. It is used in conjunction with the Bake function.</p> |
|  | Fan Grill <p>The oven fan circulates hot air from the top element for high speed grilling and produces food with a finish that is similar to a rotisserie. Food is crisp and brown on the outside while the inside remains moist and tender.</p> | | |
|  | | | |

Note: Use all oven functions with the oven door closed.

OB60N8DTX1 60cm Built-in Conventional Compact Oven



Defrost: Using a small amount of heat in the oven the fan circulates air around the oven, speeding up the defrosting process.



Traditional: Heat is provided from the upper and lower elements. A traditional cooking mode, suitable for single shelf cooking of items like cakes and delicate items like sponges, custard tarts and creme brulee.



Double fan assisted bottom element: Cooking is controlled by the bottom element combined with a slight dose of the grill and the fan with food placed on lowest shelf position. Recommended for moist dishes (quiches, juicy fruit tarts, etc.). The crust will be thoroughly cooked on the bottom. Recommended for dishes that rise (cakes, brioche, etc.) and for soufflés that will not be hampered by a crust formed on the top.



Grill: The grill element delivers heat for fast, healthy grilling. Perfect for tender meat cuts, toasting and crisping.



Medium grill: Using the inner section of the grill, the grill element delivers heat for fast, healthy grilling. Perfect for tender meat cuts, toasting and crisping.



Fan assisted grill: The oven fan circulates hot air from the top element for high speed grilling and produces food with a finish that is similar to a rotisserie. Food is crisp and brown on the outside while the inside remains moist and tender.



Turbo plus: A very flexible method of cooking. A concealed element surrounding the fan at the rear of the oven heats air which is then distributed evenly around the cavity.



Traditional fan assisted: The oven fan circulates hot air from upper and lower elements and distributes it around the cavity. Food browns more quickly: great for crisping pastry. Suitable for robust items like cookies, scones and muffins.

OS60NDTX1 60cm Built-in Steam Oven



This function is used most often and perfect for steaming vegetables and meat at 100°C.



This function is used for fragile foods such as a whole fish, steaming at a temperature of 85°C



This function is ideal for cooking fragile fish fillets, as the temperature is a slightly lower temperature of 75°C.



This function is used for foods that need to hold their shape, such as baked eggs, stuffed tomatoes, ramekins or custard, steaming at a temperature of 90°C.



This function is ideal for heating up ready meals, steaming at a temperature of 95°C.



This function is used for gentle heating such as melting chocolate or butter, steaming at a lower temperature of 80°C.



Steaming at a low temperature of 55°C this function is ideal for slow defrosting without cooking, for foods such as defrosting fish fillets before coating with breadcrumbs or fruits that have to be kept cold for tarts and coulis.



This function is used for slow defrosting of meat before grilling, such as sausages, steaming at a temperature of 60°C.

OM36NDXB1 60cm Built-in Microwave Oven



Microwave Max: 1000W max programme.



Microwave by levels: Programming by power level 100W - 1000W in 50W steps offering 19 power levels.



Grill High: This function lets you cook and brown foods such as gratinated dishes and meats.



Grill Medium: This function lets you cook and brown foods such as gratinated dishes and meats.



Grill high + microwave: This function lets you use the grill and the microwave simultaneously, which makes cooking very quick. You can use any of the grill levels with microwaving, as you choose.



Grill medium + microwave: This function lets you use the grill and the micro-wave simultaneously, which makes cooking very quick. You can use any of the grill levels with microwaving, as you choose.



Heat circulation: The heat circulation function lets you cook and brown foods like in a traditional oven.



Microwave + heat circulation: The cooking by microwave and heat circulation function saves you a lot of time. The cooking temperature can be adjusted in increments of 10°C, from 50°C to 250°C and you set the cooking time.



Defrost: Select the defrost program that corresponds to the type and quantity of food that you wish to defrost and the "automatic" function will program the required defrosting time.



Warm: Keeps food hot until you're ready. Temperature can be selected from 35°C to 100°C.

EB60DSXB1 60cm Built-in Coffee Maker



Menu: Pressing the menu icon will activate or deactivate the menu settings, scrolling through the menu and display by using the up and down arrows.



Lights: Pressing the light icon will turn the lights on and off, located above the cup tray.



Coffee strength: The preferred coffee taste can be chosen by pressing the coffee bean icon. Preset to make coffee with a normal taste, with further options from extra-mild, mild, strong, extra-strong or a pre-ground coffee option.



Cup size: The amount of coffee can be chosen by pressing the cup size icon. Options include, espresso, small cup, medium cup, large cup, or mug.



Single cup: Pressing the single cup icon, will deliver a cup of coffee once the coffee strength and cup size has been selected.



Two cups: Pressing the two cups icon, will deliver two cups of coffee once the coffee strengths and cup sizes have been selected.



Steam: When using the steam milk frother, deliver steam by pressing the steam icon followed by the OK icon. For a creamier milk froth, immerse the frother in the milk and move the container with slow upward movements. By pressing the steam icon again or ESC icon, it will stop the steam delivery.




Hot water: Pressing the hot water icon will deliver hot water followed by the OK icon. By pressing the hot water icon again or ESC icon, it will stop the hot water delivery.

90cm 3 Burner Gas on Glass Cooktop

Model no:
CG903DNGB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 59 |
| Ⓑ Overall width of product | 900 |
| Ⓒ Overall depth of product | 450 |



75cm 2 Burner Gas on Glass Cooktop

Model no:
CG752DNGB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 59 |
| Ⓑ Overall width of product | 750 |
| Ⓒ Overall depth of product | 450 |



45cm 1 Burner Gas on Glass Cooktop

Model no:
CG451DNGGB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 59 |
| Ⓑ Overall width of product | 450 |
| Ⓒ Overall depth of product | 530 |



90cm 5 Burner Gas Cooktop

Model no:
CG905DWFCX1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 50 |
| Ⓑ Overall width of product | 914 |
| Ⓒ Overall depth of product | 533 |



60cm 4 Burner Gas Cooktop

Model no:
CG604DWFCX1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 50 |
| Ⓑ Overall width of product | 578 |
| Ⓒ Overall depth of product | 511 |



90cm 5 Zone Induction Cooktop

Model no:
CI905DTB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 50 |
| Ⓑ Overall width of product | 900 |
| Ⓒ Overall depth of product | 530 |



75cm 4 Zone Induction Cooktop

Model no:
CI754DTB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 50 |
| Ⓑ Overall width of product | 750 |
| Ⓒ Overall depth of product | 530 |



60cm 4 Zone Induction Cooktop

Model no:
CI604DTB1


| Dimensions | mm |
|--|-----|
| Ⓐ Height of chassis (below top of bench) | 50 |
| Ⓑ Overall width of product | 600 |
| Ⓒ Overall depth of product | 530 |



90cm Single Pyrolytic Built-In Oven

Model no:
OB90S9MEPX1


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 478 |
| Ⓑ Overall width of product | 895 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 20 |
| Ⓓ Depth of product chassis | 544 |



60cm Nine Function Built-In Oven

Model no:
OB60S9DEPX1, OB60S9DEX1


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 597 |
| Ⓑ Overall width of product | 595 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 22 |
| Ⓓ Depth of product chassis | 545 |



60cm Tower Built-In Oven

Model no:
OB60DDEX2

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 1077 |
| Ⓑ Overall width of product | 595 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 22 |
| Ⓓ Depth of product chassis | 545 |




60cm Compact Built-In Oven

Model no:
OB60NDEX1

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 450* |
| Ⓑ Overall width of product | 595 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 22 |
| Ⓓ Depth of product chassis | 534 |

*If fitting the lower trim extension kit, the overall height of product increases by 25mm (to 475mm).




60cm Built-In Conventional Compact Oven

Model no:
OB60N8DTX1

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 457* |
| Ⓑ Overall width of product | 597 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 23 |
| Ⓓ Depth of product chassis (does not include oven front) | 547 |

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Steam Oven

Model no:
OS60NDTX1

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 457* |
| Ⓑ Overall width of product | 597 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 23 |
| Ⓓ Depth of product chassis (does not include oven front) | 400 |

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Combination Microwave Oven

Model no:
OM36NDXB1

| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 457* |
| Ⓑ Overall width of product | 597 |
| Ⓒ Depth of product front and control panel (excludes handle and dials) | 23 |
| Ⓓ Depth of product chassis (does not include oven front) | 547 |

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-In Coffee Maker

Model no:
EB60DSXB1

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 457* |
| Ⓑ Overall width of product | 597 |
| Ⓒ Depth of product front and control panel | 21 |
| Ⓓ Depth of product chassis | 391 |


*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).



60cm Warming Drawer

Model no:
WB60SDEB1


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 118 |
| Ⓑ Overall width of product | 596 |
| Ⓒ Depth of product front (excludes handle) | 20 |
| Ⓓ Depth of product chassis | 536 |



60cm Warming Drawer

Model no:
WB60SDEX1


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 118 |
| Ⓑ Overall width of product | 596 |
| Ⓒ Depth of product front (excludes handle) | 19 |
| Ⓓ Depth of product chassis | 535 |



31L Microwave Oven

Model no:
OM31BDCBX1


| Dimensions | mm |
|-----------------------------|-----|
| Ⓐ Overall height of product | 390 |
| Ⓑ Overall width of product | 592 |
| Ⓒ Depth of product chassis | 515 |



120cm VentSurface Island Rangehood

Model no:
HI120MXB1


| Dimensions | mm |
|-----------------------------|------------------------|
| Ⓐ Overall height of product | min. 682 - max. 939 |
| Ⓑ Overall width of product | 1198 |
| Ⓒ Overall depth of canopy | 648 |



90cm VentSurface Wall Rangehood

Model no:
HC90MXB1


| Dimensions | mm |
|-----------------------------|------------------------|
| Ⓐ Overall height of product | min. 682 - max. 939 |
| Ⓑ Overall width of product | 898 |
| Ⓒ Overall depth of canopy | 470 |



120cm Wall Canopy Rangehood

Model no:
HC120DCXB1


| Dimensions | mm |
|-----------------------------|-------------------------|
| Ⓐ Overall height of product | min. 635 - max. 1035 |
| Ⓑ Overall width of product | 1200 |
| Ⓒ Overall depth of canopy | 500 |



90cm Wall Canopy Rangehood

Model no:
HC90DCXB1


| Dimensions | mm |
|-----------------------------|-------------------------|
| Ⓐ Overall height of product | min. 635 ~ max. 1035 |
| Ⓑ Overall width of product | 898 |
| Ⓒ Overall depth of canopy | 500 |



60cm Wall Canopy Rangehood

Model no:
HC60DCXB1


| Dimensions | mm |
|-----------------------------|-------------------------|
| Ⓐ Overall height of product | min. 635 ~ max. 1035 |
| Ⓑ Overall width of product | 600 |
| Ⓒ Overall depth of canopy | 500 |



90cm Wall Canopy Rangehood


Model no:
HT90DXB1

| Dimensions | mm |
|-----------------------------|-------------------------|
| Ⓐ Overall height of product | min. 855 - max. 1152 |
| Ⓑ Overall width of product | 900 |
| Ⓒ Overall depth of canopy | 379 |




COOL




COOL



| Type of appliance | CoolDrawer™ | |
|---|--|--|
| Model no. | RB90S64MKIW1 | |
| Finish | ● | |
| Integrated | ● | |
| EZKleen stainless steel drawer panel | Part number 840545 | |
| Dimensions | H640 x W855 x D557mm (excluding drawer panel, including power cord) | |
| Capacity | 80 litres | |
| Total gross capacity | | |
| Modes | | |
| Chill (-0.5°C) | ● | |
| Pantry (12°C) | ● | |
| Wine (7–15°C) | ● | |
| Refrigerator (3°C) | ● | |
| Freezer (-18°C) | ● | |
| Features | | |
| Touch control glass interface | ● | |
| Key lock | ● | |
| Variable temperature control | ● | |
| Fruit and vegetable drawer and pullout tray | ● | |
| Customisable storage container | ● | |
| Drawer alarm | ● | |





| Type of appliance | French Door Refrigerator | |
|--------------------------------|--|--|
| Model no. | RF610ADUSX4 | |
| Finish | EZKleen stainless steel flat door Concealed hinge | |
| Dimensions (excluding handles) | H1790 x W900 x D695mm | |
| Capacity (net) | | |
| Refrigerator | 413 litres | |
| Freezer | 128 litres | |
| Total | 541 litres | |
| Total gross capacity | 614 litres | |
| Performance | | |
| ActiveSmart™ technology | ● | |
| Frost free freezer | ● | |
| Adaptive defrost | ● | |
| Humidity control system | ● | |
| Refrigerator | | |
| Ultra slim water dispenser | ● | |
| Softclose doors | ● | |
| SmartTouch control panel | ● | |
| Door alarm | ● | |
| Adjustable glass shelves | 3 | |
| Fruit and vegetable bins | 2 | |
| Stackable bottle holders | 4 | |
| Adjustable door shelves | 6 | |
| Covered door shelves | 2 | |
| LED light | ● | |
| Deli storage bins | 2 | |
| Freezer | | |
| Ice boost | ● | |
| Fast freeze | ● | |
| Bottle chill | ● | |
| Built-in ice maker | ● | |
| Large plastic bin | ● | |
| Small plastic bins | 2 | |
| Ice bin and scoop | ● | |
| LED light | ● | |
| Door alarm | ● | |
| Accessories | | |
| Water filter | Part number 836848 | |
| Stainless steel surround kit | Part number 23989 | |




| | | | |
|---------------------------------------|--|--|--|
| Type of appliance | Ice & Water Bottom Freezer Refrigerator | Ice & Water Bottom Freezer Refrigerator | Ice & Water Bottom Freezer Refrigerator |
| Models no. | E522BRXFDU4 | E442BRXFDU4 | E402BRXFDU4 |
| Finish | EZKleen stainless steel flat door Concealed hinge | EZKleen stainless steel flat door Concealed hinge | EZKleen stainless steel flat door Concealed hinge |
| Dimensions (excluding handles) | H1715 x W790 x D695mm | H1715 x W680 x D695mm | H1715 x W635 x D695mm |
| Capacity (net) | | | |
| Refrigerator | 351 litres | 295 litres | 272 litres |
| Freezer | 118 litres | 97 litres | 88 litres |
| Total | 469 litres | 392 litres | 360 litres |
| Total gross capacity | 534 litres | 448 litres | 414 litres |
| Performance | | | |
| ActiveSmart™ technology | ● | ● | ● |
| Frost free freezer | ● | ● | ● |
| Adaptive defrost | ● | ● | ● |
| Humidity control system | ● | ● | ● |
| Refrigerator | | | |
| Ultra slim water dispenser | ● | ● | ● |
| SmartTouch control panel | ● | ● | ● |
| Door alarm | ● | ● | ● |
| Adjustable glass shelves | 4 | 4 | 4 |
| Fruit and vegetable bins | 2 | 2 | 2 |
| Stackable bottle holders | 4 | 2 | 2 |
| Adjustable door shelves | 4 | 4 | 4 |
| Covered door shelves | 2 | 2 | 2 |
| Egg trays | 2 | 2 | 2 |
| LED light | ● | ● | ● |
| Freezer | | | |
| Ice boost | ● | ● | ● |
| Fast freeze | ● | ● | ● |
| Bottle chill | ● | ● | ● |
| Built-in ice maker | ● | ● | ● |
| Large plastic bin | ● | ● | ● |
| Small plastic bins | 2 | 2 | 2 |
| Ice bin and scoop | ● | ● | ● |
| Centre roll out tray | ● | ● | ● |
| Door alarm | ● | ● | ● |
| Accessories | | | |
| Water filter | Part number 836848 | Part number 836848 | Part number 836848 |
| Surround kits | | | |
| R-hand hinge | Part number 23987 | Part number 23984 | Part number 23981 |
| Pigeon pair (two fridges joined) | Part number 23988 | Part number 23985 | Part number 23982 |
| Joiner kit | Part number 819264 | Part number 819264 | Part number 819264 |

COOL



| Type of appliance | Bottom Freezer Refrigerator | Bottom Freezer Refrigerator | Bottom Freezer Refrigerator |
|----------------------------------|--|--|--|
| Model no. | E522BLXFD4 | E442BLXFD4 | E402BRXFD4 E402BLXFD4 |
| Finish | EZKleen stainless steel flat door Concealed hinge | EZKleen stainless steel flat door Concealed hinge | EZKleen stainless steel flat door Concealed hinge |
| Dimensions (excluding handles) | H1715 x W790 x D695mm | H1715 x W680 x D695mm | H1715 x W635 x D695mm |
| Capacity (net) | | | |
| Refrigerator | 351 litres | 295 litres | 272 litres |
| Freezer | 118 litres | 97 litres | 88 litres |
| Total | 469 litres | 392 litres | 360 litres |
| Total gross capacity | 534 litres | 448 litres | 414 litres |
| Performance | | | |
| ActiveSmart™ technology | ● | ● | ● |
| Frost free freezer | ● | ● | ● |
| Adaptive defrost | ● | ● | ● |
| Humidity control system | ● | ● | ● |
| Refrigerator | | | |
| SmartTouch control panel | ● | ● | ● |
| Door alarm | ● | ● | ● |
| Adjustable glass shelves | 4 | 4 | 4 |
| Fruit and vegetable bins | 2 | 2 | 2 |
| Stackable bottle holders | 4 | 2 | 2 |
| Adjustable door shelves | 4 | 4 | 4 |
| Covered door shelves | 2 | 2 | 2 |
| Egg trays | 2 | 2 | 2 |
| LED light | ● | ● | ● |
| Freezer | | | |
| Fast freeze | ● | ● | ● |
| Bottle chill | ● | ● | ● |
| Large plastic bin | ● | ● | ● |
| Small plastic bins | 2 | 2 | 2 |
| Ice tray | 2 | 2 | 2 |
| Ice bin and scoop | ● | ● | ● |
| Door alarm | ● | ● | ● |
| Accessories | | | |
| Surround kits | | | |
| L-hand hinge | Part number 23986 | Part number 23983 | Part number 23980 |
| R-hand hinge | | | Part number 23981 |
| Pigeon Pair (two fridges joined) | Part number 23988 | Part number 23985 | Part number 23982 |
| Joiner kit | Part number 819264 | Part number 819264 | Part number 819264 |




| | |
|---------------------------------------|---|
| Type of appliance | Bottom Freezer Integrated Refrigerator |
| Model no. | RB60V18 |
| Finish | Integrated |
| Dimensions (excluding handles) | H1773 x W555 x D540mm |
| Capacity (net) | |
| Refrigerator | 138 litres |
| Freezer | 25 litres |
| Total | 225 litres |
| Total gross capacity | 266 litres |
| Performance | |
| Frost free | ● |
| Auto defrost | ● |
| Fast freeze | ● |
| Rapid cooling | ● |
| Variable temperature drawer | ● |
| Humidity controlled crisper bin | ● |
| Holiday mode | ● |
| Refrigerator | |
| Door alarm | ● |
| Adjustable glass shelves | 3 |
| Split glass shelf | ● |
| Fruit & vegetable bins | ● |
| Adjustable door shelves | 3 |
| LED lighting | ● |
| Egg trays | ● |
| Freezer | |
| Clear plastic bins | 3 |

CoolDrawer™

Model no:
RB90S64MKIW1

| Dimensions | mm |
|--|------|
| Ⓐ Overall height of product | 640 |
| Ⓑ Overall width of product | 855 |
| Ⓒ Overall depth of product | 557 |
| Ⓓ Height of product front | 476* |
| Ⓔ Width of product front | 896* |
| Ⓕ Depth of product front (excludes handle) | 18* |

*Optional EZKleen Stainless Steel drawer panel, alternatively door and false panel to be manufactured and fitted by cabinetmaker.



French Door Refrigerator (Flat door)

Model no:
RF610ADUSX4 (Ice & Water)

| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 1790 |
| Ⓑ Overall width of product | 900 |
| Ⓒ Overall depth of product (excludes handle and evaporator) | 695 |

Cabinetry Dimensions

| | |
|---------------------------|------|
| Ⓓ Inside height of cavity | 1810 |
|---------------------------|------|

Flush with refrigerator chassis

| | |
|----------------|-----|
| Ⓔ Inside width | 940 |
| Ⓕ Inside depth | 620 |

Flush with refrigerator door


| | |
|-----------------------------------|------|
| Ⓖ Inside width | 1170 |
| Ⓗ Inside depth flush to flat door | 695 |

Flush with refrigerator door - 90° rotation

| | |
|-----------------------------------|------|
| Ⓙ Inside width | 1125 |
| Ⓚ Inside depth flush to flat door | 695 |

Minimum Clearances

| | |
|---|-----|
| Ⓛ Side clearance | 20 |
| Ⓜ Side clearance-hinge side flush with door-full rotation | 135 |
| Ⓨ Side clearance-hinge side flush with door-90° rotation | 90 |
| ⓐ Rear clearance (including evaporator tray) | 30 |
| ⓑ Vent (above refrigerator cabinet or around top of cupboard) | 50 |
| Ⓒ Door clearance-hinge side flush with chassis-full rotation | 365 |
| Ⓓ Door clearance-hinge side flush with door-full rotation | 250 |







Bottom Freezer Refrigerator (Flat door)

Model no:

E522BRXFDU4 (Ice & Water)**E522BLXFD4**





| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 1715 |
| Ⓑ Overall width of product | 790 |
| Ⓒ Overall depth of product (excludes handle and evaporator) | 695 |
| Cabinetry Dimensions | |
| Ⓓ Inside height of cavity | 1735 |
| Flush with refrigerator chassis | |
| Ⓔ Inside width | 830 |
| Ⓕ Inside depth | 620 |
| Flush with refrigerator door | |
| Ⓖ Inside width | 945 |
| Ⓗ Inside depth flush to flat door | 695 |
| Flush with refrigerator door-90° rotation | |
| Ⓘ Inside width | 900 |
| Ⓛ Inside depth flush to flat door | 695 |
| Minimum Clearances | |
| Ⓚ Side clearance | 20 |
| Ⓛ Side clearance-hinge side flush with door-full rotation | 135 |
| Ⓜ Side clearance-hinge side flush with door-90° rotation | 90 |
| Ⓝ Rear clearance (including evaporator tray) | 30 |
| Ⓟ Vent (above refrigerator cabinet or around top of cupboard) | 50 |
| Ⓠ Door clearance-hinge side flush with chassis-full rotation | 645 |
| Ⓡ Door clearance-hinge side flush with door-full rotation | 530 |

Plan View
Flush with refrigerator chassisPlan View
Flush with refrigerator doorPlan View
Flush with refrigerator door
- 90° door rotation**Bottom Freezer Refrigerator** (Flat door)

Model no:

E442BRXFDU4 (Ice & Water),**E442BLXFD4**


| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 1715 |
| Ⓑ Overall width of product | 680 |
| Ⓒ Overall depth of product (excludes handle, includes evaporator) | 695 |
| Cabinetry Dimensions | |
| Ⓓ Inside height of cavity | 1735 |
| Flush with refrigerator chassis | |
| Ⓔ Inside width | 720 |
| Ⓕ Inside depth | 620 |
| Flush with refrigerator door | |
| Ⓖ Inside width | 835 |
| Ⓗ Inside depth flush to flat door | 695 |
| Flush with refrigerator door-90° rotation | |
| Ⓘ Inside width | 790 |
| Ⓛ Inside depth flush to flat door | 695 |
| Minimum Clearances | |
| Ⓚ Side clearance | 20 |
| Ⓛ Side clearance-hinge side flush with door-full rotation | 135 |
| Ⓜ Side clearance-hinge side flush with door-90° rotation | 90 |
| Ⓝ Rear clearance (including evaporator tray) | 30 |
| Ⓟ Vent (above refrigerator cabinet or around top of cupboard) | 50 |
| Ⓠ Door clearance-hinge side flush with chassis-full rotation | 555 |
| Ⓡ Door clearance-hinge side flush with door-full rotation | 440 |

Plan view
Flush with refrigerator chassisPlan view
Flush with refrigerator door
- 90° door rotation

Bottom Freezer Refrigerator (Flat door)

Model no:
E402BRXFDU4 (Ice & Water),
E402BRXFD4, E402BLXFD4

| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 1715 |
| Ⓑ Overall width of product | 635 |
| Ⓒ Overall depth of product (excludes handle, includes evaporator) | 695 |
| Cabinetry dimensions | |
| Ⓓ Inside height of cavity | 1735 |
| Flush with refrigerator chassis | |
| Ⓔ Inside width | 675 |
| Ⓕ Inside depth | 620 |
| Flush with refrigerator door | |
| Ⓖ Inside width | 790 |
| Ⓢ Inside depth flush to flat door | 695 |
| Flush with refrigerator door - 90° rotation | |
| Ⓣ Inside width | 745 |
| Ⓤ Inside depth flush to flat door | 695 |
| Minimum clearances | |
| Ⓒ Side clearance | 20 |
| Ⓛ Side clearance - hinge side flush with door - full rotation | 135 |
| Ⓜ Side clearance - hinge side flush with door - 90° rotation | 90 |
| Ⓝ Rear clearance (including evaporator tray) | 30 |
| Ⓟ Vent (above refrigerator cabinet or around top of cupboard) | 50 |
| Ⓔ Door clearance - hinge side flush with chassis - full rotation | 520 |
| Ⓡ Door clearance - hinge side flush with door - full rotation | 405 |




Bottom Freezer Integrated Refrigerator

Model no:
RB60V18

| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 1773 |
| Ⓑ Overall width of product | 555 |
| Ⓒ Overall depth of product (includes condenser and door brackets) | 540* |

* Does not include door panels to be manufactured and fitted by cabinetmaker.



CLEAN

CLEAN





| | |
|--|-----------------------------------|
| Type of appliance | DishDrawer™ Wide Dishwasher |
| Model no. | DD90SDFHTX2 |
| Finish | EZKleen stainless steel flat door |
| Dimensions (excluding handles) | H478 x W895 x D571mm |
| Noise level | 49dBA |
| Performance | |
| SmartDrive™ technology | ● |
| Water level sensing | ● |
| Flow through detergent dispenser | ● |
| Quiet operation | ● |
| Fan assisted drying | ● |
| Built-in water softener | ● |
| Capacity and loading | |
| Place settings per drawer | 9 |
| Flexible racking system | ● |
| Fold down tines | ● |
| Adjustable racks and cup racks | ● |
| Accommodates long stemmed glasses | ● |
| Accommodates plates up to | 315mm |
| Wash programs | |
| Nine wash programs | ● |
| Eco options | ● |
| Permanent memory of the last cycle used | ● |
| Safety | |
| Three stage total flood protection | ● |
| Controls | |
| Concealed control panels with single touch programming | ● |
| Key lock | ● |
| Child safety lock | ● |
| End of cycle beeps | ● |
| One button start | ● |
| Energy saving delay start option of up to 12 hours | ● |
| Rinse aid indicator light and lens | ● |
| Electronic fault/Diagnostic indicator | ● |
| AMP draw | 10A |
| Accessories | |
| Cutlery basket | ● |
| Knife clip | 2 |




| | | |
|--|--|---|
| Type of appliance | DishDrawer™ Tall Dishwasher | DishDrawer™ Tall Dishwasher |
| Model no. | DD60SDFHTX7 | DD60SHTI7 |
| Finish | EZKleen stainless steel flat door | Integrated (apply your own cabinetry façade) |
| Dimensions (excluding handles) | H478 x W599 x D571mm | H454 – 478 x W599 x D569 – 573mm |
| Noise level | 43dBA | 43dBA |
| Performance | | |
| SmartDrive™ technology | ● | ● |
| Water level sensing | ● | ● |
| Flow through detergent dispenser | ● | ● |
| Quiet operation | ● | ● |
| Fan assisted drying | ● | ● |
| Built-in water softener | ● | ● |
| Capacity and loading | | |
| Place settings per drawer | 7 | 7 |
| Flexible racking system | ● | ● |
| Fold down tines | ● | ● |
| Adjustable racks and cup racks | ● | ● |
| Accommodates long stemmed glasses | ● | ● |
| Accommodates plates up to | 330mm | 330mm |
| Wash programs | | |
| Nine wash programs | ● | ● |
| Eco options | ● | ● |
| Permanent memory of the last cycle used | ● | ● |
| Safety | | |
| Three stage total flood protection | ● | ● |
| Controls | | |
| Concealed control panels with single touch programming | ● | ● |
| Key lock | ● | ● |
| Child safety lock | ● | ● |
| End of cycle beeps | ● | ● |
| One button start | ● | ● |
| Energy saving delay start option of up to 12 hours | ● | ● |
| Rinse aid indicator light and lens | ● | ● |
| Electronic fault/Diagnostic indicator | ● | ● |
| AMP draw | 4.5A | 4.5A |
| Accessories | | |
| Cutlery basket | ● | ● |
| Knife clip | 2 | 2 |
| Satin chrome badge | | ● |

CLEAN



| Type of appliance | DishDrawer™ Double Dishwasher | DishDrawer™ Double Dishwasher |
|--|-----------------------------------|---|
| Model no. | DD60DDFH7 | DD60DIH7 |
| Finish | EZKleen stainless steel flat door | Integrated (apply your own cabinetry façade) |
| Dimensions (excluding handles) | H820-880 x W599 x D571mm | H820-880 x W599 x D569-573mm |
| Noise level | 43dBA | 43dBA |
| Performance | | |
| SmartDrive™ technology | ● | ● |
| Water level sensing | ● | ● |
| Flow through detergent dispenser | ● | ● |
| Quiet operation | ● | ● |
| Fan assisted drying | ● | ● |
| Built-in water softener | ● | ● |
| Capacity and loading | | |
| Place settings per drawer | 7 | 7 |
| Flexible racking system | ● | ● |
| Fold down and pitch adjustable tines | ● | ● |
| Adjustable racks and cup racks | ● | ● |
| Accommodates long stemmed glasses | ● | ● |
| Accommodates plates up to | 290mm | 290mm |
| Wash programs | | |
| Nine wash programs | ● | ● |
| Genuine half load wash option | ● | ● |
| Eco options | ● | ● |
| Permanent memory of the last cycle used | ● | ● |
| Safety | | |
| Three stage total flood protection | ● | ● |
| Controls | | |
| Concealed control panels with single touch programming | ● | ● |
| Key lock | ● | ● |
| Child safety lock | ● | ● |
| End of cycle beeps | ● | ● |
| One button start | ● | ● |
| Energy saving delay start option of up to 12 hours | ● | ● |
| Rinse aid indicator light and lens | ● | ● |
| Electronic fault/Diagnostic indicator | ● | ● |
| AMP draw | 9A | 9A |
| Accessories | | |
| Cutlery basket | 2 | 2 |
| Knife clip | 4 | 4 |
| Satin chrome badge | ● | ● |
| Kickstrip | ● | ● |




| Type of appliance | DishDrawer™ Single Dishwasher | DishDrawer™ Single Dishwasher | DishDrawer™ Single Dishwasher |
|--|-----------------------------------|-------------------------------------|---|
| Model no. | DD60SDFHX7 | DD60SCHX7 | DD60SIH7 |
| Finish | EZKleen stainless steel flat door | EZKleen stainless steel curved door | Integrated (apply your own cabinetry façade) |
| Dimensions (excluding handles) | H410 x W599 x D571mm | H410 x W599 x D582mm | H410 x W599 x D569-573mm |
| Noise level | 43dBA | 43dBA | 43dBA |
| Performance | | | |
| SmartDrive™ technology | ● | ● | ● |
| Water level sensing | ● | ● | ● |
| Flow through detergent dispenser | ● | ● | ● |
| Quiet operation | ● | ● | ● |
| Fan assisted drying | ● | ● | ● |
| Built-in water softener | ● | ● | ● |
| Capacity and loading | | | |
| Place settings per drawer | 7 | 7 | 6 |
| Flexible racking system | ● | ● | ● |
| Fold down and pitch adjustable tines | ● | ● | ● |
| Adjustable racks and cup racks | ● | ● | ● |
| Accommodates long stemmed glasses | ● | ● | ● |
| Accommodates plates up to | 290mm | 290mm | 290mm |
| Wash programs | | | |
| Nine wash programs | ● | ● | ● |
| Eco options | ● | ● | ● |
| Permanent memory of the last cycle used | ● | ● | ● |
| Safety | | | |
| Three stage total flood protection | ● | ● | ● |
| Controls | | | |
| Concealed control panels with single touch programming | ● | ● | ● |
| Key lock | ● | ● | ● |
| Child safety lock | ● | ● | ● |
| End of cycle beeps | ● | ● | ● |
| One button start | ● | ● | ● |
| Energy saving delay start option of up to 12 hours | ● | ● | ● |
| Rinse aid indicator light and lens | ● | ● | ● |
| Electronic fault/Diagnostic indicator | ● | ● | ● |
| AMP draw | 4.5A | 4.5A | 4.5A |
| Accessories | | | |
| Cutlery basket | ● | ● | ● |
| Knife clip | 2 | 2 | 2 |
| Satin chrome badge | | | ● |

DishDrawer™ Wide Dishwasher

Model no:
DD90SDFHTX2


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 478 |
| Ⓑ Overall width of product | 895 |
| Ⓒ Depth of product front (excludes handle) | 18 |
| Ⓓ Depth of product chassis | 553 |



DishDrawer™ Tall Dishwasher

Model no:
DD60SDFHTX7

| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 478 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front (excludes handle) | 18 |
| Ⓓ Depth of product chassis | 553 |



DishDrawer™ Tall Dishwasher


Model no:

DD60SHT17

| Dimensions | mm |
|--|------------|
| Ⓐ Overall height of product | 454 - 478* |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front (excludes handle) | 16 - 20* |
| Ⓓ Depth of product chassis | 553 |

*Door panel to be manufactured and fitted by cabinetmaker.

*You may choose to install Tall Height Integrated models into either a 458 or a 480mm high cavity. Note: the minimum height of the custom drawer front panel will also be different for these options.




DishDrawer™ Double Dishwasher

Model no:

DD60DDFHx7

| Dimensions | mm |
|--|---------------------|
| Ⓐ Overall height of product | min. 820 - max. 880 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front (excludes handle) | 18 |
| Ⓓ Depth of product chassis | 553 |




DishDrawer™ Double Dishwasher

Model no:

DD60DIH7

| Dimensions | mm |
|--|---------------------|
| Ⓐ Overall height of product | min. 820 - max. 880 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front (excludes handle) | 16 - 20* |
| Ⓓ Depth of product chassis | 553 |
| *Door panel to be manufactured and fitted by cabinetmaker. | |




DishDrawer™ Single Dishwasher

Model no:

DD60SDFHX7


| Dimensions | mm |
|--|-----|
| Ⓐ Overall height of product | 410 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front (excludes handle) | 18 |
| Ⓓ Depth of product chassis | 553 |



DishDrawer™ Single Dishwasher

Model no:
DD60SCHX7


| Dimensions | mm |
|---|-----|
| Ⓐ Overall height of product | 410 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front measured at edge of door | 20* |
| Ⓓ Depth of product chassis | 553 |
| *Product front varies along the curve to a depth of 29mm. | |



DishDrawer™ Single Dishwasher





Model no:
DD60SIH7

| Dimensions | mm |
|---|----------|
| Ⓐ Overall height of product | 410 |
| Ⓑ Overall width of product | 599 |
| Ⓒ Depth of product front measured at edge of door | 16 - 20* |
| Ⓓ Depth of product chassis | 553 |
| *Door panels to be manufactured and fitted by cabinetmaker. | |



WASH
& DRY

WASH & DRY



Type of appliance

**8kg WashSmart™
Front Load Washer**

**7kg WashSmart™
Front Load Washer**

**8kg QuickSmart™
Front Load Washer**

**7kg QuickSmart™
Front Load Washer**

Model no.

WH8060P1

WH7060P1

WH8060J1

WH7060J1

Finish

White

White

White

White

Dimensions

H850 x W600 x D645mm

H850 x W600 x D590mm

H850 x W600 x D645mm

H850 x W600 x D590mm

Capacity (dry load)

8kg

7kg

8kg

7kg

Performance

SmartDrive™

●

●

●

●

Vortex Wash

●

●

●

●

Wash profiles

14

14

10

10

Spin speeds

4

4

3

3

Max spin speed

1400rpm

1400rpm

1100rpm

1100rpm

Wash cycles

Cottons

●

●

●

●

Everyday

●

●

●

●

Heavy

●

●

●

●

Delicate

●

●

●

●

Easy Iron

●

●

●

●

Bulky

●

●

●

●

Allergy

●

●

●

●

Handwash

●

●

●

●

Quick

●

●

●

●

Super Quick

●

●

●

●

Drum Clean

●

●

●

●

Rinse

●

●

●

●

Spin

●

●

●

●

Wash features

Water temperature controls

5

5

5

5

Soil level

3

3

Add a garment - immediate
door opening

●

●

Controlled cold

●

●

●

●

Extra rinse option

●

●

●

●

Pre wash

●

●

●

●

No spin/Spin hold

●

●

●

●

Eco

●

●

●

●

Wrinkle free

●

●

●

●

Time to go

●

●

●

●

Delay start

●

●

●

●

Customise cycle

●

●

●

●

Anti-fungal door gasket

●

●

●

●

Keylock

●

●

●

●

Auto out of balance correction

●

●

●

●

Excess foam detection

●

●

●

●

Flood protection

●

●

●

●

Detergent dispenser

●

●

●

●

Fabric softener dispenser

●

●

●

●

Hot and cold water inlets

●

●

●

●

Stainless steel drum

●

●

●

●

SmartTouch™ control dial


●

●


●

●

WASH & DRY




| | |
|----------------------------|------------------------------|
| Type of appliance | 6kg Front Load Washer |
| Model no. | WH60F60CIW1 |
| Finish | White |
| Dimensions | H825 x W595 x D530mm |
| Capacity (dry load) | 6kg |
| Performance | |
| Spin speeds | 5 |
| Max spin speed | 1200rpm |
| Wash cycles | |
| Mixed | ● |
| Delicate | ● |
| Heavy | ● |
| Cottons | ● |
| Synthetics | ● |
| Wool | ● |
| Pre Wash | ● |
| Bowl Clean | ● |
| Rinse & Spin | ● |
| Spin | ● |
| Quick | ● |
| Down | ● |
| Denim | ● |
| Sports | ● |
| Wash features | |
| Water temperature controls | 4 |
| Extra rinse | ● |
| No spin/Spin hold | ● |
| Delay start | ● |
| Long wash | ● |
| Short wash | ● |
| Max water | ● |



| | |
|----------------------------|--|
| Type of appliance | 6kg/3kg Front Load Washer Dryer |
| Model no. | WD6030F60CIW1 |
| Finish | White |
| Dimensions | H825 x W595 x D530mm |
| Capacity (dry load) | 6kg (wash), 3kg (dry) |
| Performance | |
| Spin speeds | 5 |
| Max spin speed | 1200rpm |
| Wash cycles | |
| Mixed | ● |
| Delicate | ● |
| Heavy | ● |
| Cottons | ● |
| Synthetics | ● |
| Wool | ● |
| Pre Wash | ● |
| Bowl Clean | ● |
| Quick | ● |
| Rinse & Spin | ● |
| Spin | ● |
| Dry cycles | |
| Dry | ● |
| Easy Iron | ● |
| Freshen up | ● |
| Wash features | |
| Water temperature controls | 4 |
| Extra rinse | ● |
| No spin/Spin hold | ● |
| Delay start | ● |
| Long wash | ● |
| Short wash | ● |

WASH & DRY



| | |
|--------------------------|----------------------------------|
| Type of appliance | 8kg AeroXL Dryer |
| Model no. | DE8060P1 |
| Finish | White |
| Dimensions | H850 x W600 x D645mm |
| Capacity (dry load) | 8kg |
| Dry Cycles | |
| Everyday | ● |
| Heavy | ● |
| Delicate | ● |
| Easy Iron | ● |
| Bulky | ● |
| Dry Rack | ● |
| Freshen Up | ● |
| Air Dry | ● |
| Time Dry 30 | ● |
| Time Dry 60 | ● |
| Time Dry 90 | ● |
| Performance | |
| Auto-sensing | ● |
| Condensing | ● |
| SmartTouch™ control dial | ● |
| Time remaining indicator | ● |
| Dryness settings | 5 |
| Wrinkle free option | ● |
| Easy access lint filter | ● |
| Manual time dry | 90, 60, 30 minutes |
| Delay start: | 5, 15, 30 minutes, 1-12 hours |
| Key lock | ● |
| End of cycle signal | ● |
| Stainless steel drum | ● |
| Drying rack | ● |
| Drum light | ● |
| Safety restart switch | ● |
| Temperature settings | |
| High | ● |
| Medium | ● |
| Low | ● |
| No Heat | ● |
| AMP draw | 10A |


WASH & DRY

WASH & DRY

8kg Front Load Washer

Model no:
WH8060P1, WH8060J1


| Dimensions | mm |
|---|-----------------|
| Ⓐ Overall height of product | 850 |
| Ⓑ Overall width of product | 600 |
| Ⓒ Overall depth of product (including dial) | 645 |
| Depth to door open | 1060 |
| Standpipe height | min850 -1200 |



7kg Front Load Washer

Model no:
WH7060P1, WH7060J1


| Dimensions | mm |
|---|------|
| Ⓐ Overall height of product | 850 |
| Ⓑ Overall width of product | 600 |
| Ⓒ Overall depth of product (including dial) | 590 |
| Depth to door open | 1060 |



6kg Front Load Washer

Model no:
WH60F60CIWI


| Dimensions | mm |
|---|-----|
| Ⓐ Overall height of product | 825 |
| Ⓑ Overall width of product | 595 |
| Ⓒ Overall depth of product (including dial) | 530 |



6kg/3kg Front Load Washer Dryer

Model no:
WD6030F60CIWI

| Dimensions | mm |
|---|-----|
| Ⓐ Overall height of product | 825 |
| Ⓑ Overall width of product | 595 |
| Ⓒ Overall depth of product (including dial) | 530 |




WASH & DRY

8kg AeroXL™ Dryer

Model no:
DEP8060P1

| Dimensions | mm |
|-----------------------------|------|
| Ⓐ Overall height of product | 850 |
| Ⓑ Overall width of product | 600 |
| Ⓒ Overall depth of product | 645 |
| Depth to door open | 1080 |




WASH & DRY

FPBR0538 JULY 2013.
Copyright © Fisher & Paykel 2013.
All Rights Reserved.

The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check our website www.fisherandpaykel.cn, your product supplier or China Fisher & Paykel Customer Care Centre to ensure this brochure correctly describes the products currently available.

Telephone: 4006 408 777
Fax: 0532 87683666
Email: customer.care@fisherandpaykel.cn
Address: No. 609 National Highway 308,
Qingdao 266101, P.R. China

Important Notice of Disclaimer: Our brochure contains information on a wide subject of products which we manufacture and/or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.



Fisher & Paykel

fisherandpaykel.cn