

90cm Series 9 Classic 5 Burner Dual Fuel Pyrolytic Cooker

Classic




Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.

- Five burner cooktop with with dual wok burner and rotisserie
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with Pizza mode
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean that breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set
Small pot support	1 (part 533981 cast)
Step down wire shelf	.

Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
Kick strip, red (optional)	KICKOR90R1
Kick strip, stainless steel (optional)	KICKOR90X1
Kick strip, white (optional)	KICKOR90W1

Burner ratings

Dual wok burner inner/outer (LPG)	14.9MJ/h
Dual wok burner inner/outer (natural gas)	16.2MJ/h

Maximum burner power	16.2MJ/h	Turned stainless steel clock buttons	•	CoolTouch door	Quadruple glazed
Semi-rapid burner (LPG)	5.8MJ/h	Turned stainless steel clock crown (dial)	•	Warming drawer power	202 W
Semi-rapid burner (natural gas)	6.5MJ/h				
Total cooktop power	58.0MJ/h				
Triple ring wok burner (LPG) x2	14.4MJ/h	Installation Dimensions		Power requirements	
Triple ring wok burner (natural gas) x2	14.4MJ/h	Installation cutout dimensions (Depth)	600 mm	Amperage	23 A
		Installation cutout dimensions (Width)	900 mm	Supply frequency	50 Hz
				Supply voltage	220 - 240 V
Capacity					
Shelf positions (main oven)	6	Oven features		Product details	
Total capacity	140 L	AeroTech™ technology	•	Self Cleaning Sf	Yes
Usable capacity (main oven)	120 L	Automatic rapid pre-heat	•		
		Bright chromed, cast zinc dials with illuminated halos	•		
Cleaning		Electronic oven control	•	Product dimensions	
Acid resistant graphite enamel	•	Soft open/close door	•	Depth	600 mm
Drop down grill element	•	Twin cavity fans	•	Height	898 - 946 mm
Pyrolytic proof shelf runners	•	Warming drawer	•	Width	897 mm
Pyrolytic self-clean	•				
Removable oven door	•	Oven functions		Rangetop features	
Removable oven door inner glass	•	Bake	•	Brass burner spreader (power burner)	•
Removable shelf runners	•	Fan bake	•	Embossed brass burner cap (power burner)	•
		Fan forced	•	Hob rail	•
		fanGrill	•	Hob rear trim	60 mm
Controls		Grill	•	LPG / Natural Gas compatible	•
Audio feedback	•	Number of functions	9	Sealed range top	•
Automatic cooking/minute timer	•	Pastry Bake with Pizza mode	•		
Automatic pre-set temperatures	•	Rapid proof	•		
Celsius/Fahrenheit temperature	•	Roast	•	Safety	
Electronic clock	•	Rotisserie	•	Advanced cooling system	•
High resolution display	•	True convection	•	Anti-tilt bracket	•
Laser etched graphics	•			Balanced oven door	•
Precise electronic temperature control	•	Oven performance		Catalytic venting system	•
Sabbath mode	•				

CoolTouch door	•
Flame failure system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	26 L

SKU 81690

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide - Kick Strip (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 W www.fisherpaykel.com