

# Series 9, Integrated Double DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.\*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

## DIMENSIONS

|        |              |
|--------|--------------|
| Height | 820 - 880 mm |
| Width  | 599 mm       |
| Depth  | 571 mm       |



## FEATURES & BENEFITS

### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

### True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

### Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

### Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## SPECIFICATIONS

### Accessories (included)

|                                  |      |
|----------------------------------|------|
| Cutlery basket                   | •    |
| Kickstrip                        | true |
| Knife clip and multipurpose clip | •    |

### Accessories (sold separately)

|                                                  |            |
|--------------------------------------------------|------------|
| Door panel black stainless steel                 | ADDD60DPB  |
| Door panel recessed handle black stainless steel | ADDD60STNB |
| Door panel recessed handle matte black glass     | ADDD60STZB |

|                                                |                |                                                    |                            |                        |                  |
|------------------------------------------------|----------------|----------------------------------------------------|----------------------------|------------------------|------------------|
| Door panel recessed handle stainless steel     | ADDD60STNX     | Energy rating                                      | 3.5 star                   | Power requirements     |                  |
| Door panel stainless steel                     | ADDD60DPX      | Energy usage                                       | 136kWh/year per drawer     | Amperage               | 10A              |
| Handle kit Classic                             | AHCL-DDDW-24X  | In-use energy carbon emissions estimate            | 83.0kgCO2e/year per drawer | Supply frequency       | 50               |
| Handle kit Contemporary round, aluminium       | AHS-OBDD-60S   | Water consumption (per wash cycle)                 | 6.9L per drawer            | Supply voltage         | 220 - 240V       |
| Handle kit Contemporary square fine, aluminium | AHD5-OBDD-60SX | Water rating                                       | 4.5 star (WELS)            |                        |                  |
| Handle kit Contemporary square fine, black     | AHD5-OBDD-60SB |                                                    |                            | Product dimensions     |                  |
| Handle kit Contemporary square, aluminium      | AHD3-OBDD-60S  |                                                    |                            | Depth                  | 571 mm           |
| Handle kit Contemporary square, black          | AHD3-OBDD-60B  | Controls                                           |                            | Height                 | 820 - 880 mm     |
| Handle kit Professional round flush            | AHP3-DWDD-60S  | End of cycle beeps                                 | •                          | Width                  | 599 mm           |
|                                                |                | Energy saving delay start option of up to 12 hours | •                          |                        |                  |
|                                                |                | Internal wash selector                             | •                          | Wash Program Modifiers |                  |
| Capacity and loading                           |                | Keylock                                            | •                          | Extra Dry              | •                |
| Accommodates round plates up to                | 280mm          | Knock to pause                                     | •                          | Quick                  | •                |
| Adjustable height, foldable cupracks           | •              | Rinse aid indicator light                          | •                          | Sanitise               | •                |
| Fold down tines                                | •              | Smart appliance                                    | •                          | Wash modifiers         | 3                |
| Pitch adjustable tines                         | •              |                                                    |                            |                        |                  |
| Place settings                                 | 14             | Features                                           |                            | Wash Programs          |                  |
| Place settings                                 | 14             | Fan assisted drying                                | •                          | Delicate               | •                |
| Place settings per drawer                      | 7              | Flood protection                                   | •                          | Eco                    | •                |
|                                                |                | Flow through detergent dispenser                   | •                          | Fast                   | •                |
| Connected Features                             |                | Motor type                                         | BLDC                       | Heavy                  | •                |
| Alerts and notifications                       | •              | Quiet operation                                    | •                          | Medium                 | •                |
| Cyber security updates until                   | 04 / 03 / 2028 | SmartDrive™ technology                             | •                          | Rinse                  | •                |
| Education and onboarding                       | •              |                                                    |                            | Wash programs          | 6                |
| Monitoring                                     | •              |                                                    |                            |                        |                  |
| Software updates                               | •              | Performance                                        |                            | Water connection       |                  |
|                                                |                | Noise on standard cycle top drawer                 | 43 dBA                     | Water pressure         | 30kPa - 1000 kPa |
| Consumption                                    |                |                                                    |                            |                        |                  |

Water supply

**3/4" BSP (20mm)  
Connector Water  
Inlet Hose**

SKU 82319

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1300 650 590 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

**Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)**

- [↓](#) DXF
- [↓](#) Care & Maintenance Guide (English)
- [↓](#) DWG
- [↓](#) Energy Label
- [↓](#) First Use Guide (English)
- [↓](#) Installation Guide (English)
- [↓](#) Handle Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Quick Start Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) Wash Program Data (English)
- [↓](#) Wash Program Data (English)
- [↓](#) Installation Video

**Where applicable:**