

Series 11, Integrated Tall Single DishDrawer Dishwasher

Integrated




<p>Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.</p>

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ™ app for remote control and notifications

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

- | | |
|----------------------------------|---|
| Cutlery basket | • |
| Knife clip and multipurpose clip | • |

Accessories (sold separately)

- | | |
|----------------------------------|------------|
| Assisted opening accessory kit | OPEX1 |
| Door panel black stainless steel | ADDD60STPB |

Door panel recessed handle black stainless steel	ADDD60STNB	Consumption	Voltage	220 - 240V
Door panel recessed handle matte black glass	ADDD60STZB	Water efficiency (WELS) rating	3 ticks	
Door panel recessed handle stainless steel	ADDD60STNX	Water usage (per wash cycle)	0.8L/place setting	
Door panel stainless steel	ADDD60STPX		Product dimensions	
Handle kit Contemporary brushed black	AHD7DDDW60B		Depth	553 mm
Handle kit Contemporary brushed silver	AHD7DDDW60S		Height	454 mm
Handle kit Contemporary round, aluminium	AHS-OBDD-60S		Width	599 mm
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX			
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Controls	Wash Program Modifiers	
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	End of cycle beeps	•	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Energy saving delay start option of up to 12 hours	•	
Handle kit Minimal black	AHM1DDDW60B	Internal wash selector	•	
Handle kit Minimal grey	AHM1DDDW60G	Keylock	•	
Handle kit Professional round	AHP3-DWDD-60S	Knock to pause	•	
		Rinse aid indicator light	•	
		Smart appliance	•	
		Spray arm sensing	•	
		Features	Wash Programs	
Capacity and loading		Fan assisted drying	•	
Accommodates round plates up to	310mm	Flood protection	•	
Adjustable height, foldable cupracks	•	Flow through detergent dispenser	•	
Fold down tines	•	Internal tub material	Stainless steel	
Pitch adjustable tines	•	Quiet operation	•	
Place settings	7	SmartDrive™ technology	•	
Place settings	7	Soft close drawer	•	
Wine glass supports with stemware grippers	•			
Connected Features		Performance		
Alerts and notifications	•	Noise emissions	43 dBA	
Education and onboarding	•		Water connection	
Monitoring	•		Water pressure	30kPa - 1000 kPa
Software updates	•	Power requirements	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
		Dedicated Circuit (A)	5A	
		Supply frequency	50 Hz	

SKU 82182

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T +65 6741 0777 Wwww.fisherpaykel.com

Other product downloads available at fisherpaykel.com

- [↓ DXF](#)
- [↓ Archicad](#)
- [↓ DWG](#)
- [↓ First Use \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Installation Guide - Assisted Opening Accessory - Integrated DishDrawer™ Dishwasher \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ SketchUp](#)
- [↓ Care & Maintenance Guide \(English\)](#)
- [↓ User Guide \(English\)](#)
- [↓ Wash Program Data \(English\)](#)
- [↓ Water Efficiency Label](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.