

90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker

Classic




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

- Five cooking zones that can be bridged to form SmartZones
- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Grill rack	1
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•
Telescopic sliding runners	2 sets

Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
Kick strip, red (optional)	KICKOR90R1
Kick strip, stainless steel (optional)	KICKOR90X1
Kick strip, white (optional)	KICKOR90W1

Capacity

Shelf positions	6
Total capacity	140 L
Usable capacity	120 L

Cleaning		Bright chromed, cast zinc dials with illuminated halos	•	Self Cleaning Sf	Yes
Acid resistant graphite enamel	•	Convection	•		
Drop down grill element	•	Electronic oven control	•	Product dimensions	
Flat easy clean glass surface	•	Full extension telescopic sliding shelves	•	Depth	600 mm
Pyrolytic self-clean	•	Soft open/close door	•	Height	898 - 946 mm
Removable oven door	•	Twin cavity fans	•	Width	897 mm
Removable oven door inner glass	•	Warming drawer	•		
Removable shelf runners	•				
Controls		Oven functions		Rangetop features	
Audio feedback	•	Bake	•	Auto heat reduce	•
Automatic cooking/minute timer	•	Fan bake	•	Dual colour display	•
Automatic pre-set temperatures	•	Fan forced	•	Gentle heat	•
Celsius/Fahrenheit temperature	•	fanGrill	•	Heat settings	9
Electronic clock	•	Grill	•	Hob rail	•
High resolution display	•	Number of functions	9	Hob rear trim	60 mm
Laser etched graphics	•	Pastry Bake with Pizza mode	•	Induction cooking technology	•
Precise electronic temperature control	•	Rapid proof	•	SmartZone	1
Sabbath mode	•	Roast	•	Zone bridging	•
Toughened fused glass graphics	•	Rotisserie	•		
Turned stainless steel clock buttons	•				
Turned stainless steel clock crown (dial)	•				
Installation Dimensions		Oven performance		Rangetop Performance	
Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed	Centre	2300 W
Installation cutout dimensions (Width)	900 mm	Warming drawer power	202 W	Left front	1600 W
				Left rear	2100 W
				Number of cooking zones	5
				PowerBoost	•
Oven features		Power requirements		Safety	
AeroTech™ technology	•	Amperage	68 A	Advanced cooling system	•
Automatic rapid pre-heat	•	Supply frequency	50 Hz	Anti-tilt bracket	•
		Supply voltage	220 - 240 V	Balanced oven door	•
				Catalytic venting system	•
		Product details			

Child lock	•
CoolTouch door	•
Full extension telescopic shelves	2 sets (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

SKU 81695

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ Installation Guide (English)
- ↓ Installation Guide - Kick Strip (English)
- ↓ Revit
- ↓ Rhino
- ↓ SketchUp
- ↓ User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 Wwww.fisherpaykel.com