


61cm Series 11 Integrated Column Refrigerator

Integrated




<p>Install it separately or pair with another Column for true design freedom – this model is left hinge with a stylish stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm

Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones
When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode
Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy
Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality
The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)	
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR
Stainless steel door panel	RD6121L10D
Toe kick stainless steel 1067mm	AKRS10710

Toe kick stainless steel 1220mm	AKRS12210	Smart appliance	•	Product information	
Toe kick stainless steel 1372mm	AKRS13710	Stackable bottle holders	4	Packaged weight	137 kg
Toe kick stainless steel 1828mm	AKRS18310			Unpackaged weight	117 kg
Toe kick stainless steel 1981mm	AKRS19810				
Toe kick stainless steel 610mm	AKRS06110				
Capacity		Installation Dimensions		SKU	26157
Total gross capacity	383 L	Minimum inside width of cabinetry frame	610 mm		
Volume	351 L	Minimum internal depth of cabinetry	635 mm		
Volume refrigerator	351 L	Minimum internal height of cabinetry	2134 mm		
Connected Features		Performance			
Alerts and notifications	•	ActiveSmart™ Foodcare	•		
Education and onboarding	•	Adaptive defrost	•		
Remote operation	•	Dual evaporator	•		
Software updates	•	Frost free	•		
		Humidity control system	•		
		Inverter controlled compressor	•		
		Noise emissions	42 dBA		
		Noise emissions class	D		
		Sabbath mode	•		
		Variable temperature zones	2		
Consumption		Power requirements			
Energy rating	3.5 star	Rated current	10 A		
Energy usage	213kWh/year	Supply frequency	50 Hz		
In-use energy carbon emissions estimate	130.0kgCO2e/year	Supply voltage	220 - 240 V		
Features		Product dimensions			
Adjustable door shelves	4	Depth	610 mm		
Covered door shelves	1	Height	2134 mm		
Door alarm	•	Width	603 mm		
Gallon door shelves	1				
LED bin lighting	•				
LED ceiling lighting	•				
LED side lighting	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [DXF](#)
- [DXF](#)
- [DWG](#)
- [DWG](#)
- [Energy Label](#)
- [Installation Guide \(English\)](#)
- [User Guide \(English\)](#)
- [User Guide \(Chinese\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 W www.fisherpaykel.com