

Series 9, Professional Tall Double DishDrawer Dishwasher

Professional




Part of our Professional series, with stainless steel styling and room for your larger dinner plates and dishes.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

DIMENSIONS

Height	34 - 36 3/8 "
Width	23 9/16 "

Depth22 9/16 "



FEATURES & BENEFITS

Ease Of Use
DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

INDEPENDENT WASH
With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True half load
Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads.

Complementary design

DishDrawer™ Dishwashers are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials for a stylish finish in your kitchen.

Quick, Sanitize and Extra Dry options
The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Quiet performer
Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Capacity and loading	
Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7

Connected Features	
Alerts and notifications	•

Education and onboarding	•	Power Requirements		Water supply	3/8" to suit Male Compression Fitting
Monitoring	•	Dedicated Circuit (A)	10A		
Software updates	•	Supply frequency	60 Hz		
		Voltage	110 - 120V		
Consumption		Product Dimensions		SKU	82345
Energy usage	263kWh/year	Depth	22 9/16 "	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
In-use energy carbon emissions estimate	92.8kgCO2e/year	Height	34 - 36 3/8 "		
Water usage (per wash cycle)	3.28 gal running both tubs	Width	23 9/16 "		
Controls		Wash Program Modifiers		Other product downloads available at fisherpaykel.com	
Electronic fault/Diagnostic indicator	•	Extra Dry	•	↓ DXF ↓ DWG ↓ Energy Label (English, Canadian French) ↓ Installation Guide (English) ↓ Installation Guide (Canadian French) ↓ Installation Guide (Spanish) ↓ Handle Installation Guide (English) ↓ Handle Installation Guide (Canadian French) ↓ Handle Installation Guide (Spanish) ↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese) ↓ Revit ↓ Rhino ↓ Right To Repair Declaration (English, Canadian French) ↓ SketchUp ↓ User Guide (English) ↓ Installation Video	
End of cycle beeps	•	Quick	•		
Energy saving delay start option of up to 12 hours	•	Sanitise	•		
Internal wash selector	•	Wash modifiers	3		
Keylock	•				
One button start	•				
Rinse aid indicator light	•	Wash Programs			
Smart appliance	•	Delicate	•		
		Eco	•		
		Fast	•		
Features		Heavy	•		
Fan assisted drying	•	Medium	•		
Flood protection	•	Rinse	•		
Flow through detergent dispenser	•	Wash programs	6		
Motor type	BLDC				
Quiet operation	•	Water connection			
SmartDrive™ technology	•	Inlet water temperature	Max 140 °F	Where applicable:	
		Supplied hose to suit 3/8" (9mm) male compression fitting	•		
Performance		Water pressure	30kPa - 1000 kPa		
Noise on standard cycle top drawer	42 dBA				

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)