

61cm Series 11 Integrated Column Refrigerator

Integrated




<p>Install it separately or pair with another Column for seamless kitchen integration – this model is right hinge with stainless steel interior.*</p>

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage

DIMENSIONS

Height	2134 mm
Width	603 mm

Depth610 mm



FEATURES & BENEFITS

Variable temperature zones
When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode
Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & match
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy
Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality
The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)	
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR
Stainless steel door panel	RD6121R10D
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810

Toe kick stainless steel 610mm	AKRS06110	Installation Dimensions	SKU	26158
		Minimum inside width of cabinetry frame	610 mm	
		Minimum internal depth of cabinetry	635 mm	
		Minimum internal height of cabinetry	2134 mm	
Capacity		Performance	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Total gross capacity	383 L	ActiveSmart™ Foodcare	•	Other product downloads available at fisherpaykel.com
Volume	351 L	Adaptive defrost	•	
Volume refrigerator	351 L	Dual evaporator	•	
		Frost free	•	
		Humidity control system	•	
		Inverter controlled compressor	•	
		Noise emissions	42 dBA	
		Noise emissions class	D	
		Sabbath mode	•	
		Variable temperature zones	2	
Connected Features		Power requirements		Where applicable: All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region. Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.
Alerts and notifications	•	Rated current	10 A	
Education and onboarding	•	Supply frequency	50 Hz	
Remote operation	•	Supply voltage	220 - 240 V	
Software updates	•			
		Product dimensions		
		Depth	610 mm	
		Height	2134 mm	
		Width	603 mm	
		Product information		
Consumption		Packaged weight	137 kg	
Energy rating	3.5 star	Unpackaged weight	117 kg	
Energy usage	213kWh/year			
In-use energy carbon emissions estimate	130.0kgCO2e/year			
Features				
Adjustable door shelves	4			
Covered door shelves	1			
Door alarm	•			
Gallon door shelves	1			
LED bin lighting	•			
LED ceiling lighting	•			
LED side lighting	•			
Smart appliance	•			
Stackable bottle holders	4			



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 W www.fisherpaykel.com