
QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 02.05.2024 > 1

Integrated Column Refrigerator, 61cm, Water

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with stainless steel interior.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

Internal water dispenser for convenient access to fresh, chilled water

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm

FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Internal water dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

SPECIFICATIONS

Accessories (sold separately)

RD6121R10D (right hinge)	Door panel stainless steel
AHS-RD21	Handle kit Contemporary
AHD5RDSF	Handle kit Contemporary
AHD5RDSFB	Handle kit Contemporary
AHD3-RD21	Handle kit Contemporary
AHP3RDSF	Handle kit Professional round
AJ-RS21LR	Joiner kit
AKRS10710	Toe kick stainless steel
AKR\$12210	Toe kick stainless steel
AKRS13710	Toe kick stainless steel
AKRS15210	Toe kick stainless steel
AKRS18310	Toe kick stainless steel
AKRS19810	Toe kick stainless steel 1981mm

QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 02.05.2024 > 2

To a bigly stainless staal C10mm	AVDC06110	Fugat fua
Toe kick stainless steel 610mm	AKRS06110	Frost fre
Toe kick stainless steel 762mm	AKRS7610	Humidity
Water filter replacement	847200 - FWC3	Inverter
		Sabbath
Capacity		Variable
Volume	351L	Variable
Volume refrigerator	351L	Variable
Consumption		Power re
Energy rating	3.5 star	Rated cu
		Supply f
Features		Supply v
Adjustable door shelves	4	
Adjustable glass cantilevered	•	Product
Adjustable glass shelves	3	Depth
Covered door shelves	1	Height
Door alarm	•	Width
Gallon door shelves	1	
LED bin lighting	•	Warrant
LED ceiling lighting	•	Parts and
LED side lighting	•	Sealed s
SmartTouch control panel	•	
Soft-close fruit and vegetable	•	
Stackable bottle holders	4	SKU
Wi-Fi connectivity	•	
Performance		The product
		specification
ActiveSmart™ Foodcare	•	Paykel's Cus currently ava
Adaptive defrost	•	currently dv
Dual evaporator	•	Where appli

Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes lower	Pantry; Fridge; Chill
Variable food modes upper	Pantry, Fridge
Variable temperature zones	2
Power requirements	
Rated current	10A
Supply frequency	50Hz
Supply voltage	230V
Product dimensions	
Depth	610mm
Height	2134mm
Width	603mm
Warranty	
Parts and labour	2 years
Sealed system parts only	5 years
SKU	26100

ct dimensions and specifications in this page apply to the specific product . Under our policy of continuous improvement, these dimensions and ons may change at any time. You should therefore check with Fisher & ustomer Care Centre to ensure this page correctly describes the model available. Fisher & Paykel Appliances Ltd 2020

olicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Energy Label



Service & Warranty



User Guide Integrated Refrigerator Freezer EN



Energy Label



Installation Guide Integrated Column Refrigerator



Installation Guide Toe Kick



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com