QUICK REFERENCE GUIDE > OB30SPPTX1

Oven, 30", 4.1 cu ft, 17 Function, Self-cleaning

Series 9 | Professional

Stainless Steel




With professional styling, advanced cook functions and touchscreen, this large capacity oven is a highlight of our collection.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- 4.1 cu ft total capacity, with 17 oven functions including Aero™
 Pastry and Roast, Air Fry and Dehydrate
- Non-tip, full extension sliding shelves for safe removal of hot dishes
- Accessories include food probe, smokeless grill tray, and more

DIMENSIONS

Height	27 1/16"
Width	29 29/32"
Depth	23 29/32"



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe.

Generous Capacity

With its 4.1 cu ft total capacity, you can create several perfectly

cooked dishes at once using multiple shelves.

Multi-function flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. Purchase our Wireless Temperature Sensor accessory and precisely monitor cooking in real time (accessory sold separately).

Exceptional Performance

AeroTech circulates heat evenly for a consistent temperature throughout the cavity, helping you ensure perfect results even when cooking on multiple shelves.

Self-Cleaning

Our self-clean technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and elegant styling to support a cohesive, considered kitchen design.

SPECIFICATIONS

Accessories Broil rack 1 set Full extension sliding shelves 3 sets Roasting pan 1 Smokeless broil tray 1 Wired temperature sensor 1

Capacity

Shelf positions	8
Total capacity	4.1cu ft

QUICK REFERENCE GUIDE > OB30SPPTX1 Date: 02.05.2024 > 2

Classic bake Clas	Usable capacity	3.6cu ft	Broil	•
Acid resistant graphite enamel • Maxi Broil 17 Removable oven door • Number of functions 17 Removable shelf runners • Pastry Bake • Pizza bake • Consumption Rapid proof • Energy usage 402kWh/year Roast • In-use energy carbon 49.6kgCO2e/year Self-clean • Slow cook • • Adjustable audio and display • Vent bake • Automatic cooking/minute • Warm • Automatic pre-set • • Celsius/Fahrenheit • Performance • Electronic clock Aero Tech** technology • Electronic oven control • Automatic rapid pre-heat • Food probe • Broil power 4400W Guided cooking by food type • Broil width 20° Intuitive touchscreen display • Number of passes on broil 10 Multi-language display • Ware present • Sabbath mode with Star K • •			Classic bake	•
Removable over door	Cleaning		Dehydrate	•
Removable shelf runners Pastry Bake Pizza bake Pizza bake Pizza bake Pizza bake Consumption Energy usage 402kWh/year In-use energy carbon 49.6kgCO2e/year In-use energy carbon 49.6kgCO2e/year Self-clean Slow cook Controls True Aero Adjustable audio and display Automatic cooking/minute Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Performance Electronic clock AeroTech** technology Electronic oven control Automatic rapid pre-heat Food probe Broil power Broil width 20" Intuitive touchscreen display UK English, US English, Wi-Fi connectivity Power requirements Amperage 16.6 - 19.4A Functions Aero Broil Arr fy Product dimensions Product dimensions	Acid resistant graphite enamel	•	Maxi Broil	•
Consumption Energy usage 402kWh/year Energy usage 49.6kgCO2e/year In-use energy carbon 49.6kgCO2e/year Energy carbon Energy carbon 49.6kgCO2e/year Energy carbon Energy carbon 49.6kgCO2e/year Energy carbon Energy carbon Energy carbon Energy usage	Removable oven door	•	Number of functions	17
Consumption Rapid proof • Energy usage 402kWh/year Roast • In-use energy carbon 49.6kgCO2e/year Self-clean • Slow cook • Controls True Aero • Adjustable audio and display • Vent bake • Automatic cooking/minute • Warm • Automatic pre-set • Performance Celsius/Fahrenheit • AeroTech™ technology • Electronic clock • AeroTech™ technology • Electronic oven control • Automatic rapid pre-heat • Food probe • Broil power 4400W Guided cooking by food type • Broil width 20° Intuitive touchscreen display UK English, US English, Number of passes on Maxi 12 Multi-language display UK English, US English, Number of passes on broil 10 Sabbath mode with Star K • Power requirements Wi-Fi connectivity • Power requirements Amperage 16.6 - 19.4A	Removable shelf runners	•	Pastry Bake	•
Energy usage 402kWh/year Roast			Pizza bake	•
In-use energy carbon 49.6kgCO2e/year Self-clean Slow cook Controls True Aero Vent bake Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic clock Electronic oven control Food probe Guided cooking by food type Intuitive touchscreen display WK English, US English, Wi-Fi connectivity Power requirements Amperage Amperage Aero Broil Air fry Self-clean Sel	Consumption		Rapid proof	•
Slow cook	Energy usage	402kWh/year	Roast	•
Controls Adjustable audio and display Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic clock Electronic coven control Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display WK English, US English, Wi-Fi connectivity Functions Aero Bake Aero Broil Ait fry Vent bake Vent bake Performance Warm Aero Performance Performance Aero Tech™ technology Aero Performance Performance Performance Nationalic rapid pre-heat Aero Tech™ technology Aero Bake Aero Broil Product dimensions Automatic rapid pre-heat Aero Broil Aperformance Performance Nationalic Nationalic Performance Aero Broil Aero Broil Agivania Performance Nationalic Aero Broil Aero Broil Agivania Performance Aero Broil Aero Broil Automatic rapid pre-heat Aero Broil Aero Broil Aero Broil Agivania Performance Aero Broil Aero Broil Agivania Performance Aero Broil Aero Broil Agivania Performance Aero Broil Aero Broil Aero Broil Agivania Performance Aero Broil Aero Broil Aero Broil Aero Broil Agivania Performance Aero Broil	In-use energy carbon	49.6kgCO2e/year	Self-clean	•
Adjustable audio and display Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic clock Electronic oven control Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display Multi-language display WE English, US English, Wi-Fi connectivity Functions Aero Bake Aero Broil Air fry Vent bake Warm Vent bake Warm Vent bake Warm Vent bake Vent bake Warm Vent bake Vent bake Vent bake Vent bake Vent bake Vent bake Varm Warm Performance Aero Hechnology Aero Bake Amperage And Multi-language display Ali fry Power requirements Amperage 16.6 - 19.4A Product dimensions Product dimensions			Slow cook	•
Adjustable audio and display Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic clock Electronic oven control Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display Warm Amperage Amperage Amperage Amperage Aero Bake Aero Boroil Air fry Warm Warm Warm Warm Warm Aero Marm Warm Warm Warm Warm Warm Aero Marm Performance Performance Aero Tech™ technology Aero Tech™ technology Aero Bake Aero Broil Power requirements Supply voltage 208 / 240V Product dimensions Depth 23 29/32"	Controls		True Aero	•
Automatic pre-set Celsius/Fahrenheit Electronic clock Electronic oven control Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display Wi-Fi connectivity Functions Aero Bake Aero Broil Performance Aero Baroi™ technology Automatic rapid pre-heat Broil power Automatic rapid pre-heat Broil power Automatic rapid pre-heat Broil power Automatic rapid pre-heat Automatic rapid pre-heat Broil power Automatic rapid pre-heat Automatic rapid pre-heat Automatic rapid pre-heat Number of passes on Maxi 12 Number of passes on Maxi 12 Number of passes on broil 10 Power requirements Amperage 16.6 - 19.4A Punctions Aero Bake Aero Broil Air fry Depth 23 29/32"	Adjustable audio and display	•	Vent bake	•
Celsius/Fahrenheit • Performance Electronic clock • AeroTech™ technology • Electronic oven control • Automatic rapid pre-heat • Pood probe • Broil power 4400W Food probe • Broil power 4400W Guided cooking by food type • Broil width 20" Intuitive touchscreen display • Number of passes on Maxi 12 Multi-language display UK English, US English, Number of passes on broil 10 Sabbath mode with Star K • Power requirements Wi-Fi connectivity • Power requirements Functions Supply voltage 16.6 - 19.4A Aero Bake • Product dimensions Air fry Depth 23 29/32"	Automatic cooking/minute	•	Warm	•
Electronic clock Electronic oven control Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display Wi-Fi connectivity UK English, US English, Sabbath mode with Star K Wi-Fi connectivity Power requirements Amperage Amperage 16.6 - 19.4A Functions Aero Boil Air fry Aero Broil Product dimensions Aero Tech™ technology Automatic rapid pre-heat Particology Automatic rapid pre-heat Automatic rapid pre-heat Product dimensions Automatic rapid pre-heat Automatic rapid pre-heat Product dimensions Product dimensions Product dimensions	Automatic pre-set	•		
Electronic oven control Automatic rapid pre-heat Broil power 4400W Guided cooking by food type Intuitive touchscreen display Multi-language display UK English, US English, Number of passes on Maxi 12 Multi-language display UK English, US English, Number of passes on broil 10 Sabbath mode with Star K Wi-Fi connectivity Power requirements Amperage 16.6 - 19.4A Functions Aero Bake Aero Broil Aero Broil Air fry Depth 23 29/32"	Celsius/Fahrenheit	•	Performance	
Food probe Guided cooking by food type Intuitive touchscreen display Multi-language display Wi-Fi connectivity Functions Aero Bake Aero Broil Fry Broil power Broil power Broil width Broil width Power requirements Amperage Alto Product dimensions Broil power A4400W A4400W A4400W A4400W A4400W A4400W Broil width Aumber of passes on Maxi Number of passes on broil Number of passes on broil Amperage 16.6 - 19.4A Product dimensions Air fry Depth 23 29/32"	Electronic clock	•	AeroTech™ technology	•
Guided cooking by food type Intuitive touchscreen display Multi-language display UK English, US English, Number of passes on Maxi Number of passes on broil Number of passes on broil Number of passes on broil Power requirements Amperage Amperage 16.6 - 19.4A Functions Aero Bake Aero Broil Product dimensions Air fry Depth 23 29/32"	Electronic oven control	•	Automatic rapid pre-heat	•
Intuitive touchscreen display Multi-language display UK English, US English, Number of passes on Maxi Number of passes on broil 10 Sabbath mode with Star K Wi-Fi connectivity Power requirements Amperage 16.6 - 19.4A Functions Aero Bake Aero Broil Air fry Depth 23 29/32"	Food probe	•	Broil power	4400W
Multi-language display UK English, US English, Sabbath mode with Star K Wi-Fi connectivity Power requirements Amperage 16.6 - 19.4A Functions Aero Bake Aero Broil Air fry Depth Number of passes on broil 10 Power requirements Amperage 16.6 - 19.4A Product dimensions Depth 23 29/32"	Guided cooking by food type	•	Broil width	20"
Sabbath mode with Star K Wi-Fi connectivity Power requirements Amperage 16.6 - 19.4A Functions Supply voltage 208 / 240V Aero Bake Aero Broil Air fry Depth 23 29/32"	Intuitive touchscreen display	•	Number of passes on Maxi	12
Wi-Fi connectivity • Power requirements Amperage 16.6 - 19.4A Functions Supply voltage 208 / 240V Aero Bake • Product dimensions Air fry • Depth 23 29/32"	Multi-language display	UK English, US English,	Number of passes on broil	10
Functions Supply voltage 16.6 - 19.4A Aero Bake • Product dimensions Air fry • Depth 23 29/32"	Sabbath mode with Star K	•		
Functions Supply voltage 208 / 240V Aero Bake • - Aero Broil • Product dimensions Air fry • Depth 23 29/32"	Wi-Fi connectivity	•	Power requirements	
Aero Bake Aero Broil Air fry Depth 23 29/32"			Amperage	16.6 - 19.4A
Aero Broil • Product dimensions Air fry • Depth 23 29/32"	Functions		Supply voltage	208 / 240V
Air fry • Depth 23 29/32"	Aero Bake	•		
	Aero Broil	•	Product dimensions	
Bake • Height 27 1/16"	Air fry	•	Depth	23 29/32"
	Bake	•	Height	27 1/16"

Width	29 29/32"
Safety	
ADA compliant	•
Balanced oven door	•
Catalytic venting system	•
Control panel key lock	•
CoolTouch door	•
Non-tip shelves	•
SKU	81921

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > OB30SPPTX1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



User Guide



Guide d'utilisation FR



Energy Label



Service & Warranty



User Guide Built-In Oven EN



Guide d'utilisation FR



Installation Guide



Guide d'installation FR



Data Sheet Oven



Planning Guide - Professional 30" Built-in Ovens and Companions



Planning Guide Professional Style Dial/Handle Accessories



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com