
QUICK REFERENCE GUIDE > CID834DTB4

# Induction Hob, 83cm, 4 Zones with Integrated Ventilation

Series 9 | Minimal

Black Glass



A true two-in-one appliance, this hob combines the precision of induction cooking with powerful extraction in one seamless, stylish hob.

- Seamless kitchen integration, without the need for overhead ventilation
- Four cooking zones, including simple pairing of two zones to create a SmartZone
- With nine fan speeds plus boost, select the perfect extraction rate for your cooking
- · Minimal style, sleek black glass finish to suit any kitchen design

### **DIMENSIONS**

Height 218mm
Width 830mm
Depth 515mm

### **FEATURES & BENEFITS**

### **Seamless Integration**

Offering true design freedom, this hob can be placed anywhere - eliminating the need for bulky overhead ventilation and helping to create a seamless flow between kitchen and living spaces. Installed raised or flush, it's perfect for islands, or homes with high ceilings.

### Elegant design

The subtle black glass and durable matte black detailing blend elegance with durability. With premium styling, these hobs seamlessly blend with other appliances for a cohesive, considered kitchen design.

### **Precise Control**

Fisher & Paykel induction hobs offer extremely accurate temperature control from very high to very low heats, so you can sear, sauté and temper like a pro. Touch&Slide controls react immediately when you adjust the temperature, so you can go from a boil to a simmer in seconds.

### Effective Extraction

Designed for busy homes, the integrated ventilation works effectively and unobtrusively in the background. Featuring nine fan speeds, plus a boost function, for quickly removing odours and steam.

### Safety of induction

Induction hobs only start heating your pot or pan once you've placed it on the surface and stop as soon as you remove it - so

they are safer for everyone.

### Ease of use

Designed for simple removal, the grease filter tray effectively captures spills, while the single glass cooking surface can be easily wiped clean. A flush ventilation grille allows pots to effortlessly slide across the hob surface.

### Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the hob surface. This makes induction cooking more energy-efficient than electric or gas hobs.

### **SPECIFICATIONS**

Flush grille

# Accessories (sold separately) Square grille & butterfly valve 82393 DO-G-SS (optional) Cleaning Dishwasher safe grease filter Flat easy clean glass surface

Consumption		
Energy rating	A+	
Controls		
Auto cut-off timer for each	•	
Minute timer	•	
Soft-touch electronic controls	•	
Touch and slide controls	•	

### Downdraft performance

QUICK REFERENCE GUIDE > CID834DTB4

Supply frequency	50Hz		
Maximum power	7.4kW	Number of elements	4
Electrical connection	Terminal block	Zones	
Power requirements		Smartzone	3700W
		SmartZone	3700W
SmartZone	•	Right rear zone (PowerBoost	3000W
PowerBoost	•	Right rear	2100W
Pause function	•	Right front zone (PowerBoost	3000W
Induction cooking technology	•	Right front	2100W
Heat settings	9	Left rear zone (PowerBoost	3000W
Gentle heat	•	Left rear	2100W
Performance		Left front zone (PowerBoost	3000W
		Left front	2100W
Elbow 90° vertical 222x89	82391 E90-V-222-89	Zone ratings	
Elbow 90° horizontal 222x89	82390 E90-H-222-89		
Ducting adaptor	82392 DA-219-98-150	Parts and labour	5 years
Duct 1m Connector 222x89	82389 D1-C-222-89	Warranty	
Ducting Accessories (optional)		Surface hot indicators	•
Tiotor type	-	Safety time out	•
Motor type	•	Pan detection system	•
Minimum noise level	38dBA	Keylock	•
Minimum air flow	192m³/hr	Safety	
Maximum noise level (Level 9)	69dBA		
Maximum noise level (Boost)	70dBA	Width	830mm
Maximum air flow (Boost)  Maximum air flow (Level 9)	623m³/hr	Height	218mm
Ducting direction  Maximum air flow (Boost)	Side, Rear 660m³/hr	Depth	515mm
Ducted externally	Sido Borr	Product dimensions	
·	3 + 100021	Duadwat dimensis	
Air speeds	9 + boost	Supply voltage	220 - 240 V
Air outlet size	220mm W x 90 mm H	Supply voltage	220 - 240V

SKU 82228

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions.

Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > CID834DTB4

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide



Installation Guide



Data Sheet Induction Hob



Specification Guide



Planning Guide Induction Hob with Integrated Ventilation



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com