QUICK REFERENCE GUIDE > RS6121FLJK1

Integrated Column Freezer, 61cm, Ice

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom - this model is left hinge with white interior.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity.

Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left RD6121L10D

Door panel stainless steel Right RD6121R10D

QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 08.03.2024 > 2

Handle kit Contemporary	AHS-RD21	Freezer Features	
Handle kit Contemporary	AHD5RDSF	Automatic ice maker	•
Handle kit Contemporary Handle kit Contemporary Joiner kit Toe kick stainless steel Toe kick stainless steel Toe kick stainless steel	AHD5RDSFB AHD3-RD21 AJ-RS21LR AKRS12210 AKRS13710 AKRS18310	Bottle chill Door alarm Fast freeze Freezer bins Ice Boost LED bin lighting	•
			•
			•
			4
			•
			•
Toe kick stainless steel 1981mm	AKRS19810	LED ceiling lighting	•
Toe kick stainless steel 610mm	AKRS06110	LED side lighting	•
Water filter replacement	847200 - FWC3	SmartTouch interface at	•
Capacity		Installation Dimensions	
Volume	336L	Minimum inside width of	610mm
Volume freezer	336L	Minimum internal depth of	635mm
Volume variable temperature	295L	Minimum internal height of	2134mm
Consumption		Performance	
Energy rating	F	ActiveSmart™ Foodcare	•
Energy usage	343kWh/year	Adaptive defrost	•
In-use energy carbon	68.2kgCO2e/year	Dual evaporator	•
		Frost free	•
Features		Frost free freezer	•
Adjustable door shelves	4	Inverter controlled compressor	•
Adjustable glass cantilevered	•	Noise emissions	42dBA
Adjustable glass shelves	4	Noise emissions class	D
Adjustable half width door	3	Sabbath mode	•
Front levelling feet	•	Variable temperature zones	2
Wi-Fi connectivity			
vvi i i comiectivity		Power requirements	

Rated current	10A
Supply frequency	50Hz
Supply voltage	230 - 240V
Product dimensions	
Depth	610mm
Height	2134mm
Width	603mm
Warranty	
Parts and labour	5 years
Sealed system parts only	5 years
SKU	25058

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 08.03.2024 > 3

