

24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Integrated



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16" gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "

FEATURES & BENEFITS

Perfect Fit These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.
Internal Water Dispenser And Ice Maker Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.
Mix & Match These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.
Clever Energy ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.
Flexible Storage Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.
Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.	
Ease Of Use Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.	
SPECIFICATIONS	
Accessories (included)	
Hinge change (from right hinge to left hinge)	•
Accessories (sold separately)	
Door panel set stainless steel	Right hinge RD2474BR, Left hinge RD2474BL
Handle kit Classic	AHCLRDB
Handle kit Contemporary round, aluminium	AHSRDB74
Handle kit Contemporary square fine, aluminium	AHD5RDB74
Handle kit Contemporary square fine, black	AHD5RDB74B
Handle kit Professional round flush	AHP3RDB74
Joiner Kit	AJRS74LR
Toe kick stainless steel 23"	AKRS2304
Toe kick stainless steel 47"	AKRS4704
Toe kick stainless steel 71"	AKRS7104
Water filter replacement	847200 - FWC3
Capacity	
Volume	10.7 cu ft
Volume freezer	4.3 cu ft

Volume refrigerator	6.4 cu ft	Door alarm	•	Width	23 5/16 "
		Fast freeze	•		
		Freezer bins	3		
		Ice Boost	•	SKU	26205
Connected Features		LED bin lighting	•		
Alerts and notifications	•	LED ceiling lighting	•		
Education and onboarding	•	LED side lighting	•		
Remote operation	•				
Software updates	•				
		Installation Dimensions			
Consumption		Minimum inside width of cabinetry frame	23 5/8 "		
Energy rating	Energy star Most efficient	Minimum internal depth of cabinetry	24 "		
Energy usage	382kWh/year	Minimum internal height of cabinetry	74 "		
In-use energy carbon emissions estimate	134.7kgCO2e/year				
Features		Performance			
Adjustable door shelves	4	ActiveSmart™ Foodcare	•	↓	DXF
Adjustable glass cantilevered shelves	•	Adaptive defrost	•	↓	DXF
Covered door shelves	1	Dual evaporator	•	↓	DXF
Door alarm	•	Frost free	•	↓	DXF
LED bin lighting	•	Humidity control system	•	↓	Archicad
LED ceiling lighting	•	Inverter controlled compressor	•	↓	DWG
LED lighting	•	Sabbath mode	•	↓	DWG
LED side lighting	•			↓	DWG
Smart appliance	•			↓	Energy Label
SmartTouch control panel	•			↓	Installation Guide (English)
Stackable bottle holders	2			↓	Installation Guide (Canadian French)
				↓	Planning Guide (English)
				↓	Planning Guide - Assisted Opening Accessory (Canadian French)
				↓	California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
		Power Requirements		↓	Revit
		Rated current	10 A	↓	Rhino
		Supply frequency	60 Hz	↓	Rhino - Custom Panel
		Supply voltage	115 V	↓	Rhino - Door and Classic Round Handle
				↓	Rhino - Door and Contemporary Round Handle
				↓	Rhino - Door and Professional Round Flush Handle
				↓	Rhino - Door and Square Fine Black Handle
				↓	Rhino - Door and Square Fine Handle
				↓	Right To Repair Declaration (English, Canadian French)
Freezer Features		Product Dimensions			
Automatic ice maker	•	Depth	22 11/16 "		
Bottle chill	•	Height	73 5/8 "		

- [↓ SketchUp](#)
- [↓ SketchUp - Custom Panel](#)
- [↓ SketchUp - Door and Classic Round Handle](#)
- [↓ SketchUp - Door and Contemporary Round Handle](#)
- [↓ SketchUp - Door and Professional Round Flush Handle](#)
- [↓ SketchUp - Door and Square Fine Black Handle](#)
- [↓ SketchUp - Door and Square Fine Handle](#)
- [↓ User Guide \(English\)](#)
- [↓ User Guide \(Canadian French\)](#)
- [↓ User Guide \(Spanish\)](#)
- [↓ Installation Video](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 Wwww.fisherpaykel.com