QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 02.05.2024 > 1

Integrated Column Freezer, 76cm, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- · Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134mm
Width 756mm
Depth 610mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories	
Joiner Kit	AJ-RS21LR
Accessories (sold separately)	
Door panel stainless steel Left	RD7621L10D
Door panel stainless steel Right	RD7621R10D
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB

QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 02.05.2024 > 2

		Freezer bins	4
Handle kit Contemporary	AHD3-RD21	Ice Boost	•
Toe kick stainless steel	AKRS13710	LED bin lighting	•
Toe kick stainless steel	AKRS15210	LED ceiling lighting	
Toe kick stainless steel 762mm	AKR\$7610	LED side lighting	•
Water filter replacement	847200 - FWC3	SmartTouch interface at	
		Smart rough interface at	
Capacity		In the Heating Discounting	
Volume freezer	442L	Installation Dimensions	
		Cabinetry height with included	2134mm
Consumption		Minimum inside width of	762mm
Energy rating	2.5 star	Minimum internal depth of	635mm
Energy usage	494kWh/year	Minimum internal height of	2134mm
In-use energy carbon	66.9kgCO2e/year	Performance	
		ActiveSmart™ Foodcare	
Features			
Adjustable door shelves	4	Adaptive defrost	•
Adjustable glass cantilevered	•	Dual evaporator	•
Adjustable glass shelves	3	Frost free	•
Door alarm	•	Inverter controlled compressor	•
LED bin lighting	•	Noise emissions	42dBA
LED ceiling lighting	•	Noise emissions class	D
LED side lighting	•	Sabbath mode	•
SmartTouch interface at	•	Variable food modes	Soft freeze; Freeze; Deep
		Variable temperature zones	2
Freezer Features			
Automatic ice maker	•	Power requirements	
Bottle chill		Rated current	10A
Door alarm	•	Supply frequency	50Hz
		Supply voltage	220 - 240V
Fast freeze	•		

Product dimensions	
Depth	610mm
Height	2134mm
Width	756mm
Warranty	
Parts and labour	2 years
Sealed system parts only	5 years
SKU	26144

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 02.05.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 **W**www.fisherpaykel.com