

36" Series 7 Contemporary 5 Burner Gas Range, Natural Gas

Contemporary



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.


- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with large 4.9 cu ft total capacity and three functions

DIMENSIONS

Height	35 3/4 - 37 1/4 "
Width	35 7/8 "

Depth

25 1/4 "



FEATURES & BENEFITS

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Design Quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Small pot support	1 (part 533981 cast)

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR36X1
Wok grate included	Yes

Burner ratings

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural gas)	1500 - 8000BTU
Total cooktop power	62000 BTU
Triple ring wok burner (LPG) x2	6100 - 12000BTU
Triple ring wok burner (natural gas) x2	6100 - 14000BTU

Capacity

Shelf positions	7
Total capacity	4.9 cu ft
Usable capacity	3.8 cu ft

Cleaning

Acid resistant graphite enamel	•	Broil	13000 BTU	SKU	82761
Dishwasher proof trivets	•	CoolTouch door	Quadruple glazed		
Removable oven door	•				
Removable shelf runners	•				
Controls		Power requirements			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Laser etched graphics	•	Amperage	15 A		
		Supply frequency	60 Hz		
		Supply voltage	120 V		
Gas Requirements		Product dimensions			Other product downloads available at fisherpaykel.com
Supply Pressure (LPG)	11" W.C.P	Depth	25 1/4 "	↓	Installation Guide (English)
Supply Pressure (natural gas)	4" W.C.P	Height	35 3/4 - 37 1/4 "	↓	Installation Guide (Canadian French)
		Width	35 7/8 "	↓	California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
				↓	Revit
Oven features				↓	Rhino
Auto re-ignition system	•	Rangetop features		↓	Right To Repair Declaration (English, Canadian French)
Concealed element	•	Hob rail	•	↓	SketchUp
Convection	•	LPG / Natural Gas compatible	•	↓	User Guide (English)
Electronic ignition	•	Sealed range top	•	↓	User Guide (Canadian French)
Full extension telescopic sliding shelves	•				
Soft open/close door	•				
Storage drawer	•	Safety			Where applicable:
		ADA compliant	•		All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
Oven functions		Advanced cooling system	•		
Bake	•	Anti-tilt bracket	•		
Convection bake	•	Balanced oven door	•		
Maxi Broil	•	CoolTouch door	•		
Number of functions	3	Full extension telescopic shelves	2 sets (part 578744)		Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.
		Full extension telescopic sliding shelves	•		
Oven performance		Non-tip shelves	•		
Bake power	17000 BTU	Spill containment	5/8 gallon		



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com