QUICK REFERENCE GUIDE > OR36SCG4B1 Date: 02.05.2024 > 1

# Gas Range, 36", 5 Burners

Series 7 | Classic

Black




Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with 4.9 cu ft total capacity and three functions including Bake and Broil

# **DIMENSIONS**

Height	35 3/4 - 37 1/4"
Width	35 7/8"
Depth	25 1/4"



# **FEATURES & BENEFITS**

# **Design Quality**

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded rangetop rail.

#### Large capacity oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

#### Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

#### Easy cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

# **SPECIFICATIONS**

#### Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Chromed shelf runners	1 set
Full extension telescopic	2 sets (part 578744)
Small pot support	1 (part 533981 cast)

# Accessories (sold separately)

Kick strip, black (optional)	KICKOR36B1
Kick strip, red (optional)	KICKOR36R1
Kick strip, stainless steel	KICKOR36X1
Kick strip, white (optional)	KICKOR36W1

# **Burner ratings**

Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	7600BTU
Semi-rapid burner (natural	8000BTU
Total cooktop power	62000 BTU

QUICK REFERENCE GUIDE > OR36SCG4B1 Date: 02.05.2024 > 2

Triple ring wok burner (LPG)	6100 - 12000BTU	Broil
Triple ring wok burner (natural	6100 - 14000BTU	Convection bake
		Number of functions
Capacity		
Shelf positions	7	Oven performance
Cleaning		Bake power
Acid resistant graphite enamel		Broil
Removable oven door		CoolTouch door
Removable shelf runners		
		Power requirements
Controls		Amperage
Laser etched graphics		Supply frequency
		Product dimensions
Gas Requirements		Depth
Supply Pressure (LPG)	11" W.C.P	Height
Supply Pressure (natural gas)	4" W.C.P	Width
Oven features		Rangetop features
Auto re-ignition system	•	Hob rail
Concealed element	•	LPG/Natural gas compatible
Convection	•	Sealed range top
Electronic ignition	•	ocalea range top
Full extension telescopic	•	Rangetop Performance
Internal light	4 x 25W halogen (2 side & 2	Number of burners
Soft open/close door	•	number of bufflets
Storage drawer	•	Safety
		ADA compliant
Oven functions		Advanced cooling system
Bake	•	

sku	81702
Spill containment	5/8 gallon
Non-tip shelves	•
Full extension telescopic	•
Full extension telescopic	2 sets (part 578744)
Balanced oven door	•
Anti-tilt bracket	•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

3

17000 BTU 13000 BTU

15A

60Hz

25 1/4"

35 7/8"

5

35 3/4 - 37 1/4"

Quadruple glazed

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > OR36SCG4B1 Date: 02.05.2024 > 3

# Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Freestanding Range EN



Guide d'installation FR



Installation Guide EN



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com