QUICK REFERENCE GUIDE > DD60SI9

Integrated Single DishDrawer™ Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

Height	410mm
Width	599mm
Depth	553mm



FEATURES & BENEFITS

EASE OF USE

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

Instead of needing a remote control, these DishDrawer™
Dishwashers have a knock to pause function. A double knock on
the front panel will pause the dishwasher which can be re-started
again by using the start/play button.

QUIET PERFORMER

Running at a very low decibel rate, these DishDrawer™
Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories	
Cutlery basket	•
Knife clip and multipurpose	•

Accessories (sold separately)

Door panel black stainless steel	ADDD60SPE
Door panel stainless steel	ADDD60SPX
Handle kit Classic	AHCL-DDDW-24X
Handle kit Contemporary	AHS-OBDD-609
Handle kit Contemporary	AHD5-OBDD-60SX
Handle kit Contemporary	AHD5-OBDD-60SE
Handle kit Contemporary	AHD3-OBDD-609
Handle kit Contemporary	AHD3-OBDD-60E
Handle kit Professional round	AHP3-DWDD-609

Capacity and loading

Accommodates round plates	280mm
Adjustable height, foldable	•
Fold down tines	•

QUICK REFERENCE GUIDE > DD60SI9

Pitch adjustable tines	•	Supply frequency	50Hz
Place settings	7	Supply voltage	220 - 240V
Consumption		Product dimensions	
Energy rating	3.5 star	Depth	553mm
Energy usage	136kWh/year	Height	410mm
In-use energy carbon	88.6kgCO2e/year	Width	599mm
Water consumption (per wash	6.9L		
		Warranty	
Controls		Parts and labour	2 years
Electronic fault/Diagnostic	•		
End of cycle beeps	•	Wash Program Modifiers	
Energy saving delay start	•	Extra Dry	•
Internal wash selector	•	Quick	•
Keylock	•	Sanitise	•
Knock to pause	•		
Rinse aid indicator light	•	Wash Programs	
Wi-Fi connectivity	•	Delicate	
		Eco	
Features		Fast	
Fan assisted drying	•	Heavy	
Flow through detergent	•	Medium	
Quiet operation	•	Rinse	
SmartDrive™ technology	•	Kilise	
Deufermen	_	Water connection	
Performance		Water pressure	30kPa - 1000 kPa
Noise emissions	43dBA	Water supply	3/4" BSP (20mm) Connector
Power requirements			
Amperage	5A	SKU	82369

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > DD60SI9



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com