


Primary Modular Induction Hob, 90cm, 5 Zones with SmartZone

Series 9 | Minimal

Black




Create the ultimate culinary solution. Designed to seamlessly integrate with the auxiliary hob and teppan modules, this primary hob features an intuitive 6" touchscreen and precision induction technology, for effortless control and perfect results.

- Select and distribute modular hobs according to your patterns of use
- Choose from a grey or black glass finish to suit your kitchen design

- Effortlessly control all hobs via the 6" touchscreen, for a unified cooking experience
- Includes our Wireless Temperature Sensor for precisely monitoring your food in real time

DIMENSIONS

Height	62mm
Width	900mm
Depth	530mm



FEATURES & BENEFITS

Modular design freedom

Achieve complete design freedom with our range of modular hobs. Seamlessly integrate hobs of various sizes into your cooking space, tailoring the setup to suit your patterns of use.

This design flexibility allows you to optimise space and flow, creating a kitchen that perfectly aligns with the way you live, cook and entertain.

Complementary Design

Available in both grey and black finishes, our Minimal style modular hobs effortlessly complement your kitchen's aesthetics. Designed to match our touchscreen ovens in both style and functionality, they offer a unified cooking experience. The flush installation ensures seamless integration into modern kitchen spaces.

Centralised touchscreen control

The 6" touchscreen interface is your centralised hub for all modular hobs. Effortlessly manage auxiliary hobs, downdraft and teppan modules, providing a streamlined cooking experience. This single screen allows you to control all cook zones and connected ventilation, ensuring a clean and sleek kitchen aesthetic. Refined on-glass graphics and the absence of physical dials further elevate our Minimal style aesthetic.

Mastery Of Temperature

Fisher & Paykel induction hobs are designed for precision. With the added advantage of our Wireless Temperature Sensor accessory, you can master temperature in multiple ways. For steaks and proteins, monitor in real-time to achieve your desired doneness. Plus, when sous-vide cooking or poaching, the sensor works in tandem with the hob to maintain the ideal water temperature, removing the need for guesswork.

Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the hob surface. This makes induction cooking more energy-efficient than electric or gas hobs.

Flexible cooking area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items, such as a whole fish. SmartZone streamlines the cooking process and allows you to explore different culinary techniques with ease.

Connected Home

Stay connected with the SmartHQ™ app, and easily monitor the status of active cookzones, such as power level, timer settings, and paired wireless temperature sensor readings, directly from your smartphone. The app provides real-time alerts, including timer notifications and temperature milestones, ensuring you're always informed of your cooking progress.

SPECIFICATIONS**Accessories**

Wireless temperature sensor	1
-----------------------------	---

Cleaning

Flat easy clean glass surface	•
-------------------------------	---

Consumption

Energy rating	Connectable
---------------	-------------

Controls

Intuitive touchscreen display	•
Minute timer	•
Multi-language display	•

Performance

Induction cooking technology	•
PowerBoost	•
SmartZone	•

Power requirements

Electrical connection	Terminal block, 1N or 3N
Maximum power	11.1kW

Supply frequency	50Hz
------------------	------

Supply voltage	220-240V
----------------	----------

Product dimensions

Depth	530mm
-------	-------

Height	62mm
--------	------

Width	900mm
-------	-------

Safety

Keylock	•
Pan detection system	•
Safety time out	•
Surface hot indicators	•

Warranty

Parts and labour	2 years
------------------	---------

Zone ratings

Centre zone (PowerBoost set)	1850/2600 (3000/5500)
------------------------------	-----------------------

Left front zone (PowerBoost)	2100 (3700)
------------------------------	-------------

Left rear zone (PowerBoost)	2100 (3700)
-----------------------------	-------------

Right front zone (PowerBoost)	2100 (3700)
-------------------------------	-------------

Right rear zone (PowerBoost)	2100 (3700)
------------------------------	-------------

Zones

Number of elements	5
--------------------	---

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

SKU	83000
-----	-------

Other product downloads available at fisherpaykel.com

- [↓](#) Service & Warranty
- [↓](#) User Guide Multiple Product Setup DA
- [↓](#) User Guide Multiple Product Setup DEU
- [↓](#) User Guide Multiple Product Setup EN
- [↓](#) User Guide Multiple Product Setup FR
- [↓](#) User Guide Multiple Product Setup DUT
- [↓](#) User Guide Multiple Product Setup FIN
- [↓](#) User Guide Multiple Product Setup HEB
- [↓](#) User Guide Multiple Product Setup ITA
- [↓](#) User Guide Multiple Product Setup SWE
- [↓](#) User Guide Multiple Product Setup NOR
- [↓](#) User Guide Primary Induction DA
- [↓](#) User Guide Primary Induction DEU
- [↓](#) User Guide Primary Induction FR
- [↓](#) User Guide Primary Induction EN
- [↓](#) User Guide Primary Induction FIN
- [↓](#) User Guide Primary Induction DUT
- [↓](#) User Guide Primary Induction ITA
- [↓](#) User Guide Primary Induction HEB
- [↓](#) User Guide Primary Induction NOR

- [↓](#) User Guide Primary Induction SWE
- [↓](#) Planning Guide Modular Cooktop System



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com