

36" Series 7 Integrated Refrigerator Freezer, Ice


Integrated



- Choose a roomy refrigerator with ice maker. Fits flush with your custom cabinetry or with our stainless steel panels.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
 - Spacious bottom freezer with full extension drawer, and Internal ice maker with boost for busy times
 - Can be fitted for a height of 80 or 84 inches

DIMENSIONS

Height	79 13/16 "
Width	35 1/16 "
Depth	23 3/4 "



FEATURES & BENEFITS

- ACTIVESMART™ FOODCARE**
ActiveSmart™ Foodcare learns how you live. It's the technology that understands how you use your fridge and adjusts the temperature, airflow and humidity inside to help keep food fresher for longer.
- Clever Energy**
Your refrigerator adapts to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.
- Complementary Design**
With their premium handle styling and stainless steel finish, our refrigerators are designed to match the rest of Fisher & Paykel's kitchen appliance family.

- Ice maker**
Fresh ice is always available for you in a dedicated freezer bin. Simply turn it off to free up freezer space or during busy times, you can boost ice production by up to 30%.
- Easy cleaning**
No more permanent dirty marks with our EZKleen feature for stainless steel refrigerators. Anti-fingerprint coating means you simply wipe clean any marks. Spill-safe secure glass shelves easily capture any drips or leaks.
- Simple storage**
This refrigerator is designed to make it simple for you to store, access and remove food. Storage bins give you full access inside when they're pulled open and can be easily removed to clean. Our flexible shelving also gives you more storage options.
- Easy Installation**
Our integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Our refrigerators are designed for minimal gaps with adjustable front and rear feet to allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen.

SPECIFICATIONS

Accessories (sold separately)	
Handle kit Classic	AHCLRD36W
Handle kit Contemporary round, aluminium	AHS-ASBI-B
Handle kit Contemporary square fine, aluminium	AHD5RD36W
Handle kit Contemporary square fine, black	AHD5RD36WB
Handle kit Professional round flush	AHP3RD36W
Joiner Kit	RS3680W
Stainless steel door panel	80" Left hinge RD3680WL, 84" Left Hinge RD3684WL
Water filter replacement	847200 - FWC3

Capacity		Freezer Features		SKU	26317			
Total gross capacity	16.8 cu ft	Automatic ice maker	•		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020			
Volume	16.8 cu ft	Bottle chill	•					
Volume freezer	5.1 cu ft	Drawer alarm	•					
Volume refrigerator	11.7 cu ft	Fast freeze	•					
		Freezer bins	2					
Connected Features		Ice Boost	•					
		LED Lighting	•					
		Slide Out Pastry Tray	•					
		Performance						
Alerts and notifications		ActiveSmart™ Foodcare	•	↓	DXF			
		Adaptive defrost	•		DXF			
		Frost Free Freezer	•		DWG			
		Humidity control system	•		DWG			
		Inverter controlled compressor	•		Energy Label			
Education and onboarding		Sabbath mode	•		Energy Label			
					Water Filter Replacement Instructions - Parts 847200 and 847201 (English)			
		Power Requirements			Installation Guide - Dual (English)			
					Installation Guide (English)			
					Water Filter Replacement Instructions - Parts 847200 and 847201 (French)			
					Installation Guide (Canadian French)			
					Planning Guide (English)			
Energy rating		Rated current	10 A		Revit			
		Supply frequency	60 Hz		Rhino - Custom Panel			
		Supply voltage	115 V		Rhino - Door and Contemporary Round Handle			
					Rhino - Door and Contemporary Square Handle			
		Product Dimensions			Rhino - Door and Professional Round Flush Handle			
Energy usage		Depth	23 3/4 "		Rhino - Door and Professional Round Handle			
		Height	79 13/16 "		Rhino - Door and Professional Square Handle			
		Width	35 1/16 "		Rhino - Door and Square Fine Black Handle			
					Rhino - Door and Square Fine Handle			
		Product information			Right To Repair Declaration (English, Canadian French)			
In-use energy carbon emissions estimate		Unpackaged weight	327 lbs		SketchUp - Custom Panel			
					SketchUp - Door and Contemporary Round Handle			
		Features			SketchUp - Door and Contemporary Square Handle			
					SketchUp - Door and Professional Round Flush Handle			
					Rhino - Door and Professional Square Handle			
					Rhino - Door and Square Fine Black Handle			
					Rhino - Door and Square Fine Handle			
Adjustable door shelves		Adjustable door shelves	6		Right To Repair Declaration (English, Canadian French)			
		Adjustable glass cantilevered shelves	•		SketchUp - Custom Panel			
		Adjustable glass shelves	3		SketchUp - Door and Contemporary Round Handle			
		Covered door shelves	2		SketchUp - Door and Contemporary Square Handle			
		Deli storage bins	1		SketchUp - Door and Professional Round Flush Handle			
Door alarm		Door alarm	•		SketchUp - Door and Professional Square Handle			
		Fruit and vegetable bins	2		SketchUp - Door and Square Fine Black Handle			
		LED lighting	•		SketchUp - Door and Square Fine Handle			
		Smart appliance	•		Right To Repair Declaration (English, Canadian French)			
		SmartTouch control panel	•		SketchUp - Custom Panel			
Stackable bottle holders		Stackable bottle holders	4		SketchUp - Door and Contemporary Round Handle			
					SketchUp - Door and Contemporary Square Handle			
		Power Requirements			SketchUp - Door and Professional Round Flush Handle			
		Rated current	10 A		SketchUp - Custom Panel			
		Supply frequency	60 Hz		SketchUp - Door and Contemporary Round Handle			
		Supply voltage	115 V		SketchUp - Door and Contemporary Square Handle			
					SketchUp - Door and Professional Round Flush Handle			
		Product Dimensions			SketchUp - Door and Professional Square Handle			
		Depth	23 3/4 "		SketchUp - Door and Square Fine Black Handle			
		Height	79 13/16 "		SketchUp - Door and Square Fine Handle			
		Width	35 1/16 "		Right To Repair Declaration (English, Canadian French)			
					SketchUp - Custom Panel			
		Product information			SketchUp - Door and Contemporary Round Handle			
		Unpackaged weight	327 lbs		SketchUp - Door and Contemporary Square Handle			
					SketchUp - Door and Professional Round Flush Handle			
		Features			SketchUp - Custom Panel			
		Adjustable door shelves	6		SketchUp - Door and Contemporary Round Handle			
		Adjustable glass cantilevered shelves	•		SketchUp - Door and Contemporary Square Handle			
		Adjustable glass shelves	3		SketchUp - Door and Professional Round Flush Handle			
		Covered door shelves	2		SketchUp - Door and Professional Square Handle			
		Deli storage bins	1		SketchUp - Door and Square Fine Black Handle			
		Door alarm	•		SketchUp - Door and Square Fine Handle			
		Fruit and vegetable bins	2		Right To Repair Declaration (English, Canadian French)			
		LED lighting	•		SketchUp - Custom Panel			
		Smart appliance	•		SketchUp - Door and Contemporary Round Handle			
		SmartTouch control panel	•		SketchUp - Door and Contemporary Square Handle			
		Stackable bottle holders	4		SketchUp - Door and Professional Round Flush Handle			
					SketchUp - Custom Panel			
		Power Requirements			SketchUp - Door and Contemporary Round Handle			
		Rated current	10 A		SketchUp - Door and Contemporary Square Handle			
		Supply frequency	60 Hz		SketchUp - Door and Professional Round Flush Handle			
		Supply voltage	115 V		SketchUp - Door and Professional Square Handle			
					SketchUp - Door and Square Fine Black Handle			
		Product Dimensions			SketchUp - Door and Square Fine Handle			
		Depth	23 3/4 "		Right To Repair Declaration (English, Canadian French)			
		Height	79 13/16 "		SketchUp - Custom Panel			
		Width	35 1/16 "		SketchUp - Door and Contemporary Round Handle			
					SketchUp - Door and Contemporary Square Handle			
		Product information			SketchUp - Door and Professional Round Flush Handle			
		Unpackaged weight	327 lbs		SketchUp - Custom Panel			
					SketchUp - Door and Contemporary Round Handle			
		Features			SketchUp - Door and Contemporary Square Handle			
		Adjustable door shelves	6		SketchUp - Door and Professional Round Flush Handle			
		Adjustable glass cantilevered shelves	•		SketchUp - Door and Professional Square Handle			
		Adjustable glass shelves	3		SketchUp - Door and Square Fine Black Handle			
		Covered door shelves	2		SketchUp - Door and Square Fine Handle			
		Deli storage bins	1		Right To Repair Declaration (English, Canadian French)			
		Door alarm	•		SketchUp - Custom Panel			
		Fruit and vegetable bins	2		SketchUp - Door and Contemporary Round Handle			
		LED lighting	•		SketchUp - Door and Contemporary Square Handle			
		Smart appliance	•		SketchUp - Door and Professional Round Flush Handle			
		SmartTouch control panel	•		SketchUp - Custom Panel			
		Stackable bottle holders	4		SketchUp - Door and Contemporary Round Handle			
					SketchUp - Door and Contemporary Square Handle			
		Power Requirements			SketchUp - Door and Professional Round Flush Handle			
		Rated current	10 A		SketchUp - Custom Panel			
		Supply frequency	60 Hz		SketchUp - Door and Contemporary Round Handle			
		Supply voltage	115 V		SketchUp - Door and Contemporary Square Handle			
					SketchUp - Door and Professional Round Flush Handle			
		Product Dimensions			SketchUp - Door and Professional Square Handle			
		Depth	23 3/4 "		SketchUp - Door and Square Fine Black Handle			
		Height	79 13/16 "		SketchUp - Door and Square Fine Handle			
		Width	35 1/16 "		Right To Repair Declaration (English, Canadian French)			
					SketchUp - Custom Panel			
		Product information			SketchUp - Door and Contemporary Round Handle			
		Unpackaged weight	327 lbs		SketchUp - Door and Contemporary Square Handle			
					SketchUp - Door and Professional Round Flush Handle			
		Features			SketchUp - Custom Panel			
		Adjustable door shelves	6		SketchUp - Door and Contemporary Round Handle			
		Adjustable glass cantilevered shelves	•		SketchUp - Door and Contemporary Square Handle			
		Adjustable glass shelves	3		SketchUp - Door and Professional Round Flush Handle			
		Covered door shelves	2		SketchUp - Door and Professional Square Handle			
		Deli storage bins	1		SketchUp - Door and Square Fine Black Handle			
		Door alarm	•		SketchUp - Door and Square Fine Handle			
		Fruit and vegetable bins	2		Right To Repair Declaration (English, Canadian French)			
		LED lighting	•		SketchUp - Custom Panel			
		Smart appliance	•		SketchUp - Door and Contemporary Round Handle			
		SmartTouch control panel	•		SketchUp - Door and Contemporary Square Handle			
		Stackable bottle holders	4		SketchUp - Door and Professional Round Flush Handle			
					SketchUp - Custom Panel			
		Power Requirements			SketchUp - Door and Contemporary Round Handle			
		Rated current	10 A		SketchUp - Door and Contemporary Square Handle			
		Supply frequency	60 Hz		SketchUp - Door and Professional Round Flush Handle			
		Supply voltage	115 V		SketchUp - Door and Professional Square Handle			
					SketchUp - Door and Square Fine Black Handle			
		Product Dimensions			SketchUp - Door and Square Fine Handle			
		Depth	23 3/4 "		Right To Repair Declaration (English, Canadian French)			

SketchUp - Door and Professional Round Handle

- [↓](#) SketchUp - Door and Professional Square Handle
- [↓](#) SketchUp - Door and Square Fine Black Handle
- [↓](#) SketchUp - Door and Square Fine Handle
- [↓](#) User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com