Integrated Refrigerator Freezer, 61cm, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart[™] technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

DIMENSIONS

Height	2134mm
Width	603mm
Depth	610mm

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

Internal water dispenser and ice maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

ActiveSmart[™] Foodcare

FISHER & PAYKEL

Date: 24.04.2024 > 1

ActiveSmart[™] Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Complementary design

Both the 61cm and 76.2cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left	RD6121WLD
Door panel stainless steel Right	RD6121WRD
Handle kit Contemporary	AHSRD6121W
Handle kit Contemporary	AHD5RD6121W
Handle kit Contemporary	AHD5RD6121WB
Handle kit Contemporary	AHD3RD6121W
Joiner kit	AJ-RS21LR
Toe kick stainless steel	AKRS12210
Toe kick stainless steel	AKRS13710
Toe kick stainless steel	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110
Water filter replacement	847200 - FWC3

Capacity

QUICK REFERENCE GUIDE > RS6121WLUK1

Volume	342L 115L 227L	
Volume freezer		
Volume refrigerator		
Consumption		
Energy consumption	340kWh 2 ticks	
Energy rating		
eatures		
Adjustable door shelves	4	
Covered door shelves	1	
Door alarm		
Gallon door shelves	1	
LED bin lighting		
LED ceiling lighting		
_ED side lighting		
SmartTouch interface at	•	
Stackable bottle holders	4	
Jltra slim water dispenser		
reezer Features		
Automatic ice maker		
Bottle chill		
Door alarm		
Door shelves	1	
reezer bins	2	
reezer trays	1	
ce Boost		
_ED bin lighting		
ED ceiling lighting		

LED side lighting	•	
Slide Out Pastry Tray		
SmartTouch interface at		
Performance		
ActiveSmart™ Foodcare	•	
Adaptive defrost	•	
Dual evaporator	•	
Frost free	•	
Humidity control system	•	
Inverter controlled compressor	•	
Noise emissions	42dBA	
Noise emissions class	D	
Sabbath mode	•	
Variable temperature zones	2	
Power requirements		
Rated current	10A	
Supply frequency	50Hz	
Supply voltage	230V	
	230V	
Supply voltage Product dimensions Depth		
Product dimensions	610mm	
Product dimensions Depth	230V 610mm 2134mm 603mm	
Product dimensions Depth Height Width	610mm 2134mm	
Product dimensions Depth Height	610mm 2134mm	

LED lighting

SKU			25692

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

FISHER & PAYKEL

A PEACE OF MIND SALE



24 Hours 7 Days a Week Customer Support

T +65 6741 0777 **W**www.fisherpaykel.com