

# 61cm Series 11 Integrated Column Freezer, Ice

Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

## DIMENSIONS

|        |         |
|--------|---------|
| Height | 2134 mm |
| Width  | 603 mm  |
| Depth  | 610 mm  |



## FEATURES & BENEFITS

- Premium interior**  
Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.
- Clever energy**  
With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.
- Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

- Mix & Match**  
Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.
- Perfect Fit**  
These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

**Deep Freeze Mode**  
Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

**Easy install**  
Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

## SPECIFICATIONS

| Accessories (included)        |           |
|-------------------------------|-----------|
| Joiner kit                    | AJ-RS21LR |
| Accessories (sold separately) |           |

|                                                |               |                                         |                 |                                |             |
|------------------------------------------------|---------------|-----------------------------------------|-----------------|--------------------------------|-------------|
| Door panel stainless steel Left hinge 610mm    | RD6121L10D    | Energy usage                            | 274kWh/year     | Adaptive defrost               | •           |
| Door panel stainless steel Right hinge 610mm   | RD6121R10D    | In-use energy carbon emissions estimate | 53.2kgCO2e/year | Dual evaporator                | •           |
| Handle kit Classic                             | AHCLRDSF      |                                         |                 | Frost free                     | •           |
| Handle kit Contemporary round, aluminium       | AHSRDSF       |                                         |                 | Frost free freezer             | •           |
| Handle kit Contemporary square fine, aluminium | AHD5RDSF      | Features                                |                 | Inverter controlled compressor | •           |
| Handle kit Contemporary square fine, black     | AHD5RDSFB     | Adjustable door shelves                 | 4               | Noise emissions                | 42 dBA      |
| Handle kit Contemporary square, aluminium      | AHD7RDSFX     | Adjustable glass cantilevered shelves   | •               | Noise emissions class          | D           |
| Handle kit Minimal rectangular, black          | AHM1RDSFB     | Adjustable glass shelves                | 4               | Sabbath mode                   | •           |
| Handle kit Professional round flush            | AHP3RDSF      | Adjustable half width door shelves      | 3               | Variable temperature zones     | 2           |
| Joiner Kit                                     | AJ-RS21LR     | Front levelling feet                    | •               |                                |             |
| Toe kick stainless steel 1220mm                | AKRS12210     | Smart appliance                         | •               |                                |             |
| Toe kick stainless steel 1372mm                | AKRS13710     |                                         |                 | Power requirements             |             |
| Toe kick stainless steel 1828mm                | AKRS18310     |                                         |                 | Rated current                  | 10 A        |
| Toe kick stainless steel 1981mm                | AKRS19810     | Freezer Features                        |                 | Supply frequency               | 50 Hz       |
| Toe kick stainless steel 610mm                 | AKRS06110     | Automatic ice maker                     | •               | Supply voltage                 | 230 - 240 V |
| Water filter replacement                       | 847200 - FWC3 | Bottle chill                            | •               |                                |             |
|                                                |               | Door alarm                              | •               | Product dimensions             |             |
|                                                |               | Fast freeze                             | •               | Depth                          | 610 mm      |
|                                                |               | Freezer bins                            | 4               | Height                         | 2134 mm     |
|                                                |               | Ice Boost                               | •               | Width                          | 603 mm      |
|                                                |               | LED bin lighting                        | •               |                                |             |
|                                                |               | LED ceiling lighting                    | •               |                                |             |
|                                                |               | LED side lighting                       | •               | Product information            |             |
|                                                |               | SmartTouch interface at counter height  | •               | Packaged weight                | 137 kg      |
|                                                |               |                                         |                 | Unpackaged weight              | 117 kg      |
|                                                |               |                                         |                 |                                |             |
| Capacity                                       |               | Installation Dimensions                 |                 |                                |             |
| Total gross capacity                           | 368 L         | Minimum inside width of cabinetry frame | 610 mm          |                                |             |
| Volume                                         | 336 L         | Minimum internal depth of cabinetry     | 635 mm          |                                |             |
| Volume freezer                                 | 336 L         | Minimum internal height of cabinetry    | 2134 mm         | SKU                            | 26950       |
| Volume variable temperature compartment        | 295 L         |                                         |                 |                                |             |
|                                                |               |                                         |                 |                                |             |
| Connected Features                             |               | Performance                             |                 |                                |             |
| Alerts and notifications                       | •             | ActiveSmart™ Foodcare                   | •               |                                |             |
| Education and onboarding                       | •             |                                         |                 |                                |             |
| Remote operation                               | •             |                                         |                 |                                |             |
| Software updates                               | •             |                                         |                 |                                |             |
|                                                |               |                                         |                 |                                |             |
| Consumption                                    |               |                                         |                 |                                |             |
| Energy rating                                  | E             |                                         |                 |                                |             |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 08000 886 605 Wwww.fisherpaykel.com

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- [↓ DXF](#)
- [↓ DXF](#)
- [↓ DXF](#)
- [↓ Declaration of Conformity \(English\)](#)
- [↓ DWG](#)
- [↓ DWG](#)
- [↓ Energy Label](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Product Information Sheet](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ SketchUp](#)
- [↓ User Guide \(English\)](#)

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.