QUICK REFERENCE GUIDE > RS7621SRHK1

Integrated Column Refrigerator, 76cm, Water

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with stainless steel interior.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

Internal water dispenser for convenient access to fresh, chilled water

DIMENSIONS

Height 2134mm
Width 756mm
Depth 610mm

FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Internal water dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD7621R10D (right hinge),
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Contemporary	AHD3-RD21
Handle kit Professional round	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel	AKRS12210
Toe kick stainless steel	AKRS13710
Toe kick stainless steel	AKRS15210
Toe kick stainless steel	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel	AKRS21310

QUICK REFERENCE GUIDE > RS7621SRHK1 Date: 02.05.2024 > 2

Toe kick stainless steel 762mm	AKR\$7610	Sabbath mode	•
Water filter replacement	847200 - FWC3	Variable food modes lower	Pantry; Fridge; Chill
		Variable food modes upper	Pantry, Fridge
Capacity		Variable temperature zones	2
Volume	463L		
Volume refrigerator	463L	Power requirements	
		Rated current	10A
Consumption		Supply frequency	50Hz
Energy rating	4 star	Supply voltage	230 - 230V
Energy usage	203kWh/year		
In-use energy carbon	132.2kgCO2e/year	Product dimensions	
		Depth	610mm
Features		Height	2134mm
Adjustable door shelves	4	Width	756mm
Adjustable glass cantilevered	•		
Adjustable glass shelves	3	Warranty	
Covered door shelves	1	Parts and labour	2 years
Door alarm	•	Sealed system parts only	5 years
Gallon door shelves	1		
LED bin lighting	•		
LED ceiling lighting	•	SKU	26103
LED side lighting	•		
Stackable bottle holders	4	The sound of discount of the first in the	
Wi-Fi connectivity		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher &	
Performance		Paykel's Customer Care Centre to ensure this p currently available. Fisher & Paykel Appliances	
ActiveSmart™ Foodcare	•	Where applicable:	
Dual evaporator	•	All appliances use energy, and energy usage ty	pically generates carbon emissions
Humidity control system	•	Fisher & Paykel Appliances' In-use Energy Carb	
Inverter controlled compressor	•	carbon emissions from a product's in-use energ	gy. This is calculated either annually

or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS7621SRHK1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Energy Label



Service & Warranty



User Guide Integrated Refrigerator Freezer EN



Energy Label



Water Filter Replacement Instructions & Installation Guide EN



Installation Guide Integrated Column Refrigerator



Installation Guide Toe Kick



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com