

Series 11, Integrated Tall Single DishDrawer Dishwasher

Integrated




<p>Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.</p>

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ™ app for remote control and notifications

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 44dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Efficient Performance

Our DishDrawer™ Dishwashers use the energy they need without compromising on wash performance.

SPECIFICATIONS

Accessories (included)

- | | |
|----------------------------------|---|
| Cutlery basket | • |
| Knife clip and multipurpose clip | • |

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX

Door panel stainless steel	ADDD60STPX	Electronic fault/Diagnostic indicator	•	Depth	553 mm
Handle kit Classic	AHCL-DDD-60X	End of cycle beeps	•	Height	454 mm
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Energy saving delay start option of up to 12 hours	•	Width	599 mm
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Internal wash selector	•		
Handle kit Contemporary square fine, black	AHD5-OBDD-60B	Keylock	•		
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Knock to pause	•	Wash Program Modifiers	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Rinse aid indicator light	•	Dry +	•
		Smart appliance	•	Quiet	•
		Spray arm sensing	•	Sanitise	•
				Wash modifiers	3
Capacity and loading					
Accommodates round plates up to	310mm				
Adjustable height, foldable cupracks	•	Features		Wash Programs	
Fold down tines	•	Built-in water softener	•	60 min	•
Pitch adjustable tines	•	Fan assisted drying	•	Auto	•
Place settings	6	Flood protection	•	Eco	•
Wine glass supports with stemware grippers	•	Flow through detergent dispenser	•	Glassware	•
		Internal tub material	Stainless steel	Heavy	•
		Motor type	BLDC	Light	•
Connected Features		Quiet operation	•	Medium	•
Alerts and notifications	•	SmartDrive™ technology	•	Rinse	•
Education and onboarding	•	Soft close drawer	•	Wash programs	8
Monitoring	•				
Software updates	•	Performance		Water connection	
		Noise emissions	44 dBA	Water pressure	100kPa - 1000kPa
Consumption				Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Energy rating	D	Power requirements			
Energy usage	49kWh/100 cycles	Dedicated Circuit (A)	5A		
In-use energy carbon emissions estimate	9.5kgCO2e/100 cycles	Supply frequency	50 Hz		
Water usage (per wash cycle)	6.4L	Voltage	220 - 240V	SKU	82174
Controls		Product dimensions			

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000 886 605 W www.fisherpaykel.com

Other product downloads available at fisherpaykel.com

- [↓](#) Archicad
- [↓](#) Care & Maintenance Guide (English)
- [↓](#) Declaration of Conformity (English)
- [↓](#) Energy Label
- [↓](#) First Use (English)
- [↓](#) Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Product Information Sheet
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) Standards and Wash Program Data (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.