30" TRIPLE STACK PROFESSIONAL STYLE

Details for Flush Installation

PLANNING GUIDE




PLANNING GUIDE 30" Professional Triple Stack

This Planning Guide outlines the specific installation of a flush finish with front cabinetry for the 30" Triple Stack, with Professional Style appliances. Cabinetry dimensions and construction contained in this document are a guideline only and will need to be adapted to suit specific location, cabinetry materials and construction methods. Please consult individual product literature for full installation instructions. Contemporary and Minimal Style appliances have different cabinetry requirements, please refer to separate Planning Guide for these specifications.


DATE: 09.11.2021

COMBINATION OVERVIEW 30" Professional Triple Stack




DATE: 18 November, 2021


OVERALL DIMENSIONS 30" Professional Triple Stack





DATE: 18 November, 2021



KEY PRODUCT DIMENSIONS 30" Professional Triple Stack










COFFEE MAKER, 30"

SPEED OVEN, 30"

STEAM OVEN, 30"








OVEN, 30" Shown with Long Trim fitted WARMING DRAWER, 30"

VACUUM SEAL DRAWER, 30"

LOWER TRIM DETAIL OF UPPER PRODUCT 30" Professional Triple Stack




IMPORTANT

The Coffee Maker and Cook Product (Speed Oven or Steam Oven) share the same overall front frame dimensions H x W x D. However there is a critcal difference in the relationship between the front frame with the base of the chassis. This dimensional difference between the Coffee Maker and Cook Product, results in the Coffee Maker requiring additional cabinetry components. These details are outlined in the following pages.

DATE: 18 November, 2021

CABINETRY OVERVIEW 30" Professional Triple Stack




IMPORTANT

- Shelves must be constructed from materials that will support weight of appliances.
- The cabinetry materials must be able to withstand heat.
- During installation appliances may need to be shimmed for precise alignment between products and cabinetry.
- Power cable requirements and cable outlet position can be found by consulting individual product installation manuals.
- Consult individual product installation manuals for complete product and cabinetry requirements


DATE: 18 November, 2021


CABINETRY OVERVIEW 30" Professional Triple Stack

This is an overview of cabinetry construction and product installation. Please see following pages for further details.




DATE: 18 November, 2021





DATE: 18 November, 2021



DATE: 18 November, 2021


IMPORTANT NOTE:

MINIMUM and CRITICAL dimensions are stated to meet product installation requirements and compliance standards. Where these dimensions are not adhered to product safety and performance may be compromised, along with undesirable fit in cabinetry.




FISHER & PAYKEL


CABINETRY DIMENSIONS 30" Professional Triple Stack





FRONT ELEVATION without front panels


SIDE ELEVATION with front panels














INSTALLATION DETAILS - PLAN VIEW 30" Professional Triple Stack





DETAIL D2 - OVEN with rebate PLAN VIEW



DATE: 18 November, 2021

THESE INSTRUCTIONS ARE FOR THESE SPECIFIC INSTALLATION SCENARIOS. OTHER CABINETRY CONSTRUCTION METHODS ARE POSSIBLE. PLEASE CONSULT PRODUCT INSTALLATION MANUALS FOR FULL PRODUCT SPECIFICATIONS AND CLEARANCE REQUIREMENTS.

IMPORTANT: The product dimensions and specifications apply at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. Dimensions may vary by ±2mm (1/16"). Please read the installation guide for detailed information on installing the product or visit fisherpaykel.com.