# Gas Range, 30"

#### Series 7 | Contemporary

Stainless Steel | Natural gas



Add contemporary style to your kitchen, and enjoy the instant response and precision of a gas-fueled oven and cooktop.

- Four burner gas cooktop, with two dual ring wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

# DIMENSIONS

Height	35 3/4 - 37 5/8"
Width	29 7/8″
Depth	25 1/4"

## **FEATURES & BENEFITS**

#### Design quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

### Large Capacity Oven

The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

#### Performance power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

### Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

## SPECIFICATIONS

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Chromed shelf runners	1 set
Full extension telescopic	2 sets (part 578776)

# FISHER & PAYKEL

Small pot support	1 (part 533981 cas
Accessories (sold separately)	
Kick strip, stainless steel	KICKOR30>
Burner ratings	
Dual wok burner inner/outer	1000 - 18000BT
Dual wok burner inner/outer	1000 - 18000BT
Maximum burner power	18000 BT
Semi-rapid burner (LPG)	1500 - 7600BT
Semi-rapid burner (natural	1500 - 8000BT
Total cooktop power	52000 BT
Capacity	
Shelf positions	
Total capacity	3.5cu
Usable capacity	2.7cu
Cleaning	
Acid resistant graphite enamel	
Dishwasher proof grates	
Removable oven door	
Removable shelf runners	
Controls	
Laser etched graphics	
Gas Requirements	
Supply Pressure (LPG)	11″ W.C.

Supply Pressure (LPG)	11″ W.C.P
Supply Pressure (natural gas)	4" W.C.P

#### QUICK REFERENCE GUIDE > OR30SDG4X1

Oven features	
Auto re-ignition system	•
Concealed element	•
Convection	
Electronic ignition	
Full extension telescopic	
Internal light	2 x 25W halogen (rear)
Soft open/close door	
Storage drawer	
Oven functions	
Bake	
Convection bake	
Maxi Broil	
Number of functions	3
Oven performance	
Bake power	14000 BTU
Broil	11000 BTU
CoolTouch door	Triple glazed
Power requirements	
Amperage	15A
Supply frequency	60Hz
Supply voltage	1200
Product dimensions	
Depth	25 1/4"

### Height 35 3/4 - 37 5/8" Width 29 7/8"

#### **Rangetop** features

Hob rail	
LPG/Natural gas compatible	
Sealed range top	

#### **Rangetop Performance**

Number of burners				
-------------------	--	--	--	--

#### Safety

Balanced oven door	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Spill containment	1/2 gallon

## Warranty

Parts and labour	2 years
SKU	82763

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher &

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

4

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

# FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- Service & Warranty
- ✓ User Guide Freestanding Range EN
- ✓ Installation Guide EN
- → Guide d'installation FR
- ✓ Data Sheet Gas Range



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com