

76cm Series 11 Integrated Column Freezer, Ice

Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR
------------	-----------

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D	Smart appliance	•	Variable food modes	Soft freeze; Freeze; Deep Freeze
Door panel stainless steel Right hinge 762mm	RD7621R10D	SmartTouch interface at counter height	•	Variable temperature zones	2
Handle kit Classic	AHCLRDSF				
Handle kit Contemporary round, aluminium	AHSRDSF				
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Freezer Features			
Handle kit Contemporary square fine, black	AHD5RDSFB	Automatic ice maker	•	Power requirements	
Handle kit Professional round flush	AHP3RDSF	Bottle chill	•	Rated current	10 A
Joiner Kit	AJ-RS21LR	Door alarm	•	Supply frequency	50 Hz
Toe kick stainless steel 1372mm	AKRS13710	Fast freeze	•	Supply voltage	220 - 240 V
Toe kick stainless steel 1524mm	AKRS15210	Freezer bins	4		
Toe kick stainless steel 762mm	AKRS7610	Ice Boost	•		
Water filter replacement	847200 - FWC3	LED bin lighting	•	Product dimensions	
		LED ceiling lighting	•	Depth	610 mm
		LED side lighting	•	Height	2134 mm
		SmartTouch interface at counter height	•	Width	756 mm
Capacity		Installation Dimensions		Product information	
Total gross capacity	477 L	Cabinetry height with included trim kit	2134 mm	Packaged weight	156 kg
Volume freezer	442 L	Minimum inside width of cabinetry frame	762 mm	Unpackaged weight	133 kg
		Minimum internal depth of cabinetry	635 mm		
Connected Features		Minimum internal height of cabinetry	2134 mm		
Alerts and notifications	•			SKU	26960
Education and onboarding	•	Performance			
Remote operation	•	ActiveSmart™ Foodcare	•		
Software updates	•	Adaptive defrost	•		
		Dual evaporator	•		
Features		Frost free	•		
Adjustable door shelves	4	Inverter controlled compressor	•		
Adjustable glass cantilevered shelves	•	Noise emissions	42 dBA		
Adjustable glass shelves	3	Noise emissions class	D		
Door alarm	•	Sabbath mode	•	Other product downloads available at fisherpaykel.com	
LED bin lighting	•				
LED ceiling lighting	•				
LED side lighting	•				

[↓](#) DXF

- ↓ DXF
- ↓ DXF
- ↓ Declaration of Conformity (English)
- ↓ Declaration of Conformity (English)
- ↓ DWG
- ↓ DWG
- ↓ Energy Label
- ↓ Energy Label
- ↓ Energy Rating (English, Chinese)
- ↓ Installation Guide - Assisted Opening Accessory - Integrated Refrigeration (English)
- ↓ Installation Guide (English)
- ↓ Planning Guide (English)
- ↓ Product Information Sheet
- ↓ Revit
- ↓ Rhino
- ↓ SketchUp
- ↓ User Guide (Danish)
- ↓ User Guide (German)
- ↓ User Guide (Dutch)
- ↓ User Guide (English)
- ↓ User Guide (Finnish)
- ↓ User Guide (French)
- ↓ User Guide (Hebrew)
- ↓ User Guide (Italian)
- ↓ User Guide (Norwegian)
- ↓ User Guide (Swedish)

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T +65 6741 0777 Wwww.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.