
QUICK REFERENCE GUIDE > RS6121SLK1

Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm



FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to

13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

CLEVER ENERGY

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel RD6121L10D

Handle kit Contemporary AHS-RD21

Handle kit Contemporary AHD5RDSF

QUICK REFERENCE GUIDE > RS6121SLK1 Date: 02.05.2024 > 2

		Installation Dimensions	
Handle kit Contemporary	AHD5RDSFB		610mm
Handle kit Contemporary	AHD3-RD21	Minimum inside width of	
Joiner kit	AJ-RS21LR	Minimum internal depth of	635mm
Toe kick stainless steel	AKRS10710	Minimum internal height of	2134mm
Toe kick stainless steel	AKRS12210		
Toe kick stainless steel	AKRS13710	Performance	
Toe kick stainless steel	AKRS18310	ActiveSmart™ Foodcare	•
Toe kick stainless steel 1981mm	AKRS19810	Adaptive defrost	•
Toe kick stainless steel 610mm	AKRS06110	Dual evaporator	•
		Frost free	•
Capacity		Humidity control system	•
Volume	351L	Inverter controlled compressor	•
Volume refrigerator	351L	Noise emissions	42dBA
		Noise emissions class	D
Consumption		Sabbath mode	•
Energy rating	3.5 star	Variable temperature zones	2
Energy usage	213kWh/year		
In-use energy carbon	138.7kgCO2e/year	Power requirements	
		Rated current	10A
Features		Supply frequency	50Hz
Adjustable door shelves	4	Supply voltage	220 - 240V
Covered door shelves	1		
Door alarm	•	Product dimensions	
Gallon door shelves	1	Depth	610mm
LED bin lighting	•	Height	2134mm
LED ceiling lighting	•	Width	603mm
LED side lighting	•		
Stackable bottle holders	4	Warranty	
Wi-Fi connectivity	•	Parts and labour	2 years
		Sealed system parts only	5 years

SKU 26135

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RS6121SLK1 Date: 02.05.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com