QUICK REFERENCE GUIDE > DD60STX6I1

Integrated Single DishDrawer™ Dishwasher, Tall, Sanitise

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel .*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- Premium stainless steel interior, and soft-close drawer with knock to pause function

 With Wi-Fi capability and a SmartHQ™ app for remote control and notifications

DIMENSIONS

Height 454mm
Width 599mm
Depth 553mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding

cabinetry.

Ease of use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Efficient Performance

With 3.5 star energy rating and 5.5 star (WELS) water rating, this DishDrawer™ Dishwasher uses the energy it needs without compromising on wash performance.

SPECIFICATIONS

Accessories

Cutlery basket

QUICK REFERENCE GUIDE > DD60STX6I1

Knife clip and multipurpose	•	Energy saving delay start	•		
		Internal wash selector	•	Warranty	
Accessories (sold separately)		Intuitive capacitive touch	•	Parts and labour	2 years
Door panel black stainless steel	ADDD60STPB	Keylock	•		
Door panel stainless steel	ADDD60STPX	Knock to pause	•	Wash Program Modifiers	
Handle kit Contemporary	AHS-OBDD-60S	Rinse aid indicator light	•	Dry +	•
Handle kit Contemporary	AHD5-OBDD-60SX	Spray arm sensing	•	Quiet	•
Handle kit Contemporary	AHD5-OBDD-60SB	Wi-Fi connectivity	•	Sanitise	•
Handle kit Contemporary	AHD3-OBDD-60S			Wash modifiers	3
Handle kit Contemporary	AHD3-OBDD-60B	Features			
Handle kit Professional round	AHP3-DWDD-60S	Fan assisted drying	•	Wash Programs	
		Flood protection	•	60 min	•
Capacity and loading		Flow through detergent	•	Auto	•
Accommodates round plates	310mm	Internal tub material	Stainless steel	Eco	•
Adjustable height, foldable	•	Quiet operation	•	Glassware	•
Fold down tines	•	SmartDrive™ technology	•	Heavy	•
Pitch adjustable tines	•	Soft close drawer	•	Light	•
Place settings	7			Medium	•
Wine glass supports with	•	Performance		Rinse	•
		Noise emissions	43dBA	Wash programs	8
Consumption					
Energy rating	3.5 star	Power requirements		Water connection	
Energy usage	137kWh/year	Amperage	5A	Water pressure	30kPa - 1000 kPa
In-use energy carbon	18.5kgCO2e/year	Supply frequency	50Hz	Water supply	3/4" BSP (20mm) Connector
Water consumption (per wash	5.7L	Supply voltage	220 - 240V		
Water efficiency	5.5 star (WELS)				
		Product dimensions		SKU	82170
Controls		Depth	553mm		
Electronic fault/Diagnostic	•	Height	454mm	The product dimensions and specifica	tions in this page apply to the specific product
End of cycle beeps	•	Width	599mm	and model. Under our policy of continu	uous improvement, these dimensions and

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 02.05.2024 > 3

specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide DishDrawer™ Dishwasher



Energy & Water Label



Standards Data and Wash Program Data DishDrawer $^{\text{TM}}$ Dishwasher



Installation Guide Single DishDrawer™ Dishwasher



Installation Guide Single DishDrawer™ Dishwasher



Specification Guide Integrated Single DishDrawer™ Dishwasher



Planning Guide Integrated Single DishDrawer™ Dishwasher



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com