

90cm Series 9 Contemporary 5 Zone Induction Pyrolytic Cooker, 2 SmartZones

Contemporary




With a large oven and cooktops that can be paired to create an expansive cook zone, this is the perfect choice for those who love to cook.

- Five cooking zones, with the ability to pair zones to create SmartZones
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium freestanding cooker.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear or simmer a delicate sauce to perfection.

Easy Cleaning

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR90X1
--	------------

Capacity

Shelf positions	6
-----------------	---

Shelf positions (main oven)	6	Installation cutout dimensions (Depth)	600 mm	Power requirements	
Total capacity	140 L	Installation cutout dimensions (Width)	900 mm	Amperage	68 A
Usable capacity	121 L			Supply frequency	50 Hz
Usable capacity (main oven)	121 L				
		Oven features		Product dimensions	
Cleaning		AeroTech™ technology	•	Depth	600 mm
Acid resistant graphite enamel	•	Automatic rapid pre-heat	•	Height	898 - 946 mm
Drop down grill element	•	Electronic oven control	•	Width	897 mm
Flat easy clean glass surface	•	Full extension telescopic sliding shelves	•		
Pyrolytic proof shelf runners	•	Soft open/close door	•		
Pyrolytic self-clean	•	True convection	•	Rangetop features	
Removable oven door	•	Twin cavity fans	•	Auto heat reduce	•
Removable oven door inner glass	•	Warming drawer	•	Dual colour display	•
Removable shelf runners	•			Gentle heat	•
		Oven functions		Heat settings	9
Controls		Bake	•	Hob rear trim	60 mm
Audio feedback	•	Fan bake	•	Induction cooking technology	•
Automatic cooking/minute timer	•	Fan forced	•	SmartZone	1
Automatic pre-set temperatures	•	Fan grill	•	Zone bridging	•
Celsius/Fahrenheit temperature	•	Grill	•		
Electronic clock	•	Number of functions	9	Rangetop Performance	
High resolution display	•	Pastry Bake with Pizza mode	•	Centre	2300 W
Laser etched graphics	•	Rapid proof	•	Left front zone rating	1600 (1850) W
Precise electronic temperature control	•	Roast	•	Left rear zone rating	2100 (3000) W
Sabbath mode	•	Rotisserie	•	Number of cooking zones	5
Toughened fused glass graphics	•	True convection	•	PowerBoost	•
Turned stainless steel clock buttons	•			PowerBoost all zones	up to 3000 W
Turned stainless steel clock crown (dial)	•	Oven performance		Right front zone rating	1600 (1850) W
Turned stainless steel dials with illuminated halos	•	CoolTouch door	Quadruple glazed	Right rear zone rating	2100 (3000) W
		Warming drawer power	202 W		
Installation Dimensions				Safety	

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

- All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
- Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)

SKU 81692

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ [Installation Guide \(English\)](#)
- ↓ [Installation Guide - Kick Strip \(English\)](#)
- ↓ [Revit](#)
- ↓ [Rhino](#)
- ↓ [SketchUp](#)
- ↓ [User Guide \(English\)](#)

Where applicable: