QUICK REFERENCE GUIDE > DD60STX6I1

Integrated Single DishDrawer™ Dishwasher, Tall, Sanitise

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- · With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 454mm
Width 599mm
Depth 553mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease of use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible wash options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer[™] Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories Cutlery basket Knife clip and multipurpose

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel stainless steel	ADDD60STPX
Handle kit Contemporary	AHS-OBDD-60S

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 02.05.2024 > 2

Handle kit Contemporary	AHD5-OBDD-60SX	Fan assisted drying	•	
Handle kit Contemporary	AHD5-OBDD-60SB	Flood protection	•	Wash Programs
Handle kit Contemporary	AHD3-OBDD-60S	Flow through detergent	•	60 min
Handle kit Contemporary	AHD3-OBDD-60B	Internal tub material	Stainless steel	Auto
		Quiet operation	•	Eco
Capacity and loading		SmartDrive™ technology	•	Glassware
Accommodates round plates	310mm	Soft close drawer	•	Heavy
Adjustable height, foldable	•			Light
Fold down tines	•	Performance		Medium
Pitch adjustable tines	•	Noise emissions	43dBA	Rinse
Place settings	7			Wash programs
Wine glass supports with	•	Power requirements		
		Amperage	5A	Water connection
Consumption		Supply frequency	50Hz	Water pressure
Water rating	3 ticks	Supply voltage	220 - 240V	Water supply
Water usage (per wash cycle)	0.8L/place setting			
		Product dimensions		0.41
Controls		Depth	553mm	SKU
Electronic fault/Diagnostic	•	Height	454mm	
End of cycle beeps	•	Width	599mm	The product dimensions
Energy saving delay start	•			and model. Under our po specifications may chang
Internal wash selector	•	Warranty		Paykel's Customer Care C
Intuitive capacitive touch	•	Parts and labour	2 years	currently available. Fishe
Keylock	•			Where applicable:
Knock to pause	•	Wash Program Modifiers		All appliances use energy
Rinse aid indicator light	•	Dry +	•	Fisher & Paykel Appliance carbon emissions from a
Spray arm sensing	•	Quiet	•	or per cycle, using the pr
Wi-Fi connectivity	•	Sanitise	•	data multiplied by the ca
		Wash modifiers	3	Our In-use Energy Carbon
Contures				making informed purchas

Wash Programs	
60 min	•
Auto	•
Eco	•
Glassware	•
Heavy	•
Light	•
Medium	•
Rinse	•
Wash programs	8

Water pressure	30kPa - 1000 kPa
Water supply	3/4" BSP (20mm) Connector

82182

ns and specifications in this page apply to the specific product policy of continuous improvement, these dimensions and nge at any time. You should therefore check with Fisher & e Centre to ensure this page correctly describes the model her & Paykel Appliances Ltd 2020

gy, and energy usage typically generates carbon emissions. nces' In-use Energy Carbon Emissions Estimate indicates a product's in-use energy. This is calculated either annually product's market-specific energy label energy consumption carbon emissions factor for energy in your country or region.

oon Emissions Estimate is designed to assist customers in nasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy

QUICK REFERENCE GUIDE > DD60STX6I1

Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide DishDrawer™ Dishwasher



Wash Program Data DishDrawer™



Installation Guide



Installation Guide Single DishDrawer™ Dishwasher



Specification Guide Integrated Single DishDrawer $\ensuremath{^{\text{TM}}}$ Dishwasher



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com