QUICK REFERENCE GUIDE > OR90SPI6X1

# Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone, Self-cleaning

Series 9 | Professional

Stainless Steel



Professional style and performance, with a large oven and five cooktop zones that can be paired to create an expansive cook zone.

- Large convection oven with 140L total capacity
- Nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes

 Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

### **DIMENSIONS**

Height	898-946mm
Width	897mm
Depth	600mm

#### **FEATURES & BENEFITS**

#### Multi-Shelf Cooking

Our AeroTech™ system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

#### **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

#### **POWER & CONTROL**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### **EVEN HEAT**

Accurate, electronically controlled oven heat ensures a great result every time.

#### LARGE CAPACITY OVEN

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### **SPECIFICATIONS**

Flat easy clean glass surface

Pyrolytic proof shelf runners

Removable oven door inner
Removable shelf runners

Pyrolytic self-clean

Removable oven door

Accessories	
Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Pyrolytic proof shelf runners	1 set
Roasting dish and grill rack set	1 set
Rotisserie set	1 set
Step down wire shelf	•
Accessories (sold separately)	
Kick strip, stainless steel	
	KICKOR90X1
	KICKOR90X1
Capacity Shelf positions	KICKOR90X1
Capacity	
Capacity Shelf positions	6
Capacity Shelf positions Total capacity	6 140L
Capacity Shelf positions Total capacity Usable capacity	6 140L
Capacity Shelf positions Total capacity Usable capacity Cleaning	6 140L

# FISHER & PAYKEL

QUICK REFERENCE GUIDE > OR90SPI6X1 Date: 02.05.2024 > 2

		Fan forced	•	Induction cooking technology	•
Controls		Fan grill	•	PowerBoost	•
Audio feedback	•	Grill	•	SmartZone	•
Automatic cooking/minute	•	Number of functions	9 + rotisserie	Zone bridging	•
Automatic pre-set	•	Pastry Bake with Pizza mode	•		
Celsius/Fahrenheit	•	Pyrolytic self-clean	•	Cooktop Performance	
Dial with illuminated halo	•	Rapid proof	•	Centre	2300W
Electronic clock	•	Roast	•	Left front zone rating	1600 (1850)W
High resolution display	•	Rotisserie	•	Left rear zone rating	2100 (3000)W
Laser etched graphics	•			Number of cooking zones	5
Precise electronic temperature	•	Oven performance		PowerBoost	3000
Sabbath mode	•	CoolTouch door	Quadruple glazed	Right front zone rating	1600 (1850)W
Toughened fused glass	•	Grill power	4500W	Right rear zone rating	2100 (3000)W
Turned stainless steel clock	•	Warming drawer power	202W		
Turned stainless steel clock	•			Safety	
		Power requirements		Advanced cooling system	•
Oven features		Amperage	68A	Anti-tilt bracket	•
AeroTech™ technology	•	Supply frequency	50Hz	Balanced oven door	•
Automatic rapid pre-heat	•	Supply voltage	220-240V	Catalytic venting system	•
Convection	•			Child lock	•
Electronic oven control	•	Product dimensions		CoolTouch door	•
Full extension telescopic	•	Depth	600mm	Full extension telescopic	•
Internal light	4 x 25W halogen (2 side & 2	Height	898-946mm	Non-tip shelves	•
Soft open/close door	•	Width	897mm	Pan detection system	•
Twin cavity fans	•			Safety time out	•
Warming drawer	•	Cooktop Features		Spillage auto off	•
		Dual colour display	•	Surface hot indicators	•
Oven functions		Gentle heat	•		
Bake	•	Heat settings	9	Warranty	
Fan bake	•	Hob rail		Parts and labour	2 years
		1700 Iuli	-		,

QUICK REFERENCE GUIDE > OR90SPI6X1 Date: 02.05.2024 > 3

SKU 82724

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

# Other product downloads available at fisherpaykel.com



User Guide Freestanding Cooker



Service & Warranty



Installation Guide Freestanding Cooker



Datasheet



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com