QUICK REFERENCE GUIDE > RDV3-366-L

Dual Fuel Range, 36", 6 Burners, Self-cleaning, LPG

Series 9 | Professional

Stainless Steel | LPG




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 19,000 BTU, for seriously fast boiling
- 4.8 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	35 7/8"
Depth	29 1/8"



FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Featuring a large 4.8 cu ft total capacity convection oven, with

enough room to fit a 32 lb turkey and full-size baking sheets.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories Adjustable feet covers Branded coin end cap • Accessories (sold separately) Square handle option AH-R36

Burner ratings

Maximum burner power 19000 BTU

QUICK REFERENCE GUIDE > RDV3-366-L Date: 02.05.2024 > 2

Power back centre	13000BTU	Fitting and pipe	½ NPT, min. %" 🛭 flex line	Warm	•
Power back left	13000BTU	Supply Pressure (LPG)	11" to 14" W.C		
Power back right	13000BTU			Oven performance	
Power front centre	15000BTU	Oven features		Main oven - True convection	2500W
Power front left	19000BTU	Auto re-ignition system	•		
Power front right	19000BTU	Concealed element	•	Power requirements	
Total cooktop power	92000 BTU	Electronic oven control	•	Rated current	30A
		Food probe	•	Supply frequency	60Hz
Capacity		Full extension telescopic	•		
Shelf positions	5	Internal light	•	Product dimensions	
Total capacity	4.8cu ft	Large broil pan	•	Depth	29 1/8"
Usable capacity	3.8cu ft	Self-clean proof side racks	•	Depth (excluding handles)	29 1/8"
		True convection	•	Height	35 3/4 - 36 3/4"
Cleaning				Width	35 7/8"
Easy clean porcelain basepan	•	Oven functions			
Pyrolytic self-clean	•	Air fry	•	Rangetop features	
		Bake	•	Vent trim included	•
Controls		Classic bake	•		
Dial with illuminated halo	•	Clean	•	Recommended Back Guards Ventilation	
Electric circuit	4 wire	Convection Broil	•	Combustible situation	BGRV3-3036H
High resolution display	•	Convection bake	•	Non combustible situation	BGRV2-3036 / BGRV2-1236
Metal illuminated dials	•	Dehydrate	•	Recommended hood	HCB36-6_N (36" Professional
Multi-language interface	•	Maxi Broil	•		_ ^
Precise cooking with food	•	Number of functions	15	Safety	
Recipe and food based	•	Pastry bake	•	ADA compliant	
Sabbath mode	•	Pizza bake	•	Full extension telescopic	
Tilting touch screen interface	•	Rapid proof	•	i dii exterision telescopie	
Wi-Fi connectivity	•	Roast	•	Secondary oven features	
		Slow cook	•		_
Gas Requirements		True convection	•	Food probe	•

QUICK REFERENCE GUIDE > RDV3-366-L Date: 02.05.2024 > 3

Warranty

Parts and labor Limited 2 years

SKU 81899

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

Servic

Service & Warranty

User Guide Professional Range EN

1

Installation Guide EN

<u></u>

Guide d'installation FR

 $\overline{\mathbf{+}}$

Specification Guide Dual Fuel Range

1

Data Sheet Dual Fuel Range with Backguard BGRV2-1236

1

Data Sheet Dual Fuel Range with Backguard BGRV2-3036

Data Sheet Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim



Data Sheet Dual Fuel Range



Planning Guide Dual Fuel Range



Planning Guide Professional Style Dial/Handle Accessories

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com