

91cm Series 11 Integrated French Door Refrigerator Freezer, Ice & Water

Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it includes an ice maker and internal water dispenser.

- Variable Temperature Drawer with Chill, Fridge, and Pantry modes for optimal food care
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection

- Enjoy fresh, chilled water and ice from the internal water dispenser and ice maker
- Space-saving French Door design, ideal for island or galley-style kitchens

DIMENSIONS

| | |
|--------|---------|
| Height | 2134 mm |
| Width | 908 mm |
| Depth | 610 mm |



FEATURES & BENEFITS

Variable temperature drawer

When it comes to food preservation, one temperature doesn't fit all. The Variable Temperature Drawer gives you complete control, letting you switch the bottom refrigerator drawer between Chill, Fridge, or Pantry modes at the touch of a button. Use it for everyday convenience, or increase chilling capacity when hosting and entertaining.

Clever energy

Highly efficient vacuum insulation reduces heat transfer, helping the refrigerator use less energy while keeping your food fresher for longer.

Elegant interior

With a premium interior and refined detailing, this model is the highlight of our Integrated refrigeration collection, bringing together exceptional design and everyday functionality.

Internal water and ice dispenser

The internal water dispenser and ice maker preserve a seamless exterior that blends effortlessly with surrounding cabinetry. Inside, the slimline dispenser is flush-fit to maximise storage, with a temperature-controlled flow and angled design to help catch drips and spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models sit flush, with 3mm gaps and no visible hinges or grilles. The French Door format features smaller doors that maximise space and movement, making it ideal for island and galley kitchens. Integrated models can be hidden behind cabinetry or paired with a stainless steel door panel.

Design quality

The premium design includes a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for everyday use.

SPECIFICATIONS

Accessories (sold separately)

| | |
|--------------------------------|--|
| Door panel set stainless steel | Left hinge RD9121WLD, Right hinge RD9121WRD |
| Water filter replacement | 847200 - FWC3 |

Features

| | |
|--|---|
| Adjustable glass cantilevered shelves | • |
| Adjustable glass shelves | 4 |
| Adjustable half width door shelves | 6 |
| Door alarm | • |
| Fruit and vegetable bins | 1 |
| Full extension drawers | 2 |
| Keylock | • |
| LED bin lighting | • |
| LED ceiling lighting | • |
| SmartTouch interface at counter height | • |
| Split level cantilevered shelves | • |
| Variable temperature drawer | • |

Freezer Features

| | |
|---------------------|---|
| Automatic ice maker | • |
| Bottle chill | • |

| | |
|--|---|
| Door alarm | • |
| Fast freeze | • |
| Freezer bins | 1 |
| Freezer drawers | 1 |
| Freezer trays | 1 |
| Ice bin and scoop | • |
| Ice Boost | • |
| LED Lighting | • |
| Max Cold | • |
| Slide Out Pastry Tray | • |
| SmartTouch interface at counter height | • |

Installation Dimensions

| | |
|---|----------------|
| Minimum inside width of cabinetry frame | 914 mm |
| Minimum internal depth of cabinetry | 635 mm |
| Minimum internal height of cabinetry | 2134 mm |

Performance

| | |
|----------------------------------|----------------------------------|
| ActiveSmart™ Foodcare | • |
| Adaptive defrost | • |
| Eco friendly R600a refrigerant | • |
| Frost free | • |
| Holiday mode | • |
| Humidity control system | • |
| Internal replacable water filter | • |
| Sabbath mode | • |
| Triple evaporator | • |
| Variable food modes | Pantry; Fridge; Chill |
| Variable temperature compartment | • |

Power requirements

| | |
|------------------|--------------|
| Rated current | 10 A |
| Supply frequency | 50 Hz |
| Supply voltage | 230 V |

Product dimensions

| | |
|--------|----------------|
| Depth | 610 mm |
| Height | 2134 mm |
| Width | 908 mm |

Product information

| | |
|-----------------|---------------|
| Packaged weight | 240 kg |
|-----------------|---------------|

Variable Temp Compartment

| | |
|--------|---|
| Chill | • |
| Fridge | • |
| Pantry | • |

| | |
|-----|-------|
| SKU | 27041 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) DWG
- [↓](#) DXF
- [↓](#) Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Restriction of the Use of Hazardous Substances (Chinese)
- [↓](#) SketchUp

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.