QUICK REFERENCE GUIDE > OR30SCI6X1

Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Stainless Steel



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 37 5/8"

Width 29 7/8"

Depth 25 1/4"

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features

full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Full extension telescopic	2 sets (part 578776)
Accessories (sold separately)	
Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel	KICKOR30X1
Kick strip, white (optional)	KICKOR30W1
Capacity	
Shelf positions	7
Total capacity	3.5cu ft
Usable capacity	2.9cu ft
Cleaning	
Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 02.05.2024 > 2

Controls	
Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Laser etched graphics	•
Precise electronic temperature	•
Sabbath mode	•
Toughened fused glass	•
Turned stainless steel clock	•
Turned stainless steel dials	•
Oven features	
Automatic rapid pre-heat	•
Electronic oven control	•
Full extension telescopic	•
Internal light	2 x 25W halogen (rear)
Soft open/close door	•
True convection	•
Oven functions	
Aero Bake	•
Aero Broil	•
Aero™ Pastry with Pizza mode	•
Bake	•
Number of functions	9
Rapid proof	•

Roast	
Self-clean	
True Aero	
True convection	
True convection	•
Oven performance	
Broil power	4050W
CoolTouch door	Triple glazed
Warming drawer power	220W
Power requirements	
Connection	4-prong [NEMA 14-50P power
Power supply	120 / 240 V or 120 / 208 V, 60
Service	40 A
Product dimensions	
Depth	25 1/4"
Height	35 3/4 - 37 5/8"
Width	29 7/8"
Rangetop features	
Auto heat reduce	•
Gentle heat	•
Heat settings	9
Induction cooking technology	•
Rangetop Performance	
PowerBoost	•
Cafabi	

ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•
SKU	81961
	Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system Child lock CoolTouch door Full extension telescopic Non-tip shelves Pan detection system Safety time out Spill containment Spillage auto off Surface hot indicators

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Safety

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 02.05.2024 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Freestanding Range EN



Installation Guide Freestanding Cooker EN



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com