

Series 9, Integrated Single DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	410 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel	ADDD60SPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60SPX
Handle kit Contemporary round, aluminium	AHS-OBDD-60S

Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Energy saving delay start option of up to 12 hours	•	Width	599 mm
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Internal wash selector	•		
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Keylock	•	Wash Program Modifiers	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Knock to pause	•	Extra Dry	•
		Rinse aid indicator light	•	Quick	•
		Smart appliance	•	Sanitise	•
				Wash modifiers	3
Capacity and loading		Features		Wash Programs	
Accommodates round plates up to	280mm	Built-in water softener	•	Delicate	•
Adjustable height, foldable cupracks	•	Fan assisted drying	•	Eco	•
Fold down tines	•	Flood protection	•	Fast	•
Pitch adjustable tines	•	Flow through detergent dispenser	•	Heavy	•
Place settings	6	Motor type	BLDC	Medium	•
		Quiet operation	•	Rinse	•
		SmartDrive™ technology	•	Wash programs	6
Connected Features		Performance		Water connection	
Alerts and notifications	•	Noise emissions	43 dBA	Water pressure	100kPa - 1000kPa
Education and onboarding	•			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Monitoring	•	Power requirements			
Software updates	•	Amperage	5A		
		Supply frequency	50		
Consumption		Supply voltage	220 - 240V		
Energy rating	F			SKU	82362
Energy usage	61kWh/100 cycles				
Water usage (per wash cycle)	7.9L				
Controls		Product dimensions			
Electronic fault/Diagnostic indicator	•	Depth	553 mm		
End of cycle beeps	•	Height	410 mm		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ DXF
- ↓ Data Sheet (English)
- ↓ Declaration of Conformity (English)
- ↓ DWG
- ↓ Energy Label
- ↓ Installation Guide (Danish)
- ↓ Installation Guide (Dutch)
- ↓ Installation Guide (Dutch)
- ↓ Installation Guide (English)
- ↓ Installation Guide (Spanish)
- ↓ Installation Guide (Finnish)
- ↓ Installation Guide (French)
- ↓ Installation Guide (Hebrew)
- ↓ Installation Guide (Italian)
- ↓ Installation Guide (Norwegian)
- ↓ Installation Guide (Spanish)
- ↓ Installation Guide (Swedish)
- ↓ Planning Guide (English)
- ↓ Product Information Sheet
- ↓ Quick Start Guide (Danish)
- ↓ Quick Start Guide (English)
- ↓ Quick Start Guide (German)
- ↓ Quick Start Guide (Dutch)
- ↓ Quick Start Guide (Dutch)
- ↓ Quick Start Guide (Spanish)
- ↓ Quick Start Guide (Spanish)

- ↓ Quick Start Guide (Finnish)
- ↓ Quick Start Guide (Finnish)
- ↓ Quick Start Guide (French)
- ↓ Quick Start Guide (Hebrew)
- ↓ Quick Start Guide (Hebrew)
- ↓ Quick Start Guide (Italian)
- ↓ Quick Start Guide (Italian)
- ↓ Quick Start Guide (Norwegian)
- ↓ Quick Start Guide (Swedish)
- ↓ Revit
- ↓ Rhino
- ↓ Rhino - Door and Contemporary Square Handle
- ↓ SketchUp
- ↓ SketchUp - Door and Contemporary Square Handle
- ↓ User Guide (English)
- ↓ Wash Program Data (English)
- ↓ Installation Video

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000886605 W www.fisherpaykel.com