QUICK REFERENCE GUIDE > OB60SD11PLX1 Date: 04.04.2024 > 1

Oven, 60cm, 11 Function, Selfcleaning

Series 7 | Contemporary

Stainless Steel




With beautiful Contemporary styling and generous capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 85L total capacity with 11 oven functions including Pizza Bake, Roast, Slow Cook and Air Fry
- Moisture level control with ActiveVent technology
- Pyrolytic self-cleaning function breaks down food residue for an easy clean
- · Wi-Fi enabled for remote control and notifications through the SmartHQ™ app

DIMENSIONS

598mm Height 596mm Width 565mm Depth



FEATURES & BENEFITS

Multi-function flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 11 functions including Pizza Bake, Roast, Slow Cook and Air Fry, allowing you to use a variety of cooking styles.

Generous capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech circulates heat evenly for a consistent temperature.

Self-cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe and sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside - protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories	
Chromed shelf runners	
Flat brushed baking tray	
Grill rack	1 set
Roasting dish	
Step down wire shelf	
Telescopic sliding runners	1 set
Wire shelf	
Capacity	

Shelf positions	(
Total capacity	85

QUICK REFERENCE GUIDE > OB60SD11PLX1

Acid resistant graphite enamel Pyrolytic self-clean Pyrolytic self-clean Removable oven door Removable oven door Removable oven door inner Removable shelf runners Performance Controls Adjustable audio and display ActiveVent** system Active Vent** system Active Vent** system Active	Usable capacity	72L	Fan grill	•
Acidir esistant graphite enamel Pyrolytic self-clean Pyrolytic self-clean Pyrolytic self-clean Pyrolytic self-clean Pyrolytic self-clean Pyrolytic self-clean Porolytic self-clea			Grill	•
Pyrolytic self-clean	Cleaning		Number of functions	11
Removable oven door Removable oven door	Acid resistant graphite enamel	•	Pizza bake	•
Removable oven door inner Removable oven door inner Removable shelf runners Performance Adjustable audio and display ActiveVent'** system Adjustable audio and display ActiveVent'** system ActiveVe	Pyrolytic self-clean	•	Pyrolytic self-clean	•
Removable shelf runners - Vent bake - Controls - Performance Adjustable audio and display - ActiveVent™ system - Active cent active system - Active vent ™ system - Active cent ™ system - Ac	Removable oven door	•	Roast	•
Controls Adjustable audio and display Adtomatic cooking/minute Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Automatic rapid pre-heat	Removable oven door inner	•	Slow cook	•
Adjustable audio and display ActiveVent™ system ActiveVent™ technology Automatic cooking/minute ActiveVent™ technology Automatic pre-set Automatic rapid pre-heat Celsius/Fahrenheit Temperature range Temperatur	Removable shelf runners	•	Vent bake	•
Automatic cooking/minute Automatic pre-set Automatic pre-set Automatic rapid pre-heat Temperature range S5°C - 280°C Certified Sabbath mode Whisper quiet cooking Power requirements Electronic clock Power requirements Electronic oven control Amperage 15A Halogen lights Supply frequency Soft close doors True convection oven Yeroduct dimensions Turned stainless steel dials Pepth Se5mm Wi-Fi connectivity Height Supply Width S98mm Width S98mm Functions Air fry Bake Balanced oven door Catalytic venting system	Controls		Performance	
Automatic pre-set Automatic pre-set Celsius/Fahrenheit Temperature range 35°C - 280°C Certified Sabbath mode Whisper quiet cooking Power requirements Electronic clock Power requirements Electronic oven control Amperage 15A Halogen lights Supply frequency 50Hz Multi-language display UK English, US English, Supply voltage 220-240V Soft close doors True convection oven True datainless steel dials Product dimensions Turned stainless steel dials Depth 565mm Wi-Fi connectivity Height 598mm Width 596mm Functions Air fry Safety Bake Balanced oven door Catalytic venting system	Adjustable audio and display	•	ActiveVent™ system	•
Celsius/Fahrenheit	Automatic cooking/minute	•	AeroTech™ technology	•
Certified Sabbath mode Poleay start Electronic clock Power requirements Electronic oven control Amperage 15A Halogen lights Supply frequency Supply voltage 220-240V Soft close doors True convection oven Product dimensions Turned stainless steel dials Pepth Sessmm Wi-Fi connectivity Height Supply Width Sessmm Functions Air fry Bake Balanced oven door Catalytic venting system	Automatic pre-set	•	Automatic rapid pre-heat	•
Delay start Electronic clock Fower requirements Electronic oven control Amperage Supply frequency Multi-language display Multi-language display	Celsius/Fahrenheit	•	Temperature range	35°C - 280°C
Electronic clock Power requirements Electronic oven control Amperage 15A Halogen lights Supply frequency Supply voltage 220-240V Soft close doors True convection oven Turned stainless steel dials Product dimensions Turned stainless steel dials Depth Softm Height Sysemm Width Sysemm Width Sysemm Width Sysemm Functions Air fry Bake Balanced oven door Catalytic venting system Table	Certified Sabbath mode	•	Whisper quiet cooking	•
Electronic oven control • Amperage 15A Halogen lights • Supply frequency 50Hz Multi-language display UK English, US English, Soft close doors True convection oven • Product dimensions Turned stainless steel dials • Depth 565mm Wi-Fi connectivity • Height 598mm Functions Air fry • Safety Bake • Balanced oven door • Fan bake • Catalytic venting system •	Delay start	•		
Halogen lights • Supply frequency 50Hz Multi-language display UK English, US English, Soft close doors True convection oven Turned stainless steel dials Wi-Fi connectivity Height Width 598mm Width Functions Air fry Bake Balanced oven door Fan bake Catalytic venting system	Electronic clock	•	Power requirements	
Multi-language display UK English, US English, Supply voltage 220-240V Product dimensions Turned stainless steel dials Depth 565mm Wi-Fi connectivity Height Width 596mm Functions Air fry Air fry Bake Balanced oven door Fan bake Catalytic venting system Supply voltage 220-240V Air product dimensions Depth Midth 595mm Vidth 596mm Catalytic venting system Catalytic venting system	Electronic oven control	•	Amperage	15A
Soft close doors True convection oven Turned stainless steel dials Wi-Fi connectivity Height Width Functions Air fry Bake Balanced oven door Fan bake Catalytic venting system Product dimensions Depth Fooduct dimensions Width 565mm Width 598mm Width 596mm Catalytic venting system	Halogen lights	•	Supply frequency	50Hz
True convection oven Turned stainless steel dials Wi-Fi connectivity Height Width Functions Air fry Bake Bake Catalytic venting system Product dimensions Depth Sefsmm Width S98mm Width S96mm Catalytic venting system Catalytic venting system	Multi-language display	UK English, US English,	Supply voltage	220-240V
Turned stainless steel dials Vi-Fi connectivity Height Width 598mm Width Functions Air fry Bake Balanced oven door Fan bake Catalytic venting system Factorials Catalytic venting system	Soft close doors	•		
Wi-Fi connectivity Height Width Functions Air fry Bake Balanced oven door Catalytic venting system Functions Catalytic venting system	True convection oven	•	Product dimensions	
Functions Air fry Bake Balanced oven door Fan bake Catalytic venting system Width 596mm 600 600 600 600 600 600 600	Turned stainless steel dials	•	Depth	565mm
Functions Air fry Safety Bake Balanced oven door Catalytic venting system Catalytic venting system	Wi-Fi connectivity	•	Height	598mm
Air fry • Safety Bake • Balanced oven door • Catalytic venting system •			Width	596mm
Bake • Balanced oven door • Fan bake • Catalytic venting system •	Functions			
Fan bake • Catalytic venting system •	Air fry	•	Safety	
- 4	Bake	•	Balanced oven door	•
Fan forced • Control panel key lock •	Fan bake	•	Catalytic venting system	•
	Fan forced	•	Control panel key lock	•

CoolTouch door	•
Non-tip shelves	•
Safety thermostat	•
Warranty	
Parts and labour	2 years
0.44	00505
SKU	82565

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > OB60SD11PLX1

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Oven



Installation Guide Wall Oven



Installation Guide Wall Oven



Datasheet Oven



Preliminary Specification Guide Wall Oven



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com