

Series 11, Integrated Tall Double DishDrawer Dishwasher

Integrated




<p>Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.</p>

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience

DIMENSIONS

Height	865 - 925 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

- Seamless Integration**
Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.
- Ease Of Use**
DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 310mm, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.
- True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

- Flexible Wash Options**
Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.
- Design Quality**
Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause
For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Accessories (sold separately)	
Door panel black stainless steel	ADDD60DTPB
Door panel stainless steel	ADDD60DTPX
Handle kit Contemporary brushed black	AHD7DDDW60B
Handle kit Contemporary brushed silver	AHD7DDDW60S
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB

Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	End of cycle beeps	•	Width	599 mm
Handle kit Contemporary square, black	AHD3-OBDD-60B	Energy saving delay start option of up to 12 hours	•		
Handle kit Minimal black	AHM1DDDW60B	Internal wash selector	•	Wash Program Modifiers	
Handle kit Minimal grey	AHM1DDDW60G	Keylock	•	Dry +	•
		Knock to pause	•	Quiet	•
		Rinse aid indicator light	•	Sanitise	•
		Smart appliance	•	Wash modifiers	3
		Spray arm sensing	•		
Capacity and loading		Features		Wash Programs	
Accommodates round plates up to (lower drawer)	280mm	Fan assisted drying	•	60 min	•
Accommodates round plates up to (upper drawer)	310mm	Flood protection	•	Auto	•
Adjustable height, foldable cupracks	•	Flow through detergent dispenser	•	Eco	•
Fold down tines	•	Internal tub material	Stainless steel	Glassware	•
Pitch adjustable tines	•	Quiet operation	•	Heavy	•
Place settings	14	SmartDrive™ technology	•	Light	•
Place settings	14	Soft close drawer	•	Medium	•
Place settings per drawer	7			Rinse	•
Place settings per drawer	7			Wash programs	8
Wine glass supports with stemware grippers	•				
Connected Features		Performance		Water connection	
Alerts and notifications	•	Noise on standard cycle top drawer	43 dBA	Water pressure	30kPa - 1000 kPa
Education and onboarding	•			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Monitoring	•	Power requirements			
Software updates	•	Dedicated Circuit (A)	10A		
		Supply frequency	50 Hz		
		Voltage	220 - 240V		
				SKU	82180
Consumption		Product dimensions			
Water efficiency (WELS) rating	3 ticks	Depth	553 mm		
Water usage (per wash cycle)	0.8L/place setting	Height	865 - 925 mm		
Controls					
Electronic fault/Diagnostic indicator	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) First Use (English)
- [↓](#) Installation Guide (English)
- [↓](#) Planning Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) SketchUp
- [↓](#) Care & Maintenance Guide (English)
- [↓](#) User Guide (English)
- [↓](#) Wash Program Data (English)
- [↓](#) Water Efficiency Label

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T +65 6741 0777 W www.fisherpaykel.com