

# 30" Series 7 4 Element Electric Range, Ceramic Radiant

Contemporary



A refined electric range with multiple oven functions for perfect cooking of anything from a large roast to baking bread and pastry.


- Electric radiant cooktop with four cook elements
- Nine oven functions including Roast, Aero™ Pastry with Pizza mode, and Rapid Proof for baking bread
- High-temperature self-cleaning function breaks down food residue for an easy clean

## DIMENSIONS

|        |                   |
|--------|-------------------|
| Height | 35 3/4 - 37 5/8 " |
| Width  | 29 7/8 "          |

Depth

25 1/4 "



## FEATURES & BENEFITS

### Cooking Flexibility

Accurate, electronically-controlled oven heat, ensures a great result every time with 9 functions and pre-set temperatures including bake, grill, pastry bake with pizza mode and fan forced, for a variety of cooking styles.

### A Modern Legacy

A refined, minimalist style with attention to the smallest details. High-performance cooking technology offers multiple cooking functions.

### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, machined stainless dials and glowing halo dials all add up to an exceptional, premium range.

### Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

### Easy To Clean

Cleaning up spills is effortless. The flat ceramic cooktop is easily wiped after use, and the self-cleaning oven breaks down food residue at a very high temperature leaving a light ash that's easily removed with a damp cloth.

### Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time. Dishes on the top shelf turn out as perfectly as the ones on the bottom due to our AeroTech™ convection system that circulates air evenly throughout the entire oven.

## SPECIFICATIONS

### Accessories (included)

|                                              |                      |
|----------------------------------------------|----------------------|
| 2-pc grill system (Broil pan and Grill rack) | •                    |
| Broil pan                                    | •                    |
| Full extension telescopic shelves            | 2 sets (part 578776) |

### Accessories (sold separately)

|                                        |                      |
|----------------------------------------|----------------------|
| Hob rear trim                          | 3 1/8"" (part 81656) |
| Kick strip, stainless steel (optional) | KICKOR30X1           |

### Capacity

|                 |           |
|-----------------|-----------|
| Shelf positions | 7         |
| Total capacity  | 3.5 cu ft |
| Usable capacity | 2.9 cu ft |

### Cleaning

|                                                     |                 |                                           |                                                    |                                                                                              |            |
|-----------------------------------------------------|-----------------|-------------------------------------------|----------------------------------------------------|----------------------------------------------------------------------------------------------|------------|
| Acid resistant graphite enamel                      | •               | Electronic oven control                   | •                                                  | Width                                                                                        | 29 7/8 "   |
| Drop down broil element                             | •               | Full extension telescopic sliding shelves | •                                                  |                                                                                              |            |
| Drop down grill element                             | •               | Soft open/close door                      | •                                                  |                                                                                              |            |
| Flat easy clean glass surface                       | •               | True convection                           | •                                                  | Rangetop Performance                                                                         |            |
| Pyrolytic proof shelf runners                       | •               | Turned stainless steel clock dial         | •                                                  | Number of cooking zones                                                                      | 4          |
| Pyrolytic self-clean                                | •               |                                           |                                                    |                                                                                              |            |
| Removable oven door                                 | •               |                                           |                                                    |                                                                                              |            |
| Removable shelf runners                             | •               |                                           |                                                    |                                                                                              |            |
|                                                     |                 | Oven functions                            |                                                    | Safety                                                                                       |            |
|                                                     |                 | Aero™ Bake                                | •                                                  | ADA compliant                                                                                | •          |
| Consumption                                         |                 | Aero™ Pastry with Pizza mode              | •                                                  | Advanced cooling system                                                                      | •          |
| Energy usage                                        | 587kWh/year     | Number of functions                       | 9                                                  | Anti-tilt bracket                                                                            | •          |
| In-use energy carbon emissions estimate             | 67.7kgCO2e/year | Rapid proof                               | •                                                  | Balanced oven door                                                                           | •          |
|                                                     |                 | Roast                                     | •                                                  | Catalytic venting system                                                                     | •          |
|                                                     |                 | True convection                           | •                                                  | CoolTouch door                                                                               | •          |
|                                                     |                 |                                           |                                                    | Full extension telescopic sliding shelves                                                    | •          |
| Controls                                            |                 | Oven performance                          |                                                    | Hi-light high speed ribbon elements                                                          | •          |
| Audio feedback                                      | •               | Broil power                               | 4050 W                                             | Individual hot surface indicators                                                            | •          |
| Automatic cooking/minute timer                      | •               | CoolTouch door                            | Triple glazed                                      | Non-tip shelves                                                                              | •          |
| Automatic pre-set temperatures                      | •               | Warming drawer power                      | 220 W                                              | Spill containment                                                                            | 68.13 L    |
| Celsius/Fahrenheit temperature                      | •               |                                           |                                                    | Spill containment                                                                            | 1/8 gallon |
| Electronic clock                                    | •               |                                           |                                                    |                                                                                              |            |
| High resolution display                             | •               |                                           |                                                    |                                                                                              |            |
| Laser etched graphics                               | •               | Power requirements                        |                                                    |                                                                                              |            |
| Precise electronic temperature control              | •               | Connection                                | 4-prong<br>grounding type<br>[NEMA 14-50P<br>plug] | SKU                                                                                          | 81721      |
| Sabbath mode                                        | •               |                                           |                                                    |                                                                                              |            |
| Toughened fused glass graphics                      | •               | Service                                   | 40 A                                               |                                                                                              |            |
| Turned stainless steel clock buttons                | •               | Supply frequency                          | 60 Hz                                              |                                                                                              |            |
| Turned stainless steel dials with illuminated halos | •               | Supply voltage                            | 208 - 240 V                                        |                                                                                              |            |
|                                                     |                 |                                           |                                                    |                                                                                              |            |
| Oven features                                       |                 | Product dimensions                        |                                                    | Other product downloads available at <a href="https://fisherpaykel.com">fisherpaykel.com</a> |            |
| AeroTech™ technology                                | •               | Depth                                     | 25 1/4 "                                           | <a href="#">↓</a> DXF                                                                        |            |
| Automatic rapid pre-heat                            | •               | Height                                    | 35 3/4 - 37 5/8 "                                  | <a href="#">↓</a> DWG                                                                        |            |
| Concealed element                                   | •               |                                           |                                                    |                                                                                              |            |

- ↓ Energy Label (Canadian French)
- ↓ Installation Guide (English)
- ↓ Installation Guide (Canadian French)
- ↓ California Warning Proposition 65 (English, Spanish, Canadian French, Chinese)
- ↓ Revit
- ↓ Rhino
- ↓ Right To Repair Declaration (English, Canadian French)
- ↓ SketchUp
- ↓ User Guide (English)
- ↓ User Guide (Canadian French)

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 Wwww.fisherpaykel.com