

# Integrated Column Refrigerator, 76cm


Series 11 | Integrated  
Panel Ready | Right Hinge



- Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
  - Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
  - Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

|        |        |
|--------|--------|
| Height | 2134mm |
| Width  | 756mm  |
| Depth  | 610mm  |



## FEATURES & BENEFITS

- Mix & match**  
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.
- Perfect Fit**  
These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

- Clever Energy**  
Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.
- Appealing illumination**  
Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- DESIGN QUALITY**  
The premium design and quality finish includes a stainless steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.
- EASY INSTALL**  
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## SPECIFICATIONS

| Accessories (sold separately)    |            |
|----------------------------------|------------|
| Door panel stainless steel Left  | RD7621L10D |
| Door panel stainless steel Right | RD7621R10D |
| Handle kit Contemporary          | AHS-RD21   |
| Handle kit Contemporary          | AHD5RDSF   |
| Handle kit Contemporary          | AHD5RDSFB  |
| Handle kit Contemporary          | AHD3-RD21  |
| Joiner kit                       | AJ-RS21LR  |
| Toe kick stainless steel         | AKRS12210  |

|                                 |           |
|---------------------------------|-----------|
| Toe kick stainless steel        | AKRS13710 |
| Toe kick stainless steel        | AKRS15210 |
| Toe kick stainless steel 1981mm | AKRS19810 |
| Toe kick stainless steel        | AKRS21310 |
| Toe kick stainless steel 762mm  | AKRS7610  |

Capacity

|                     |      |
|---------------------|------|
| Volume              | 463L |
| Volume refrigerator | 463L |

Consumption

|                      |                 |
|----------------------|-----------------|
| Energy rating        | F               |
| Energy usage         | 159kWh/year     |
| In-use energy carbon | 49.1kgCO2e/year |

Features

|                          |   |
|--------------------------|---|
| Adjustable door shelves  | 4 |
| Adjustable glass shelves | 4 |
| Covered door shelves     | 1 |
| Door alarm               | • |
| Front levelling feet     | • |
| Gallon door shelves      | 1 |
| LED bin lighting         | • |
| LED ceiling lighting     | • |
| LED side lighting        | • |
| SmartTouch interface at  | • |
| Stackable bottle holders | 4 |

Freezer Features

|                  |   |
|------------------|---|
| LED bin lighting | • |
|------------------|---|

|                         |   |
|-------------------------|---|
| LED ceiling lighting    | • |
| LED lighting            | • |
| LED side lighting       | • |
| SmartTouch interface at | • |

Installation Dimensions

|                            |        |
|----------------------------|--------|
| Minimum inside width of    | 762mm  |
| Minimum internal depth of  | 635mm  |
| Minimum internal height of | 2134mm |

Performance

|                                |       |
|--------------------------------|-------|
| ActiveSmart™ Foodcare          | •     |
| Adaptive defrost               | •     |
| Dual evaporator                | •     |
| Frost free                     | •     |
| Frost free freezer             | •     |
| Humidity control system        | •     |
| Inverter controlled compressor | •     |
| Noise emissions                | 42dBA |
| Noise emissions class          | D     |
| Sabbath mode                   | •     |
| Variable temperature zones     | 2     |

Power requirements

|                  |      |
|------------------|------|
| Rated current    | 10A  |
| Supply frequency | 50Hz |
| Supply voltage   | 230V |

Product dimensions

|       |       |
|-------|-------|
| Depth | 610mm |
|-------|-------|

|                          |        |
|--------------------------|--------|
| Height                   | 2134mm |
| Height to top of cabinet | 756mm  |
| Width                    | 756mm  |

Warranty

|                          |         |
|--------------------------|---------|
| Parts and labour         | 5 years |
| Sealed system parts only | 5 years |

|     |       |
|-----|-------|
| SKU | 26138 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel’s Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

**T** 1800 625174 **W** [www.fisherpaykel.com](http://www.fisherpaykel.com)