

Induction Hob, 83cm, 4 Zones with Integrated Ventilation

Series 9 | Minimal

Black Glass



A true two-in-one appliance, this hob combines the precision of induction cooking with powerful extraction in one seamless, stylish hob.

- Seamless kitchen integration, without the need for overhead ventilation
- Four cooking zones, including simple pairing of two zones to create a SmartZone
- With nine fan speeds plus boost, select the perfect extraction rate for your cooking
- Minimal style, sleek black glass finish to suit any kitchen design

DIMENSIONS

Height	218mm
Width	830mm
Depth	515mm

FEATURES & BENEFITS

Seamless Integration

Offering true design freedom, this hob can be placed anywhere – eliminating the need for bulky overhead ventilation and helping to create a seamless flow between kitchen and living spaces. Installed raised or flush, it’s perfect for islands, or homes with high ceilings.

Elegant design

The subtle black glass and durable matte black detailing blend elegance with durability. With premium styling, these hobs seamlessly blend with other appliances for a cohesive, considered kitchen design.

Precise Control

Fisher & Paykel induction hobs offer extremely accurate temperature control from very high to very low heats, so you can sear, sauté and temper like a pro. Touch&Slide controls react immediately when you adjust the temperature, so you can go from a boil to a simmer in seconds.

Effective Extraction

Designed for busy homes, the integrated ventilation works effectively and unobtrusively in the background. Featuring nine fan speeds, plus a boost function, for quickly removing odours and steam.

Safety of induction

Induction hobs only start heating your pot or pan once you’ve placed it on the surface and stop as soon as you remove it – so

they are safer for everyone.

Ease of use

Designed for simple removal, the grease filter tray effectively captures spills, while the single glass cooking surface can be easily wiped clean. A flush ventilation grille allows pots to effortlessly slide across the hob surface.

Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the hob surface. This makes induction cooking more energy-efficient than electric or gas hobs.

SPECIFICATIONS

Accessories (sold separately)

Square grille & butterfly valve	82393 DO-G-SS (optional)
---------------------------------	--------------------------

Cleaning

Dishwasher safe grease filter	•
Flat easy clean glass surface	•
Flush grille	•

Consumption

Energy rating	A+
---------------	----

Controls

Auto cut-off timer for each	•
Minute timer	•
Soft-touch electronic controls	•
Touch and slide controls	•

Downdraft performance

Air outlet size	220mm W x 90 mm H	Supply voltage	220 - 240V	SKU	82228
Air speeds	9 + boost				
Ducted externally	•				
Ducting direction	Side, Rear				
Maximum air flow (Boost)	660m³/hr	Product dimensions			
Maximum air flow (Level 9)	623m³/hr	Depth	515mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020	
Maximum noise level (Boost)	70dBA	Height	218mm		
Maximum noise level (Level 9)	69dBA	Width	830mm		
Minimum air flow	192m³/hr	Safety		Where applicable:	
Minimum noise level	38dBA	Keylock	•	All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.	
Motor type	•	Pan detection system	•		
		Safety time out	•		
		Surface hot indicators	•		
Ducting Accessories (optional)		Warranty			
Duct 1m Connector 222x89	82389 D1-C-222-89	Parts and labour	5 years	Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.	
Ducting adaptor	82392 DA-219-98-150				
Elbow 90° horizontal 222x89	82390 E90-H-222-89				
Elbow 90° vertical 222x89	82391 E90-V-222-89	Zone ratings			
Performance		Left front	2100W		
Gentle heat	•	Left front zone (PowerBoost)	3000W		
Heat settings	9	Left rear	2100W		
Induction cooking technology	•	Left rear zone (PowerBoost)	3000W		
Pause function	•	Right front	2100W		
PowerBoost	•	Right front zone (PowerBoost)	3000W		
SmartZone	•	Right rear	2100W		
		Right rear zone (PowerBoost)	3000W		
		SmartZone	3700W		
Power requirements		Zones			
Electrical connection	Terminal block	Number of elements	4		
Maximum power	7.4kW				
Supply frequency	50Hz				

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide



Installation Guide



Data Sheet Induction Hob



Planning Guide Induction Hob with Integrated Ventilation



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 W www.fisherpaykel.com