Integrated Column Refrigerator, 61cm

Series 11 | Integrated


Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to

FISHER & PAYKEL

13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

CLEVER ENERGY

Our ActiveSmart[™] Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD6121L10D
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF

QUICK REFERENCE GUIDE > RS6121SLK1

Handle kit Contemporary	AHD5RDSFE
Handle kit Contemporary	AHD3-RD2
Joiner kit	AJ-RS21LF
Toe kick stainless steel	AKRS10710
Toe kick stainless steel	AKRS12210
Toe kick stainless steel	AKRS13710
Toe kick stainless steel	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRSO6110
Capacity	
Volume	3511
Volume refrigerator	3511
Consumption	
Energy rating	3 ticks
Energy usage	179kWh/yea
In-use energy carbon	60 Class 6025 (115
	68.6kgCO2e/yea
Features	68.6kgCO2e/yea
	68.6kgCO2e/yea
Features	
Features Adjustable door shelves	
Features Adjustable door shelves Covered door shelves	
Features Adjustable door shelves Covered door shelves Door alarm	
Features Adjustable door shelves Covered door shelves Door alarm Gallon door shelves	
Features Adjustable door shelves Covered door shelves Door alarm Gallon door shelves LED bin lighting	

Installation Dimensions

Minimum inside width of	610mm
Minimum internal depth of	635mm
Minimum internal height of	2134mm

Performance ActiveSmart[™] Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system • Inverter controlled compressor Noise emissions 42dBA D Noise emissions class Sabbath mode . Variable temperature zones 2

Power requirements

Rated current	10A
Supply frequency	50Hz
Supply voltage	220 - 240V

Product dimensions

Depth	610mm
Height	2134mm
Width	603mm
Warranty	
Parts and labour	2 years
Sealed system parts only	additional 3 years

SKU 26135

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- Service & Warranty
- ↓ User Guide Integrated Refrigerator Freezer EN
- Installation Guide Integrated Column Refrigerator
- ✓ Installation Guide Toe Kick
- Specification Guide
- ↓ Data Sheet Integrated Column Fridge
- Data Sheet Integrated Column Fridge Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Fridge Dual Install (610mm + 610mm)
- Data Sheet Integrated Column Fridge Dual Install (610mm + 762mm)
- ✓ Data Sheet Integrated Column Fridge with Contemporary Square Handle Kit
- ▲ Data Sheet Integrated Column Fridge with Contemporary Round Handle Kit
- Planning Guide
- Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com