QUICK REFERENCE GUIDE > RDV3-304-N

# Dual Fuel Range, 30", 4 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 22,500 BTU, for seriously fast boiling
- 4 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

### **DIMENSIONS**

Height	35 3/4 - 36 3/4"
Width	29 7/8"
Depth	29 1/8"



### **FEATURES & BENEFITS**

### Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

### Generous capacity

Featuring a generous total capacity of 4 cu ft, with enough room

to fit a 26 lb turkey, or to cook several dishes at once.

### Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### **Cooktop Power**

Sealed dual flow burners deliver cooktop power up to 22,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames

### **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

### Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

### **SPECIFICATIONS**

Maximum burner power

# Accessories Adjustable feet covers Branded coin end cap • Accessories (sold separately) Square handle option AH-R30 Burner ratings

22500 BTU

## FISHER & PAYKEL

QUICK REFERENCE GUIDE > RDV3-304-N Date: 02.05.2024 > 2

Power back left	18500BTU	Auto re-ignition system	•	Main oven - True convection	2500W
Power back right	18500BTU	Broil pan	•		
Power front left	22500BTU	Concealed element	•	Power requirements	
Power front right	18500BTU	Electronic oven control	•	Amperage	30A
Total cooktop power	78000 BTU	Food probe	•	Rated current	30A
		Full extension telescopic	•	Supply frequency	60Hz
Capacity		Internal light	•		
Shelf positions	5	Self-clean proof side racks	•	Product dimensions	
		Titanium coated, illuminated	•	Depth	29 1/8"
Cleaning				Height	35 3/4 - 36 3/4"
Easy clean porcelain basepan	•	Oven functions		Width	29 7/8"
Pyrolytic self-clean	•	Air fry	•		
		Bake	•	Rangetop features	
Controls		Classic bake	•	Sealed range top	
Dial with illuminated halo	•	Clean	•	Vent trim included	•
Electric circuit	4 wire	Convection Broil	•		
High resolution display	•	Convection bake	•	Recommended Back Guards Ventilation	
Metal illuminated dials	•	Dehydrate	•	Combustible situation	BGRV3-3030H
Multi-language interface	•	Maxi Broil	•	Non combustible situation	BGRV2-3030 / BGRV2-1230
Precise cooking with food	•	Number of functions	15	Recommended hood	HCB30-6_N (Professional
Recipe and food based	•	Pastry bake	•		
Sabbath mode	•	Pizza bake	•	Safety	
Tilting touch screen interface	•	Rapid proof	•	ADA compliant	
Wi-Fi connectivity	•	Roast	•	Full extension telescopic	
		Slow cook	•		
Gas Requirements		True convection	•	Secondary oven features	
Fitting and pipe	½ NPT, min. %" 🛭 flex line	Warm	•	Food probe	•
Supply Pressure (natural gas)	6" to 9" W.C			i ood probe	
		Oven performance			
Oven features		Bake power	3500	SKU	81900

QUICK REFERENCE GUIDE > RDV3-304-N

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Fisher & Paykel Appliances Ltd 2020

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

### Other product downloads available at fisherpaykel.com

Service & Warranty

User Guide Professional Range EN

Guide d'installation FR

Specification Guide Dual Fuel Range

Data Sheet Dual Fuel Range with Backguard BGRV2-1230

Data Sheet Dual Fuel Range with Backguard BGRV2-3030

Data Sheet Dual Fuel Range

Planning Guide Dual Fuel Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com