

Series 9, Integrated Tall Single DishDrawer Dishwasher

Integrated




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60STPX
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S
Handle kit Contemporary square, black	AHD3-OBDD-60B

Capacity and loading		Built-in water softener		•	Eco	•
Accommodates round plates up to	310mm	Fan assisted drying		•	Fast	•
Adjustable height, foldable cupracks	•	Flood protection		•	Heavy	•
Fold down tines	•	Flow through detergent dispenser		•	Medium	•
Pitch adjustable tines	•	Motor type	BLDC		Rinse	•
Place settings	6	Quiet operation		•	Wash programs	6
		SmartDrive™ technology		•		
Connected Features		Performance			Water connection	
Alerts and notifications	•	Noise emissions	43 dBA		Water pressure	100kPa - 1000kPa
Education and onboarding	•				Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Monitoring	•	Power requirements				
Software updates	•	Dedicated Circuit (A)	5A		SKU	82361
Consumption		Supply frequency	50 Hz		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Energy rating	F	Voltage	220 - 240V			
Energy usage	61kWh/100 cycles	Product dimensions				
Water usage (per wash cycle)	7.9L	Depth	553 mm		Other product downloads available at fisherpaykel.com	
Controls		Height	454 mm			
Electronic fault/Diagnostic indicator	•	Width	599 mm			
End of cycle beeps	•	Wash Program Modifiers			↓ DXF	
Energy saving delay start option of up to 12 hours	•	Extra Dry	•		↓ Declaration of Conformity (English)	
Internal wash selector	•	Quick	•		↓ DWG	
Keylock	•	Sanitise	•		↓ Energy Label	
Knock to pause	•	Wash modifiers	3		↓ Installation Guide (Danish)	
Rinse aid indicator light	•				↓ Installation Guide (Dutch)	
Smart appliance	•				↓ Installation Guide (Dutch)	
Features		Wash Programs			↓ Installation Guide (English)	
		Delicate	•		↓ Installation Guide (Spanish)	
					↓ Installation Guide (Finnish)	
					↓ Installation Guide (French)	

- [↓](#) Installation Guide (Hebrew)
- [↓](#) Installation Guide (Italian)
- [↓](#) Installation Guide (Norwegian)
- [↓](#) Installation Guide (Spanish)
- [↓](#) Installation Guide (Swedish)
- [↓](#) Planning Guide (English)
- [↓](#) Product Information Sheet
- [↓](#) Quick Start Guide (Danish)
- [↓](#) Quick Start Guide (German)
- [↓](#) Quick Start Guide (Dutch)
- [↓](#) Quick Start Guide (Spanish)
- [↓](#) Quick Start Guide (Finnish)
- [↓](#) Quick Start Guide (French)
- [↓](#) Quick Start Guide (Hebrew)
- [↓](#) Quick Start Guide (Italian)
- [↓](#) Quick Start Guide (Norwegian)
- [↓](#) Quick Start Guide (Swedish)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino - Door and Contemporary Square Handle
- [↓](#) SketchUp
- [↓](#) SketchUp - Door and Contemporary Square Handle
- [↓](#) User Guide (English)
- [↓](#) Wash Program Data (English)
- [↓](#) Installation Video



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000886605 W www.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.