QUICK REFERENCE GUIDE > RS6121SRK1

Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm



FEATURES & BENEFITS

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

CLEVER ENERGY

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD6121R10D
Handle kit Contemporary	AHS-RD21
Handle kit Contemporary	AHD5RDSF
Handle kit Contemporary	AHD5RDSFB
Handle kit Contemporary	AHD3-RD21
Joiner kit	AJ-RS21LR
Toe kick stainless steel	AKRS10710
Toe kick stainless steel	AKRS12210

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 24.04.2024 > 2

Toe kick stainless steel	AKRS13710	Adaptive defrost	•
Toe kick stainless steel	AKRS18310	Dual evaporator	•
Toe kick stainless steel 1981mm	AKRS19810	Frost free	•
Toe kick stainless steel 610mm	AKRS06110	Humidity control system	
		Inverter controlled compressor	
Capacity		Noise emissions	42dBA
Total net volume	351L	Noise emissions class	D
Volume	351L	Sabbath mode	•
Volume refrigerator	351L	Variable temperature zones	2
Consumption		Power requirements	
Energy rating	Grade 1	Connection power	330W
		Rated current	10A
Features		Supply frequency	50Hz
Adjustable door shelves	4	Supply voltage	220 - 240V
Covered door shelves	1		
Door alarm	•	Product dimensions	
Gallon door shelves	1	Depth	610mm
LED bin lighting	•	Height	2134mm
LED ceiling lighting	•	Width	603mm
LED side lighting	•		
Stackable bottle holders	4	Warranty	
Installation Dimensions		Parts and labour	1 year
Minimum inside width of	610mm		
Minimum internal depth of	635mm	SKU	26136
Minimum internal height of	2134mm		
Performance		The product dimensions and specifications in this pag-	
ActiveSmart Foodcare	•	specifications may change at any time. You should the	

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 24.04.2024 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 400 640 8777 **W**www.fisherpaykel.com