

Integrated Column Refrigerator, 76cm

Series 11 | Integrated


Panel Ready | Left hinge



- Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.
- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
 - Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134mm
Width	756mm
Depth	610mm



FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to

13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different-sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left	RD7621L10D
Door panel stainless steel Right	RD7621R10D
Handle kit Contemporary	AHS-RD21

Handle kit Contemporary	AHD5RDSF	SmartTouch interface at	•	Supply frequency	50Hz
Handle kit Contemporary	AHD5RDSFB	Stackable bottle holders	4	Supply voltage	230V
Handle kit Contemporary	AHD3-RD21				
Joiner kit	AJ-RS21LR	Freezer Features		Product dimensions	
Toe kick stainless steel	AKRS12210	LED bin lighting	•	Depth	610mm
Toe kick stainless steel	AKRS13710	LED ceiling lighting	•	Height	2134mm
Toe kick stainless steel	AKRS15210	LED lighting	•	Height to top of cabinet	756mm
Toe kick stainless steel 1981mm	AKRS19810	LED side lighting	•	Width	756mm
Toe kick stainless steel	AKRS21310	SmartTouch interface at	•		
Toe kick stainless steel 762mm	AKRS7610			Warranty	
		Installation Dimensions		Parts and labour	2 years
Capacity		Minimum inside width of	762mm	Sealed system parts only	5 years
Volume	463L	Minimum internal depth of	635mm		
Volume refrigerator	463L	Minimum internal height of	2134mm		
				SKU	25673
Consumption		Performance			
Energy rating	4 ticks	ActiveSmart™ Foodcare	•		
Energy usage	179kWh/year	Adaptive defrost	•		
In-use energy carbon	68.6kgCO2e/year	Dual evaporator	•		
		Frost free	•		
Features		Frost free freezer	•		
Adjustable door shelves	4	Humidity control system	•		
Adjustable glass shelves	4	Inverter controlled compressor	•		
Covered door shelves	1	Noise emissions	42dBA		
Door alarm	•	Noise emissions class	D		
Front levelling feet	•	Sabbath mode	•		
Gallon door shelves	1	Variable temperature zones	2		
LED bin lighting	•				
LED ceiling lighting	•	Power requirements			
LED side lighting	•	Rated current	10A		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T +65 6741 0777 **W** www.fisherpaykel.com